

Farrel Tsaqif Anindyo
24/536735/PA/22769

DATABASE PRACTICUM

Assignment Week 3

3.3

Objective: Create a database and a table based on the PVFC customer invoice picture in the module and add at least 5 table rows(tuples)

I create a database "PVFC" and three tables consisting of customer, product, and order information

```
MariaDB [(none)]> create database pvfc;
Query OK, 1 row affected (0.007 sec)

MariaDB [(none)]> show databases;
+-----+
| Database |
+-----+
| academic |
| hotel    |
| information_schema |
| marketplace |
| mysql    |
| performance_schema |
| phpmyadmin |
| pvfc     |
| test     |
+-----+
9 rows in set (0.002 sec)
```

Create database

```
MariaDB [pvfc]> create table customer (  
  -> customer_id INT AUTO_INCREMENT NOT NULL,  
  -> customer_name VARCHAR(255),  
  -> address VARCHAR(255),  
  -> credit_limit INT(20),  
  -> PRIMARY KEY (customer_id)  
  -> );  
Query OK, 0 rows affected (0.029 sec)
```

Create customer table

```
MariaDB [pvfc]> INSERT INTO customer VALUES  
  -> (1, 'Value Furniture', 'Plano', 50000000),  
  -> (2, 'Luxury Home', 'New York', 75000000),  
  -> (3, 'PT Indah Jati', 'Bandung', 30000000),  
  -> (4, 'Elegant Living', 'Singapore', 60000000),  
  -> (5, 'PT Nusantara', 'Jakarta', 45000000);  
Query OK, 5 rows affected (0.052 sec)  
Records: 5  Duplicates: 0  Warnings: 0
```

Add 5 rows to customer table

```
MariaDB [pvfc]> create table product (  
  -> product_code VARCHAR(20),  
  -> product_name VARCHAR(255),  
  -> category VARCHAR(50),  
  -> buyprice DECIMAL(15,2),  
  -> MSRP DECIMAL(15,2),  
  -> PRIMARY KEY (product_code)  
  -> );  
Query OK, 0 rows affected (0.035 sec)
```

create product table

```

MariaDB [pvfc]> INSERT INTO product VALUES
-> ('7007', 'Dining Table', 'Furniture', 600.00, 800.00),
-> ('7008', 'Writers Desk', 'Furniture', 250.00, 325.00),
-> ('7009', 'Entertainment Center', 'Furniture', 500.00, 650.00),
-> ('S72_321', 'Classic Car Model', 'Classic Cars', 100.00, 150.00),
-> ('S99_001', 'Office Chair', 'Furniture', 120.00, 200.00);
Query OK, 5 rows affected (0.010 sec)
Records: 5 Duplicates: 0 Warnings: 0

```

Add 5 rows to product table

```

MariaDB [pvfc]> create table orderDetails (
-> order_id INT AUTO_INCREMENT NOT NULL,
-> customer_id INT,
-> order_date DATE,
-> status VARCHAR(20),
-> product_code VARCHAR(20),
-> quantity INT,
-> unit_price DECIMAL(15,2),
-> extended_price DECIMAL(15,2),
-> PRIMARY KEY (order_id),
-> FOREIGN KEY (customer_id) REFERENCES customer(customer_id),
-> FOREIGN KEY (product_code) REFERENCES product(product_code)
-> );
Query OK, 0 rows affected (0.051 sec)

```

Create order table

```

MariaDB [pvfc]> INSERT INTO orderDetails VALUES
-> (1, 1, '2006-10-24', 'Shipped', '7007', 2, 800.00, 1600.00),
-> (2, 1, '2006-10-24', 'Shipped', '7008', 2, 325.00, 650.00),
-> (3, 1, '2006-10-24', 'Shipped', '7009', 1, 650.00, 650.00),
-> (4, 2, '2006-11-01', 'In Process', 'S72_321', 3, 150.00, 450.00),
-> (5, 5, '2006-12-15', 'In Process', 'S99_001', 5, 200.00, 1000.00);
Query OK, 5 rows affected (0.010 sec)
Records: 5 Duplicates: 0 Warnings: 0

```

Add 5 rows to order table

3.4

1. Jelaskan cara menggunakan perintah Insert, Update, dan Delete!

Insert

```

INSERT INTO (table name) (c1, c2, ...)
VALUES (v1, v2, ...);

```

Update

```

UPDATE (table name)

```

```
SET  
Column_name1 = expr1,  
Column_name2 = expr2,  
[WHERE  
CONDITION];
```

```
Delete  
DELETE FROM (table name)  
[WHERE  
CONDITION];
```

2. Perintah apa yang digunakan untuk mengubah nilai beberapa kolom dari suatu tabel?

You can use update command

3.5

1. Insert

- a. Tambahkan data customer baru dengan nama “PT Maju Jaya”, berlokasi di Jakarta, dengan creditLimit Rp 100.000.000.

```
MariaDB [pvfc]> INSERT INTO customer (customer_name, address, credit_limit)  
-> VALUES  
-> ('PT MAJU JAYA', 'Jakarta', 100000000);  
Query OK, 1 row affected (0.049 sec)
```

- b. Tambahkan produk baru dengan kode S99_9999, nama “Kursi Kayu Jati”, harga beli Rp 800.000, MSRP Rp 1.200.000.

```
MariaDB [pvfc]> INSERT INTO product (product_code, product_name, category, buyprice, MSRP)  
-> VALUES  
-> ('S99_9999', 'Kursi Kayu Jati', 'Furniture', 800000, 1200000);  
Query OK, 1 row affected (0.010 sec)
```

- c. Buat order baru untuk customer “PT Maju Jaya” dengan 2 item produk, masing-masing 5 unit.

```
MariaDB [pvfc]> INSERT INTO orderDetails  
-> VALUES  
-> (7, 6, '2025-09-19', 'In Process', 'S99_9999', 5, 1200000, 6000000),  
-> (8, 6, '2025-09-19', 'In Process', '7007', 5, 800000, 4000000);  
Query OK, 2 rows affected (0.009 sec)  
Records: 2 Duplicates: 0 Warnings: 0
```

2. Update

- a. Perbarui creditLimit customer “PT Maju Jaya” menjadi Rp 150.000.000.

```
MariaDB [PVFC]> UPDATE customer
  -> SET credit_limit = 150000000
  -> WHERE customer_name = 'PT MAJU JAYA';
Query OK, 1 row affected (0.016 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

- b. Ubah status order tertentu dari In Process menjadi Shipped.

```
MariaDB [PVFC]> UPDATE orderDetails
  -> SET Status = 'Shipped'
  -> WHERE Status = 'In Process';
Query OK, 4 rows affected (0.008 sec)
Rows matched: 4  Changed: 4  Warnings: 0
```

- c. Naikkan MSRP seluruh produk kategori Classic Cars sebesar 10%.

```
MariaDB [PVFC]> UPDATE product
  -> SET MSRP = MSRP * 1.10
  -> WHERE category = 'Classic Cars';
Query OK, 1 row affected (0.009 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

3. Delete

- a. Hapus produk yang stoknya kosong (tidak pernah ada di tabel OrderDetails).

```
MariaDB [PVFC]> DELETE FROM product
  -> WHERE product_code NOT IN (SELECT DISTINCT product_code FROM orderDetails);
Query OK, 0 rows affected (0.019 sec)
```

- b. Hapus customer yang belum pernah melakukan transaksi sama sekali.

```
MariaDB [PVFC]> DELETE FROM customer
  -> WHERE customer_id NOT IN (SELECT DISTINCT customer_id FROM orderDetails);
Query OK, 2 rows affected (0.010 sec)
```

4. Select

- a. Tampilkan daftar order dari customer "PT Maju Jaya".

```
MariaDB [PVFC]> SELECT c.customer_name, o.order_date, o.status, o.product_code, o.quantity, o.unit_price, o.extended_price
-> FROM orderDetails o
-> JOIN customer c ON o.customer_id = c.customer_id
-> WHERE c.customer_name = 'PT Maju Jaya';
```

customer_name	order_date	status	product_code	quantity	unit_price	extended_price
PT MAJU JAYA	2025-09-19	Shipped	S99_9999	5	1200000.00	6000000.00
PT MAJU JAYA	2025-09-19	Shipped	7007	5	800000.00	4000000.00

2 rows in set (0.012 sec)

b. Tampilkan semua produk dengan harga jual (MSRP) di atas Rp 1.000.000.

```
MariaDB [PVFC]> SELECT *
-> FROM product
-> WHERE MSRP > 1000000;
```

product_code	product_name	category	buyprice	MSRP
S99_9999	Kursi Kayu Jati	Furniture	800000.00	1200000.00

1 row in set (0.005 sec)

Final Result

```
MariaDB [pvfc]> SELECT * FROM customer;
```

customer_id	customer_name	address	credit_limit
1	Value Furniture	Plano	50000000.00
2	Luxury Home	New York	75000000.00
5	PT Nusantara	Jakarta	45000000.00
6	PT MAJU JAYA	Jakarta	150000000.00

4 rows in set (0.044 sec)

```
MariaDB [pvfc]> SELECT * FROM product;
```

product_code	product_name	category	buyprice	MSRP
7007	Dining Table	Furniture	600.00	800.00
7008	Writers Desk	Furniture	250.00	325.00
7009	Entertainment Center	Furniture	500.00	650.00
S72_321	Classic Car Model	Classic Cars	100.00	165.00
S99_001	Office Chair	Furniture	120.00	200.00
S99_9999	Kursi Kayu Jati	Furniture	800000.00	1200000.00

6 rows in set (0.003 sec)

```
MariaDB [pvfc]> SELECT * FROM orderDetails;
```

order_id	customer_id	order_date	status	product_code	quantity	unit_price	extended_price
1	1	2006-10-24	Shipped	7007	2	800.00	1600.00
2	1	2006-10-24	Shipped	7008	2	325.00	650.00
3	1	2006-10-24	Shipped	7009	1	650.00	650.00
4	2	2006-11-01	Shipped	S72_321	3	150.00	450.00
5	5	2006-12-15	Shipped	S99_001	5	200.00	1000.00
7	6	2025-09-19	Shipped	S99_9999	5	1200000.00	6000000.00
8	6	2025-09-19	Shipped	7007	5	800000.00	4000000.00

7 rows in set (0.004 sec)