CS 310


COULD YOU ARRANGE THESE STATUES IN ORDER OF HEIGHT?
SEVERAL HOURS LATER...
I AM VERY CLOSE TO PROVING A LINEAR BOUND ON SORTING IN CASE THE COST OF SWAP IS SIGNIFICANTLY MORE THAN THE COST OF COMPARE
$\pi = \langle \sigma_1, \sigma_2, \cdots \sigma_K \rangle$
$n/2 \leq K \leq n$
NOTE TO SELF: NEVER HIRE CS THEORY STUDENTS AS MOVERS

Quick refresher!

Graphs

- Fundamental and expressive structure.

- Wide range of problems can be modeled with clarity and precision

- Pairwise relationships between objects.

Road networks



Ebola spread





KEY:
EMPLOYEE (E-MAIL ADDRESS)
AT LEAST ONE E-MAIL CONTACT BETWEEN EMPLOYEES
charles.weldon
The analysis detected an anomaly: a new e-mail address for this person, who had been "phillip.allen" for 131 previous weeks.
k..allen
Company leaders e-mail less frequently, leaving some communication to subordinates.
jeff.skilling
kenneth.lay
john.lavorato
mike.grigsby
james.steffes
benjamin.rogers
a..shankman
v.weldon
bill.rapp
vince.kaminski
andy zipper
tracy.geaccone
cara.semperger
c..giron
theresa.staab
teb.lokey
tana.jones
s..ward
susan.scott
susan.bailey
stephanie.panus
stanley.horton
stacy.dickson
shelley.corman
sara.shackleton
sally.beck
ryan.slinger
rod.hayslett
rick.buy
richard.sanders
richard.ring
phillip.platter
phillip.love
paul.thomas
m..scott
m..presto
monika.causholli
m..love
mike.mcconnell
michelle.lokay
michelle.cash
m..forney
matt.smith
mark.whitt
mark.taylor
mark.haedicke
mark.e.haedicke
marie.heard
lynn.blair
liz.taylor
lisa.gang
lindy.donoho
larry.campbell
kimberly.watson
kim.ward
kevin.hyatt
kay.mann
kate.symes
kam.keiser
j..sturm
john.hodge
john.griffith
cooper.richey
craig.dean
dan.hyvl
danny.mccarty
darrell.schoolcraft
darron.giron
david.delainey
debra.perlingiere
d..martin
drew.fossum
d..thomas
dutch.quigley
e..haedicke
elizabeth.sager
errol.mclaughlin
f..campbell
geir.solberg
gerald.nemec
greg.whalley
holden.salisbury
james.derrick
jason.williams
jason.wolfe
jeffrey.hodge
jeffrey.shankman
j..farmer
don.baughman
diana.scholtes
dana.davis
clint.dean
chris.germany
chris.dorland
brad.mckay
bill.williams
andrew.lewis
andrea.ring
a..martin
steven.kean
scott.neal
richard.shapiro
louise.kitchen
kevin.presto
jeff.dasovich
barry.tycholiz
w..pereira
vladi.pimenov
tori.kuykendall
tom.donohoe
thomas.martin
susan.pereira
steven.south
s..shively
scott.hendrickson
sandra.brawner
robert.benson
robert.badeer
randall.gay
phillip.allen
peter.keavey
patrice.mims
m..tholt
monique.sanchez
mike.swerzbin
mike.maggi
mike.carson
matt.motley
matthew.lenhart
martin.cuilla
l..mims
l..gay
larry.may
kevin.ruscitti
keith.holst
judy.townsend
juan.hernandez
jonathan.mckay
john.zufferli
john.forney
john.arnold
joe.quenet
joe.parks
jim.schwieger
jeff.king
jay.reitmeyer
jane.tholt
hunter.shively
h..lewis
harry.arora
geoff.storey
frank.ermis
fletcher.sturm
f..keavey
f..brawner
eric.saibi
eric.bass
Sources: Dr. Carey E. Priebe and Youngser Park, Johns Hopkins University
Finding Patterns In Corporate Chatter

Framingham heart study



Figure 1. Largest Connected Subcomponent of the Social Network in the Framingham Heart Study in the Year 2000.
Each circle (node) represents one person in the data set. There are 2200 persons in this subcomponent of the social network. Circles with red borders denote women, and circles with blue borders denote men. The size of each circle is proportional to the person's body-mass index. The interior color of the circles indicates the person's obesity status: yellow denotes an obese person (body-mass index, ≥30) and green denotes a nonobese person. The colors of the ties between the nodes indicate the relationship between them: purple denotes a friendship or marital tie and orange denotes a familial tie.

Some graph applications

graph	node	edge
communication	telephone, computer	fiber optic cable
circuit	gate, register, processor	wire
mechanical	joint	rod, beam, spring
financial	stock, currency	transactions
transportation	street intersection, airport	highway, airway route
internet	class C network	connection
game	board position	legal move
social relationship	person, actor	friendship, movie cast
neural network	neuron	synapse
protein network	protein	protein-protein interaction
molecule	atom	bond

Web graph

Node: webpage
Edge: hyperlink



Ecological food graph



Customer graphs



Social Media



Some directed graph applications

directed graph	node	directed edge
transportation	street intersection	one-way street
web	web page	hyperlink
food web	species	predator-prey relationship
WordNet	synset	hypernym
scheduling	task	precedence constraint
financial	bank	transaction
cell phone	person	placed call
infectious disease	person	infection
game	board position	legal move
citation	journal article	citation
object graph	object	pointer
inheritance hierarchy	class	inherits from
control flow	code block	jump

How is a graph specified?

How is a graph specified?

Formally, a **graph** is specified by a **set of vertices** (also called nodes) V and by **edges** E between select pairs of vertices.

Undirected graph.

G = (V, E)

V = nodes or vertices E = edges between pairs of nodes.

Graph size parameters: n = |V|, m = |E|.



V = { 1, 2, 3, 4, 5, 6, 7, 8 }

E = { 1-2, 1-3, 2-3, 2-4, 2-5, 3-5, 3-7, 3-8, 4-5, 5-6 }

n = 8

m = 11

Degree of a vertex?

How is a graph represented?

Adjacency Matrix



	1	2	3	4	5	6	7	8
1	0	1	1	0	0	0	0	0
2	1	0	1	1	1	0	0	0
3	1	1	0	0	1	0	1	1
4	0	1	0	0	1	0	0	0
5	0	1	1	1	0	1	0	0
6	0	0	0	0	1	0	0	0
7	0	0	1	0	0	0	0	1
8	0	0	1	0	0	0	1	0

Graph representation: adjacency matrix

Adjacency matrix. n-by-n matrix with $A_{uv} = 1$ if (u, v) is an edge.

- Two representations of each edge.
- Space proportional to
- Checking if (u, v) is an edge takes time.
- Identifying all edges takes time.



	1	2	3	4	5	6	7	8
1	0	1	1	0	0	0	0	0
2	1	0	1	1	1	0	0	0
3	1	1	0	0	1	0	1	1
4	0	1	0	0	1	0	0	0
5	0	1	1	1	0	1	0	0
6	0	0	0	0	1	0	0	0
7	0	0	1	0	0	0	0	1
8	0	0	1	0	0	0	1	0

Graph representation: adjacency matrix

Adjacency matrix. n-by-n matrix with $A_{uv} = 1$ if (u, v) is an edge.

- Two representations of each edge.
- Space proportional to n^2.
- Checking if (u, v) is an edge takes $\Theta(1)$ time.
- Identifying all edges takes $\Theta(n^2)$ time.



	1	2	3	4	5	6	7	8
1	0	1	1	0	0	0	0	0
2	1	0	1	1	1	0	0	0
3	1	1	0	0	1	0	1	1
4	0	1	0	0	1	0	0	0
5	0	1	1	1	0	1	0	0
6	0	0	0	0	1	0	0	0
7	0	0	1	0	0	0	0	1
8	0	0	1	0	0	0	1	0

Adjacency List



Graph representation: adjacency lists

Adjacency lists. Node indexed array of lists.

- Two representations of each edge.
- Space is
- Checking if (u, v) is an edge takes time.
- Identifying all edges takes time.





Graph representation: adjacency lists

Adjacency lists. Node indexed array of lists.

- Two representations of each edge.
- Space is $\Theta(m + n)$.
- Checking if (u, v) is an edge takes $O(degree(u))$ time.
- Identifying all edges takes $\Theta(m + n)$ time.

degree = number of neighbors of u





Useful representation for finding neighbors of a vertex.

Efficiency of operations depends on the choice of data-structures

Adjacency list is the default representation, unless stated otherwise.

What is a path in a graph?

What is a path in a graph?

Def. A path in an undirected graph $G = (V, E)$ is a sequence of nodes $v_1, v_2, \ldots, v_k$ with the property that each consecutive pair v_{i-1}, v_i is joined by an edge in E.

What is a simple path in a graph?



What is a path in a graph?

Def. A path in an undirected graph $G = (V, E)$ is a sequence of nodes $v_1, v_2, \ldots, v_k$ with the property that each consecutive pair v_{i-1}, v_i is joined by an edge in E.

What is a simple path in a graph?

Def. A path is simple if all nodes are distinct.



What is a connected graph?

What is a connected graph?

Def. An undirected graph is connected if for every pair of nodes u and v, there is a path between u and v.



What is a tree?

Trees

Undirected graph is a tree if it is connected and does not contain a cycle.

Phylogeny trees

Describe evolutionary history of species.



GUI containment hierarchy

Describe organization of GUI widgets.





Homework: Due beginning of class on Monday, Sept. 16th.

Suppose you are given a **connected undirected weighted graph** G(V,E) with **no cycles**.

How will you find the shortest path between two vertices ‘u’ and ‘v’ in G?