

## CODE

```
CREATE TABLE CUSTOMER (CNAME VARCHAR(15) PRIMARY KEY ,CITY VARCHAR(20) NOT NULL );
```

```
CREATE TABLE BRANCH (BNAME VARCHAR(20) PRIMARY KEY,CITY VARCHAR(30) CHECK (CITY IN ('NAGPUR','DELHI','BANGALORE','BOMBAY')) NOT NULL);
```

```
INSERT INTO CUSTOMER VALUES('ANIL','CALCUTTA');
```

```
INSERT INTO CUSTOMER VALUES('SUNIL','DELHI');
```

```
INSERT INTO CUSTOMER VALUES('MEHUL','BARODA');
```

```
INSERT INTO CUSTOMER VALUES('MANDAR','PATNA');
```

```
INSERT INTO CUSTOMER VALUES('MADHURI','NAGPUR');
```

```
INSERT INTO CUSTOMER VALUES('PRAMOD', 'NAGPUR');
```

```
INSERT INTO CUSTOMER VALUES('SANDIP','SURAT');
```

```
INSERT INTO CUSTOMER VALUES('SHIVANI','BOMBAY');
```

```
INSERT INTO CUSTOMER VALUES('KRANTI','BOMBAY');
```

```
INSERT INTO CUSTOMER VALUES('NAREN','BOMBAY');
```

```
SELECT * FROM CUSTOMER;
```

```
INSERT INTO BRANCH VALUES ('VRCE','NAGPUR');
```

```
INSERT INTO BRANCH VALUES ('AJNI','NAGPUR');
```

```
INSERT INTO BRANCH VALUES ('KAROLBAGH','DELHI');
```

```
INSERT INTO BRANCH VALUES ('CHANDNI','DELHI');
```

```
INSERT INTO BRANCH VALUES ('DHARAMPETH','NAGPUR');
```

```
INSERT INTO BRANCH VALUES ('MG-ROAD','BANGALORE');
```

```
INSERT INTO BRANCH VALUES ('ANDHERI','BOMBAY');
```

```
INSERT INTO BRANCH VALUES ('NEHRU-PALACE','DELHI');
```

```
INSERT INTO BRANCH VALUES ('POWAI','BOMBAY');
```

SELECT \* FROM BRANCH;

## OUTPUT

Database ▾ Queries ▾ Export ▾ Share snippet Run ▶

```
8  INSERT INTO CUSTOMER VALUES('MADHURI','NAGPUR');
9  INSERT INTO CUSTOMER VALUES('PRAMOD','NAGPUR');
10 INSERT INTO CUSTOMER VALUES('SANDIP','SURAT');
11 INSERT INTO CUSTOMER VALUES('SHIVANI','BOMBAY');
12 INSERT INTO CUSTOMER VALUES('KRANTI','BOMBAY');
13 INSERT INTO CUSTOMER VALUES('NAKEN','BOMBAY');
14 SELECT * FROM CUSTOMER;
15
16 INSERT INTO BRANCH VALUES ('VRCE','NAGPUR');
17 INSERT INTO BRANCH VALUES ('AJNI','NAGPUR');
18 INSERT INTO BRANCH VALUES ('KAROLBAGH','DELHI');
19 INSERT INTO BRANCH VALUES ('CHANDNI','DELHI');
20 INSERT INTO BRANCH VALUES ('DHARAMPETH','NAGPUR');
21 INSERT INTO BRANCH VALUES ('MG-ROAD','BANGALORE');
22 INSERT INTO BRANCH VALUES ('ANDHERI','BOMBAY');
```

10 rows

CNAME	CITY
ANIL	CALCUTTA
KRANTI	BOMBAY
MADHURI	NAGPUR
MANDAR	PATNA
MEHUL	BARODA
NAKEN	BOMBAY
PRAMOD	NAGPUR
SANDIP	SURAT
SHIVANI	BOMBAY
SUNIL	DELHI

```
15  
16 INSERT INTO BRANCH VALUES ('VRCE','NAGPUR');  
17 INSERT INTO BRANCH VALUES ('AJNI','NAGPUR');  
18 INSERT INTO BRANCH VALUES ('KAROLBAGH','DELHI');  
19 INSERT INTO BRANCH VALUES ('CHANDNI','DELHI');  
20 INSERT INTO BRANCH VALUES ('DHARAMPETH','NAGPUR');  
21 INSERT INTO BRANCH VALUES ('MG-ROAD','BANGALORE');  
22 INSERT INTO BRANCH VALUES ('ANDHERI','BOMBAY');  
23 INSERT INTO BRANCH VALUES ('NEHRU-PALACE','DELHI');  
24 INSERT INTO BRANCH VALUES ('POWAI','BOMBAY');  
25  
26 SELECT * FROM BRANCH;  
27  
28  
29
```

9 rows

BNAME	CITY
AJNI	NAGPUR
ANDHERI	BOMBAY
CHANDNI	DELHI
DHARAMPETH	NAGPUR
KAROLBAGH	DELHI
MG-ROAD	BANGALORE
NEHRU-PALACE	DELHI
POWAI	BOMBAY
VRCE	NAGPUR