PyRuby 2

Today I saw a package called <u>PyRuby</u> in Github. The readme says:

PyRuby - Some Ruby for your Python!
PyRuby is a simple way to leverage the power of
Ruby to make your Python code more readable an
d beautiful.

Usage

All you have to do is import the ruby module:

import ruby

From now on you should be able to write Ruby co de within a regular Python module. An example:

1.upto(10) { |n| puts n }

Even PyPI has listed this as a package.

In the beginning I thought this was again a Ruby implementation by PyPy project. Or at least it use some magic trick to write ruby code

Then I browse into the source code of it.

It contains only one file: ruby.py

```
1 # -*- coding: utf-8 -*-
2
3 print("""
4
                              `.-:/+ossyhhddmmmm
5
NNNNNNmmmmmdddddhhhyyyyhhhyo:
                       :+sydNNNmmdhhysso++/+++
6
+++///:::::-.```....--/oymms.
                 `:ohmdys+//::/::--:::////:-.`
7
       .+hNds:`-:-:///::----::///++///
:--...-::///::-`.///.
              /hNmo.`
       ----:::-:/+/-.:/:`
10
11
  0.
                               : NN :
12
             :Nm
  : `.-:////:-. `-` ``
            /NM/
13
  `:sdmdhyMMMMMMNNmy/`
                                  :mNo`
                      /dmddddNNmdy+-.
14
         :hMd:
`smmy/-```hMMMMMMhydm/ `-.`` `...:mMm+.
   -hNd/-/o/-..-::`.ydmmmmNMMMMMMNh:/+-
 dMN-`-+hmmmmdhhhhdddmMN-`-/o: .-:::/oydms-
                       ``...--:/+ohNMNhs-
       oNMo:+/::.
 :hNmmdyo:..``yo-```.--. `-`-+shdddhs+-` `.//yms.
```

```
17
     .MMo:/`o:.:+sso+:-`
                                sM+
        /mNh+-...-/ymNNdo::--/shd+` -`:mm:
      /MM-o ./ ohhsooohNmy::sh. `yM/
18
            : -NN.
      -MM// -: ``
                 y: odddhh+ -omNh-
19
                                    / yMo
                       .:ohMMs. +Ms
      hMoo .+. :Mh
20
                           `/hNd/.`
 ohdddv::...`..` `-/sdmdvo+NMNh+- :Mh / sMs
       .mmh:..:. :NMm `-/dMNM+
21
                                       ./+
++/:`.hM:`.```.` `-/shmNmh+-` /Mmooso.hM/ .: `mM/
       .mNs://: .NMNMs- -:-.`/+-sms. ` `shy
22
       `.:+sdmmmdMM-. .oNM+ :m/ `s``yMh
yyhy`sNd`
23
        -mMo . sMNdMNNh+-.
                             ydyoyy`
  -NM- mMMMh:MMdNmhs+:-..```-ohs-`...-:
24
/+syhddmMMs:-.` `/mMMdmmddNMm+` ..-/hNh-
          sMy NMMM`:Mh`-/mMmmmddddddddhhhdNNd
25
hyo+:--.yMs `..:+ymMMMMd+--yNh. `+hNh:
               NMMM/yMh -NM-`..-:NMo:--.`+My
26
          -Mm
      :MNoydmNMMNmhdMh` -dNs` `yMd:
               mMMMMMMyshMN+:---.-MN-....+Mv.
27
          `MN
..-:/oyhdMMMMNmdy+-` +Mh:sNm/
                               vMv`
           MN ymmmmmmmmmmmmmmmmnnnnnmmmn
28
                 `vMMNs.
NNMMMMMNmhMM/-.
                               /My
         29
Nmmdy+:-``NM- ./hNNy-
                              /Nd`
               dMydMmsNMNdNNMMmmmNMMMdddhys+yM
30
          -Mh
0``
        /Nm: `:yNNdo.
                            .sNd.
                .mMsMN::NN:.:MN: `.+NM.
31
          +Ms
                                       +M
        +Mm+ymNdo-
                           ·omm+`
0
32
          yM: .hNMd+:sMN. oMm.
                              оМо
                                       +M
   ```.:+shMNmy+-``.-:-..-//-`:yNmo`
h
33
 mM.: :ohmNNMMdhyMMdo//+Mm////sM
NhyhhdmNNmhs/-``./+/:--+so/-:smNy/`
 34
ysoo+/:-. `./+//--+oo/--+ymmy/.
 :Mh .: `+:`
    ```-///:/++/:../ydNdo:`
         +Ms `/` :+o+:-```
36
-::///++///:-.`-+ydNdo:`
```

```
oMs :/:.`` `..---.
37
/:::---.` `-ohmmh+:`
38
           /Mh
                     .:////:::----
       `-+hmmy+-
39
            sMv`
````-+ydmy+-
 /mNs-`
 `./ohmN
40
MNNNmy+-
 /yNmho/:.``````.-:/+syhdNmdyso+
41
/-.`
42
 `:+ydmNMNNNNNNNNndhys+/:.`
 ``....
43
44
45
 LOL U MAD?
 )
46
47
48
 import sys
49
 sys.exit(1)
```

Yes, indead. The idea of using Ruby in Python is totally mad.