

PyRuby

Today I saw a package called PyRuby in Github.
The readme says:

PyRuby - Some Ruby for your Python!
PyRuby is a simple way to leverage
the power of Ruby to make your Python
code more readable and beautiful
.

Usage

All you have to do is import the ruby
module:

```
import ruby
```

From now on you should be able to write
Ruby code within a regular Python
module. An example:

```
1.upto(10) { |n| puts n }
```

Even [PyPI](#) has listed this as a package.

In the beginning I thought this was again a Ruby
implementation by PyPy project. Or at least it use
some magic trick to write ruby code directly in
Python.

Then I browse into the source code of it.

```

1  # -*- coding: utf-8 -*-
2
3  print("""
4
5                                     `.-:./+
ossyhddmmmmNNNNNNNmmmmdddddhhhyyyhhh
yo:`
6                                     .:+sydNNNmmdh
hysso++/+++++++///::::-.```.-----/
oymms.
7                                     `:ohmdys+//:::--
::://///:-.```.-----`````.:///:-`
`/dNs.
8                                     .+hNds:`-:-:////:----
-:-:////++///:--.....-:-://///:-`.////.
`oMm/
9                                     /hNmo.` `` `.....``
``````````
.....-----:~:-:/+/-.:/:`
/NMs
10 oMd/` `` :~:-.---:/
/+` //` ``````-:~:-+/-`~:-
.` :NM+
11 yN` -+.` `` ``
/` o. `` :~:-.~:-
`` :NN:
12 :Nm -
./ : ``.-://///:-.` `` ``
:NN-
13 /NM/`

```

` / :sdmdhyMMMMMMNNmy/`  
 :mNo`  
 14 :hMd: /dmdddddNNmdy+  
 - . `smmy/-```hMMMMMMMydm/`- .  
 `` `...:mMm+.  
 15 -hNd/-/o/-...::`.ydmMMMNNMMMMMM  
 Nh:/+- dMN-`-+hmmmdhhhhdddmMN-`-/  
 o: .-:::/oydms-  
 16 oNMo:+/::: ``...--:/+oh  
 NMNhs- :hNmmdyo:...``yo-````...`-`-`  
 -+shdddhS+-` ``.//yMS.  
 17 .MMo:/`o::+SSo+:`-`  
 SM+ ./-` /mNh+-.....-/ym  
 NNdo::-/-shd+` -` :mm:  
 18 /MM-o ./ ohhsooohNmy::sh. `  
 yM/ :oyyyyyyyhys+  
 :.` hy `/Nh` : -NN.  
 19 -MM// -: `` y: odddh+ -om  
 Nh- ``-` `` `` ``  
 .:ohMMs. +Ms / yMo  
 20 hMoo .+. :Mh ```` ``/hNd/  
 .` ohdddy:....`..` ``-/sd  
 mdyo+NMNh+- :Mh / sMs  
 21 .mmh:.... :NMm ``-/dMMN+  
 ./++++/:`.hM:```````````- /shmNmh+  
 -` /Mmooso.hM/ .: `mM/  
 22 .mNs://: .NMNMs- -:-`/+-sms  
 . ```shyyyhy`sNd` ``.:+sdmmmdMM- .  
 .oNM+ :m/ `s` `yMh  
 23 -mMo . sMNdMMNnH+- . .y  
 dyoyy` ``+o::+shdddhS+:-.:MM.`- .-  
 +hNMh- ``.`-/::dNs`

24 -NM- mMMHh:MMdNmhs+:-. .` ` -ohs-`. . . .:/+syhddmMMs:-. .` `/mMMdmmd dNMm+` . .-/hNh-

25 sMy NMMM`:Mh`-/mMmmddddd ddddhhdNNdhyo+:--.yMs`. . .:+ymMMMMd+-- yNh.`+hNh:

26 -Mm NMMM/yMh -NM-`. . . -:N Mo:--. .`+My :MNoydmNMMNmhdMh`-d Ns` `yMd:

27 `MN mMMMMMMMMyshMN+:---.-M N-.....+My...-:/oyhdMMMMNmdy+-` +Mh:sNm / yMy`

28 MN yMMMMMMMMMMMMMMMMMMMMMM MMNNNNNNMMMMNNNNMMMMMMNmhmM/-.` `yMMNs.` /My

29 `MN :MMmMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMNmmdy+:-.` NM- ./hNNy- /Nd`

30 -Mh dMydMmsNMNdNNMMmmmNM MMdddhys+yMo``` /Nm: ``:yNNdo.` sNd.

31 +Ms .mMsMN::NN:::MN:``.+ NM. +Mo +Mm+yMNdo- .omm+`

32 yM: .hNMd+:sMN. oMm. oMo +Mh ````.:+shMNmy+-```. -:-.-./ /-``:yNmo`

33 mM. :ohmNNMMdhyMMdo// +Mm////////sMNhyhhdmmNmhs/-```. /+/:--+so/- :smNy/`

34 .Mm ```. -:-:/+osyyhhdd ddddddddhhyysoo+/:-. ``. /+//-++oo/-++ym

my/.

```
35 :Mh .: `+:` `.-.-
-----` ``-////////:++/:.../ydNdo:`
```

```
36 +Ms `/` :+o+:`-``
 ``.-.::///++///:-.`-+ydNdo:`
```

```
37 oMs :/:.` `.-.-.`` `
````````.-.:/::-.``      `.-ohmmh+:`
```

```
38          /Mh      .:////////::-.-----
---.....`      `.-+hmy+-
```

```
39          sMy`
      ``````-+ydmy+-
```

```
40 /mNs-`
 `./ohmNMNNNmy+-
```

```
41 /yNmho/:.```````````.-:./+
syhdNmdyso+/-.`
```

```
42 `:+ydmNMNNNNNNNNNNmdhys
+/:.`
```

```
43 ``.....`
```

44


45 LOL U MAD?

46 """)

47

48 import sys

49 sys.exit(1)



Yes, indeed. The idea of using Ruby in Python is totally mad.

