archlinux chrome

[↗]

- Chrome Remote Desktop
- Archlinux
- Linux Chrome Windows/ OS X
- Bonus

Xorg 的 VNC NX RDP ，ssh 的 X
forwarding 。 ，这些 ip 和 NAT 。

chrome-remote-desktop ， archlinux
， Google 的 XMPP ， NAT 。
Chrome Remote Desktop 。

Chrome Remote Desktop

Chrome Remote Desktop

Chrome Google   remote-desktop   Windows/OS X Linux

Archlinux

Windows OS X Chrome Linux

debian Ubuntu 12.10

chrome-remote-desktop Windows/OS X Remote Desktop Host Controller archlinux   [archlinuxcn]   AUR

```
$ pacman -Ss chrome-remote-desktop
archlinuxcn/chrome-remote-desktop 40.0.22
14.44-1
Allows you to securely access your comput
er over the Internet through Chrome.
```

groupadd ID "chrome-

remote-desktop"

Please create ~/.config/chrome-remote-desktop folder manually, if it doesn't exist, or else you can't use CRD. The needed files are created by the Chrome app, inside the chrome-remote-desktop folder, after Enabling Remote Connections. To {enable,start} the service use systemctl --user {enable,start} chrome-remote-desktop

You may need to create a ~/.chrome-remote-desktop-session file with commands to start your session

Go to https://support.google.com/chrome/answer/1649523 for more information.

AUR Google chrome-remote-desktop chrome remote desktop

```
1  $ /opt/google/chrome-remote-desktop/
   chrome-remote-desktop --add-user
```

~/.config/chrome-remote-desktop
chrome   host#.json

```
1  $ mkdir ~/.config/chrome-remote-desk
   top
```

shell   ~/.chrome-remote-desktop-
session .xinitrc WM/DE xfce4

```
1  $ cat ~/.chrome-remote-desktop-sessi
   on
2  #!/bin/bash
3  startxfce4
4  $ chmod 755 .chrome-remote-desktop-s
   ession
```

Chrome Chrome Remote Desktop

Chrome Remote Desktop

Archlinux chromium aur/google-chrome 40.0.2214.111 Chrome Web Store Chrome Remote Desktop 41.0.2272.41 Chrome Remoting API Chrome google-chrome-dev chrome

32 Linux Chrome Remote Desktop Host **bug**

PIN Google hostname

我的计算机

yang-z800

farseerfc-vaio-arch   停用远程连接

您可以使用 Chrome 远程桌面安全地访问此计算机。 更改 PIN

~/.config/chrome-remote-desktop

```
1 $ ls .config/chrome-remote-desktop
2 chrome-profile  host#8cfe7ecfd6bb179
55c1ea22f77d0d800.json  pulseaudio#8cfe
7ecfd6
```

systemd   systemctl --user enable

```
  1  $ systemctl --user start chrome-remo
te-desktop.service
```

chrome-remote-desktop Xorg

htop chrome-remote-desktop Xorg

Remote Desktop Xorg

XFCE4

Linux Chrome
Windows/ OS X

Linux X X

Chrome Linux Host Controller beta
Ubuntu 12.04 12.10 14.04   <u>Bug</u>

Bonus

Chrome App

farseerfc-vaio-arch

yang-z800

Chrome   Chrome Windows / OS X
/ Linux

Chrome Android   Chrome App
App