## PyRuby 2

Today I saw a package called <u>PyRuby</u> in Github. The readme says:

PyRuby - Some Ruby for your Python!

PyRuby is a simple way to leverage the power of Ruby to make your Python code more readable and beautiful.

Usage

All you have to do is import the ruby module:

import ruby

From now on you should be able to write Ruby code within a regular Python module. An example:

1.upto(10) { |n| puts n }

Even PyPI has listed this as a package.

In the beginning I thought this was again a Ruby implementation by PyPy project. Or at least it use some magic trick to write ruby code directly in Python.

## Then I browse into the source code of it.

It contains only one file: ruby.py

```
1 # -*- coding: utf-8 -*-
 2
 3 print("""
 4
 5
                   `.-:/+ossyhhddmmmmNNNNNNNmmmmmdddd
dhhhyyyyhhhyo:`
               ::+sydNNNmmdhhysso++/++++++///:::::-.```.....--
 6
/oymms.
          `:ohmdys+//::/::--::::////:-.```.....````.://:-`
7
Ns.
          .+hNds:`-:-:///::-`.///++///:--....-::///::-`.///. `oMm/
/hNmo.` ``....``````` ....----:::-:/+/-.:/:`
 8
 9
/NMs
         oMd/` `::::--.--://+` //` ````-:::::+/-`::.` :NM
10
+
       yN` -+.` `/` o. ``::.-:.`` :NN:
:Nm - ./ : `.-:////:-. `-``` :NN-
/NM/ .-::-.` `/ `:sdmdhyMMMMMMNNmy/`
11
12
13
   :mNo
        :hMd: /dmddddNNmdy+-. `smmy/-```hMMMMMM
14
Mhydm/`-.`` `...:mMm+.
15 -hNd/-/o/-..-::`.ydmmmmNMMMMMNh:/+- dMN-`-+hmm
mmdhhhhdddmMN-`-/o: .-::::/oydms-
16 oNMo:+/::. ``...-:/+ohNMNhs- :hNmmdyo:..``yo-```.-
-. `-`-+shdddhs+-` `.//yms.
17 .MMo:/`o:.:+sso+:-` sM+ ./-` /mNh+-...-/ymNNd
o::--/shd+` -`:mm:
18 /MM-o ./ ohhsooohNmy::sh. `yM/
                                                    `:oyyyyyyhys
+:.` hy `/Nh` :-NN.
```

```
19 -MM// -: `` y: odddhh+ -omNh- `--.` `` .:o
hMMs. +Ms / yMo
    hMoo .+. :Mh ```` `/hNd/.` ohdddy::...`..` `-/sd
20
mdvo+NMNh+-:Mh / sMs
21 .mmh:..: :NMm `-/dMNM+ ./+++/:`.hM:`.```.` -/sh
mNmh+-`/Mmooso.hM/.:`mM/
22 .mNs://: .NMNMs- -:-.`/+-sms. ` `shyyyhy`sNd` `.:+sdm
mmdMM-. .oNM+ :m/`s``yMh
      -mMo . sMNdMNNh+-. .ydyoyy` ``+o::+shdddhs+:-.:
23
MM.`.-+hNMMh- `.`-/::dNs`
   -NM- mMMMh:MMdNmhs+:-..```-ohs-`...-:/+syhddmMMs:-.
24
` `/mMMdmmddNMm+` ..-/hNh-
25 sMy NMMM`:Mh`-/mMmmmddddddddhhhdNNdhyo+:--.
yMs `.::+ymMMMMd+--yNh. `+hNh:
      -Mm NMMM/yMh -NM-`..-:NMo:--.`+My :MNoydmNMM
NmhdMh`-dNs` `yMd:
27 MN mMMMMMMMyshMN+:---.-MN-.....+My...-:/oyhdMMMM
Nmdy+-`+Mh:sNm/ yMy`
       MN yMMMMMMMMMMMMMMMMMMNNNNMMMNN
28
NMMMMMNmhMM/-. `yMMNs. /My
29
       Nmmdy+:-``NM- ./hNNy- /Nd`
      -Mh dMydMmsNMNdNNMMmmmNMMMdddhys+yMo``
30
/Nm: `:yNNdo. .sNd.
      +Ms .mMsMN::NN:::MN: `.+NM. +Mo +Mm+ymNdo-
31
   .omm+`
       yM: .hNMd+:sMN. oMm. oMo +Mh ```.:+shMNmy+-``
32
.-:-..-//-`:yNmo`
       mM. :ohmNNMMdhyMMdo//+Mm/////sMNhyhhdmNNm
33
hs/-``./+/:--+so/-:smNy/`
      .Mm ``.-:/+osyyhhddddddddddhhyysoo+/:-.`./+//--+o
34
o/--+ymmy/.
      :Mh .: `+:` `.-----` ``-////:/++/:../ydNdo:` 
+Ms `/` :+o+:-`` `..-::///++///:-.`-+ydNdo:` 
oMs :/:.`` ..--.`` `..-:/:::---.` -ohmmh+:`
35
36
37
      /Mh .:////:::----. ` `-+hmmy+-
sMv` ` ` `-+ydmy+-
38
39 sMy` `-+ydmy+-
40 /mNs-` `./ohmNMNNNmy+-
41 /yNmho/:.```.-:/+syhdNmdyso+/-.`
42
         :+ydmNMNNNNNNNNndhys+/:.`
```

```
43 ``....`
44
45 LOL U MAD?
46 """)
47
48 import sys
49 sys.exit(1)
```

Yes, indead. The idea of using Ruby in Python is totally mad.