

# PyRuby

---

Today I saw a package called PyRuby in Github.  
The readme says:

PyRuby - Some Ruby for your Python!  
PyRuby is a simple way to leverage  
the power of Ruby to make your Python  
code more readable and beautiful  
.

### Usage

All you have to do is import the ruby  
module:

```
import ruby
```

From now on you should be able to write  
Ruby code within a regular Python  
module. An example:

```
1.upto(10) { |n| puts n }
```

Even PyPI has listed this as a package.

In the beginning I thought this was again a Ruby  
implementation by PyPy project. Or at least it use  
some magic trick to write ruby code directly in  
Python.

# Then I browse into the source code of it.

```

1  # -*- coding: utf-8 -*-
2
3  print("""
4
5                                     `.-:./+
ossyhddmmmmNNNNNNNmmmmmddddhhyyyhhh
yo:`
6                                     .:+sydNNNmmdh
hysso++/+++++++///::::-.```.-----/
oymms.
7                                     `:ohmdys+//:::--
::://///:-.```.-----`````.://:-`
`/dNs.
8                                     .+hNds:`-:-:////:----
-:-:////++//:-.....-:-:////:-`.////.
`oMm/
9                                     /hNmo.` ```.-----``
````````.-----:~:-:/+/-.:/:`
/NMs
10                                    oMd/` ```:~:-.---:/
/+` //` ``````-:~:-+/-`::
.` :NM+
11                                    yN`      -+.` ```.
/`      o.      ```:~:-.
``      :NN:
12                                    :Nm      -
./      :      `.-://///:-.      `-.``
      :NN-
13                                    /NM/      .-:~:-.

```

14 :hMd: /dmdddddNNmdy+  
 - . `smmy/-````hMMMMMMHydm/ ``- .  
 `` `...:mMm+.  
 15 -hNd/-/o/-...::`.ydmmmmNMMMMMM  
 Nh:/+ - dMN-`-+hmmmmddhhhhdddmMN-`-/  
 o: .-:::/oydms-  
 16 oNMo:+/::: ``.....:/+oh  
 NMNhs- :hNmmdyo:...``yo-````.--- ``-`  
 -+shdddh+ - ``.//yms.  
 17 .MMo:/`o:..+sso+: -`  
 sM+ ./-` /mNh+ -....-/ym  
 NNdo:--/shd+` -`:mm:  
 18 /MM-o ./ ohhsooohNmy::sh. `  
 yM/ ``:oyyyyyyyhys+  
 :.` hy `/Nh` : -NN.  
 19 -MM// -: `` y: odddh+ -om  
 Nh- ``- . `` `` `` ``  
 .:ohMMs. +Ms / yMo  
 20 hMoo .+. :Mh ```` ``/hNd/  
 .` ohddy:.....` `` ``- /sd  
 mdyo+NMNh+ - :Mh / sMs  
 21 .mmh:..... :NMm ``-/dMMN+  
 ./+ + + /: ` .hM: ` `` `` `` .` ``- /shmNmh+  
 -` /Mmooso.hM/ .: `mM/  
 22 .mNs://: .NMNMs- -:-. `/+ -sms  
 . `` `shyyyhy`sNd` ``.:+sdmmmdMM- .  
 .oNM+ :m/ `s` `yMh  
 23 -mMo . sMNdMMNh+ - . .y  
 dyoyy` ``+o::+shdddh+:-.:MM.`.-  
 +hNMMh- ``.`-/: :dNs`

24 -NM- mMMMh:MMdNmhs+:-.` ``  
 -ohs-`...-:/+syhddmMMs:-.` ``/mMMdmmd  
 dNMm+`...-/hNh-  
 25 sMy NMMM` :Mh` -/mMmmddddd  
 ddddhhdNNdhyo+:--.yMs ``...+ymMMMMd+--  
 yNh. ``+hNh:  
 26 -Mm NMMM/yMh -NM-`...-:N  
 Mo:--.`+My :MNoydmNMNMhdmh` -d  
 Ns` ``yMd:  
 27 `MN mMMMMMMMyshMN+:---.-M  
 N-.....+My...-:/oyhdMMMMNm dy+-` +Mh:sNm  
 / yMy`  
 28 MN yMMMMMMMMMMMMMMMMMMMMMM  
 MMNNNNNNMMNNNNMMMMMMNmhmM/-.` yMMNs.  
 /My  
 29 `MN :MMmMMMMMMMMMMMMMMMMMMMM  
 MMMMMMMMMMMMMNmmdy+:--` NM- ./hNNy-  
 /Nd`  
 30 -Mh dMydMmsNMNdNNMMmmmNM  
 MMdddhys+yMo`` /Nm: ``:yNNdo.  
 .sNd.  
 31 +Ms .mMsMN::NN::MN: ``.+  
 NM. +Mo +Mm+ymNdo-  
 .omm+`  
 32 yM: .hNMd+:sMN. oMm.  
 oMo +Mh ````.:+shMNmy+-``.-:-.-/  
 /-`:yNmo`  
 33 mM. :ohmNNMMdhyMMdo//  
 +Mm////////sMNhyhhdmmNmhs/-``./+/:--+so/-  
 :smNy/`  
 34 .Mm ``.-:/+osyyhdd  
 ddddddddhyysoo+/:-. ``./+//---+oo/-+ym

```

my/.
35          :Mh      .:      `+:`      `.-.-
-----`      ``-////////:++/:.../ydNdo:`

36          +Ms      `/`      :+o+:`-``
      ``.-.::///++///:-.`-+ydNdo:`
37          oMs      :/:.`      `.-.-.``      `
``````.-.:/::-.``      `.-ohmmh+:`
38          /Mh      .:////////::-.-----
---.....`      `.-+hmy+-
39          sMy`
      ``````-+ydmy+-
40          /mNs-`
      `./ohmNMNNNmy+-
41          /yNmho/:.`````````````.-:./+
syhdNmdyso+/-.`
42          `:+ydmNMNNNNNNNNNNmdhys
+/:.`
43          ``.....`
44
45      LOL U MAD?
46      """)
47
48      import sys
49      sys.exit(1)

```

Yes, indeed. The idea of using Ruby in Python is totally mad.

