

Conversation with #archlinux-cn at Sat 28 Feb 2015 05:10:11 PM JST on farseerfc@irc.freenode.net (irc)

(05:10:11 PM) The topic for #archlinux-cn is: 欢迎来到Archlinux中文社区|官网: <http://www.archlinux.org> | 阅读和查询 Archwiki: [https://wiki.archlinux.org/index.php/Main_Page\[1\]](https://wiki.archlinux.org/index.php/Main_Page[1]) | 中文bbs: <http://bbs.archlinuxcn.org/> | 社区仓库/镜像加速源: [https://www.archlinuxcn.org/archlinux-cn-repo-and-mirror/\[2\]](https://www.archlinuxcn.org/archlinux-cn-repo-and-mirror/[2]) | 消息超过3行请使用: <https://cfp.vim-cn.com>, <http://ideone.com>, <https://img.vim-cn.com> 等第三方服务

(05:10:11 PM) Topic for #archlinux-cn set by gebjgd!~gebjgd@unaffiliated/gebjgd at 07:02:15 PM on 01/01/2015

(05:10:11 PM) List of 65 users: [ChanServ][gebjgd][acgtyrant][Akagi201][ArchStacker][Azurewrath][beefcafe][benzene][biergaizi][bigeagle_xd][bnw][condy][csslayer][dannyAAM][dantmnf][elan_][erhandsome][eternnoir][farseerfc][fasheng][fdb713][felixonmars][F_XZ][gauge][grandpatrolling][hagabaka][hakurei_reimu][haroldwu][herozem][huntxu][if_e1se][if_else][izmntuk][jack77213][jiajunw][JQK][lainme][laputa][leemeng0x61][lilydjpg][Lisongmin][littlearcher][LQYMGT][luwang_][maivel][maralla][MeowBot][nsun][[Olaf]][perr][renyuneyun][secroot][sinxccc][StarBrilliant][Stevearzh][sys9mm][tomcheng76][tonyxue][\u][willwish][wych][xmppbot][Youmu][yue][yuyichao]

(05:13:02 PM) cherrot [~cherrot@112.245.228.230] entered the room.

(05:18:57 PM) gebjgd: farseerfc, 和那个没有关系

(05:22:52 PM) leemeng0x61 left the room (quit: Quit: leaving).

(05:23:04 PM) biergaizi left the room (quit: Read error: Connection reset by peer).

(05:23:19 PM) leemeng0x61 [~LeeMeng@118.122.122.213] entered the room.

(05:24:16 PM) **biergaizi** [*~biergaizi@fsf/member/biergaizi*] entered the room.

(05:25:20 PM) **leemeng0x61** left the room (quit: Client Quit).

(05:25:28 PM) **leemeng0x61** [*~LeeMeng@118.122.122.213*] entered the room.

(05:26:37 PM) **leemeng0x61** is now known as LeeMeng

(05:31:22 PM) **LeeMeng**: ,,. /c

(05:31:54 PM) **LeeMeng** left the room (quit: Quit: leaving).

(05:32:10 PM) **leemeng0x61** [*~LeeMeng@118.122.122.213*] entered the room.

(05:32:15 PM) **leemeng0x61** left the room (quit: Client Quit).

(05:32:58 PM) **littlearcher** left the room (quit: Ping timeout: 272 seconds).

(05:33:19 PM) **hosiet** [*~hosiet@202.141.176.95*] entered the room.

(05:34:20 PM) **leemeng0x61** [*~LeeMeng@118.122.122.213*] entered the room.

(05:34:53 PM) **leemeng0x61** left the room (quit: Client Quit).

(05:35:09 PM) **leemeng0x61** [*~LeeMeng@118.122.122.213*] entered the room.

(05:46:17 PM) **cherrot** left the room (quit: Quit: This computer has gone to sleep).

(05:47:14 PM) **cherrot** [*~cherrot@112.245.228.230*] entered the room.

(06:07:43 PM) **herozem** left the room (quit: Ping timeout: 250 seconds).

(06:10:18 PM) **perr** left the room (quit: Quit: Leaving).

(06:13:41 PM) **bnw**: 使用 ssh -CfNg vps -D 0.0.0.0:port 打开隧道后，即使关闭本地终端，隧道还是开着的，不再次运行该命令的话，怎么知道隧道是开着还是关闭了呢？

(06:14:41 PM) **farseeferc**: 看看port有没有被佔着？

(06:15:59 PM) **bnw**: 因为经常本本关了屏幕就到另一个地方了，再打开屏幕时，隧道实际上已经断了，非得 firefox 再新开页面连接一个需要代理的页面才知道隧道关闭了。

(06:16:22 PM) **xmppbot**: [流浪的百合] bnw: 你需要 autoss

(06:19:01 PM) **bnw**: 嗯，先把 macport 装起来。

(06:20:25 PM) **xmppbot**: [farseerfc] 所以我開隧道都不加Nf...方便看狀態

(06:20:56 PM) **bnw**: 之前装好后能用了，后来建了一个 .bash_profile，然后大概因为这个 .profile 不读了，似乎后面那个是 macport 自己创建的。

(06:22:15 PM) **secroot left the room (quit: Quit: WeeChat 1.1.1).**

(06:23:05 PM) **bnw**: PATH 是放 .bashrc、.bash_profile 还是 .profile 呢，也许应该放 /etc/paths.d/，功能相似的配置文件真不少。

(06:24:07 PM) **secroot** [**~secroot@101.95.96.102**] entered the room.

(06:24:10 PM) **xmppbot**: [farseerfc] Mac不是有一個專門的path文件麼...

(06:24:36 PM) **bnw**: 是还有个 /etc/paths。

(06:24:45 PM) **secroot left the room (quit: Client Quit).**

(06:25:23 PM) **xmppbot**: [farseerfc] 我改它

(06:26:10 PM) **bnw**: 我不喜欢动 /etc 目录里的东东。

(06:26:58 PM) **farseerfc**: 那就按Linux的做法唄.....都差不多.....

(06:27:03 PM) **bnw**: 如果不是单独开隧道需要 ssh，我就基本上只用 mosh 了。

(06:29:05 PM) **F_XZ left the room (quit: Ping timeout: 245 seconds).**

(06:29:45 PM) **bnw left the room (quit: Remote host closed the connection).**

(06:31:03 PM) **F_XZ** [**~frank@107.189.153.239**] entered the room.

(06:31:14 PM) **cherrot left the room (quit: Quit: This computer has gone to sleep).**

(06:57:06 PM) **bnw** [**~bnw@112.97.38.196**] entered the room.

(06:57:59 PM) **secroot** [**~secroot@101.95.96.102**] entered the room.

(07:02:20 PM) **secroot left the room (quit: Read error: Connection reset by peer).**

(07:03:03 PM) **hosiet left the room (quit: Ping timeout: 264 seconds).**

(07:07:12 PM) **Lisongmin left the room (quit: Quit: Leaving.).**

(07:07:32 PM) **yue left the room (quit: Quit: Konversation terminated!).**

(07:12:03 PM) **maivel** left the room (quit: Ping timeout: 264 seconds).

(07:14:14 PM) **biergaizi** left the room (quit: Quit: Konversation terminated!).

(07:14:30 PM) **yue** [*~yue@104.156.99.60*] entered the room.

(07:14:32 PM) **yue** left the room (quit: Remote host closed the connection).

(07:14:37 PM) **yue** [*~yue@104.156.99.60*] entered the room.

(07:16:03 PM) **phoenixlzx** [*~phoenixlz@122.194.183.232*] entered the room.

(07:17:38 PM) **maivel** [*~maivel@111.204.252.10*] entered the room.

(07:17:53 PM) **leemeng0x61** left the room (quit: Ping timeout: 246 seconds).

(07:17:56 PM) **herozem** [*~Android@104.236.157.217*] entered the room.

(07:26:02 PM) **phoenixlzx** left the room (quit:).

(07:33:35 PM) **willwish** left the room (quit: Ping timeout: 246 seconds).

(07:35:16 PM) **yue** left the room (quit:).

(07:37:23 PM) **willwish** [*~willwish@123.7.69.104*] entered the room.

(07:37:53 PM) **cherrot** [*~cherrot@112.245.228.230*] entered the room.

(07:41:44 PM) **bnw** left the room (quit: Remote host closed the connection).

(07:46:20 PM) **LQYMGT** left the room (quit: Ping timeout: 250 seconds).

(07:48:26 PM) **zand2** [*~zand@27.115.116.218*] entered the room.

(07:49:48 PM) **nsun** left the room (quit: Ping timeout: 250 seconds).

(07:56:19 PM) **mktime** [*~demo@220.171.69.226*] entered the room.

(07:56:31 PM) **mktime:** echo "abcd.doc"|sed 's\^.doc//g'

(07:56:33 PM) **Lisongmin** [*~lsm@223.73.1.108*] entered the room.

(07:57:10 PM) **mktime:** echo "abcd.doc"|sed 's\^.doc//g' 可以删除.doc, 如何不论是什么后缀, 只要是点后面的, 都删除?

(07:57:41 PM) **huntxu** left the room (quit: Quit: Leaving).

(08:27:43 PM) **xmppbot:** [Lisa] farseerfc: 有一次和同事去买煌上煌的鸭

脖，称了一整根14.3元，还没付钱，我说，帮我剁碎。剁的时候看到一块块鸭脖到处乱飞，突发奇想，剁了后会不会少秤呢？于是，我说麻烦再称一下，她一称，14.5元，于是我给了她14.5元。同事笑翻了

(08:28:24 PM) **xmppbot:** [farseerfc] 想吃鴨脖了

(08:29:00 PM) **LQYMG:** 绝味鸭脖么

(08:29:10 PM) **xmppbot:** [farseerfc] 嗯

(08:29:25 PM) **LQYMG:** 太辣我受不了.....

(08:29:50 PM) **xmppbot:** [farseerfc] 就著饅頭

(08:30:19 PM) **LQYMG:** 原来鸭脖是要这样吃的么.....

(08:30:37 PM) **Steveazh left the room (quit: Remote host closed the connection).**

(08:31:02 PM) **xmppbot:** [farseerfc] 這是練習模式

(08:31:19 PM) **Steveazh** [**~zzzzzzzz@unaffiliated/steveazh**] **entered the room.**

(08:31:47 PM) **LQYMG:** = =

(08:31:55 PM) **LQYMG:** 我喜欢他家的鸭翅膀 0 0

(08:32:16 PM) **xmppbot:** [farseerfc] 還有他家的雞心

(08:33:01 PM) **mktime1 left the room (quit: Quit: Leaving.).**

(08:33:42 PM) **beefcafe left the room (quit: Ping timeout: 252 seconds).**

(08:46:39 PM) **zhouxiaobo** [**~freedc@123.155.155.83**] **entered the room.**

(08:54:22 PM) **gebjgd:** LQYMG9

(08:54:23 PM) **MeowBot:** gebjgd: 为了让大家补全名字而绝不倒下

(08:54:24 PM) **MeowBot:** gebjgd: 别倒下 这个频道需要你

(08:54:25 PM) **MeowBot:** gebjgd: 帅 哥

(08:54:25 PM) **MeowBot:** gebjgd: L(R)热 Q情 Y也 M没 G告 T退

(08:54:26 PM) **MeowBot:** gebjgd: 做梦娶媳妇

(08:54:27 PM) **MeowBot:** gebjgd: 劉泉陽3愛吃蘑菇湯

(08:54:28 PM) **MeowBot:** gebjgd: 刘谦杨幂沟通

(08:54:28 PM) **MeowBot:** gebjgd: {for(;;)printf("和felix天生一对");}

(08:54:29 PM) **MeowBot:** gebjgd: 刘青云买个套

(09:08:28 PM) **ArchStacker left the room (quit: Quit: WeeChat 1.1.1).**

(09:18:09 PM) **erhandsome left the room (quit: Quit: leaving).**

(09:18:31 PM) **erhandsome** [*~erhandsom@42.225.17.174*] entered the room.

(09:18:36 PM) **erhandsome** left the room (quit: Changing host).

(09:18:36 PM) **erhandsome**

[*~erhandsom@unaffiliated/erhandsome*] entered the room.

(09:20:34 PM) **JQK_Phone** left the room (quit: Quit: struct zuo {bool die;}; zuo si[1000];).

(09:22:05 PM) **Lisongmin** left the room (quit: Ping timeout: 265 seconds).

(09:37:03 PM) **biergaizi** [*~biergaizi@fsf/member/biergaizi*] entered the room.

(09:37:17 PM) **CyrusYzGTt** [*~CyrusYzGT@fedora/CyrusYzGTt*] entered the room.

(09:37:35 PM) **cherrot** left the room (quit: Quit: This computer has gone to sleep).

(09:40:01 PM) **cherrot** [*~cherrot@112.245.228.230*] entered the room.

(09:40:55 PM) **Lisongmin** [*~lsm@223.73.1.108*] entered the room.

(09:46:08 PM) **abc_** [*~qicruser@unaffiliated/abc-/x-4125962*] entered the room.

(09:46:28 PM) **banbanchs** [*~banbanchs@210.21.68.3*] entered the room.

(09:59:43 PM) **pudh4418** [*~pudh4418@wikipedia/pudh4418*] entered the room.

(10:04:39 PM) **bnw** [*~bnw@183.17.176.24*] entered the room.

(10:14:41 PM) **CyrusYzGTt** left the room (quit: Quit: 大道無形，生育天地；大道無情，運行日月；大道無名，長養萬物。).

(10:16:36 PM) **JQK** left the room (quit: Read error: Connection reset by peer).

(10:16:42 PM) **benzene** left the room (quit: Ping timeout: 250 seconds).

(10:26:38 PM) **JQK** [*~jqk@182.32.212.128*] entered the room.

(10:29:22 PM) **pudh4418** left the room (quit: Quit: Quit).

(10:36:07 PM) **beefcafe** [*~beefcafe@unaffiliated/beefcafe*] entered

the room.

(10:38:31 PM) **mber**

[5c1a7bd0@gateway/web/freenode/ip.92.26.123.208] entered the room.

(10:38:48 PM) **mber:** does anyone here use cangjie?

(10:39:00 PM) **condy:** 今天学到了一个yaourt的--devel参数，真棒。只要git那边有revision, yaourt也会更新啦！（莫非我嫒×1024

(10:39:01 PM) **October21 [~shaun@223.73.43.158] entered the room.**

(10:39:15 PM) **mber:** I fail to build pycangjie from aur and suspect the reason is trivial: <http://ix.io/gC3>

(10:39:16 PM) **xmppbot:** [Lisa] mber: 文件类型: text/plain; charset=utf-8

(10:40:18 PM) **xmppbot:** [流浪的百合] condy: 我都是拿 nvchecker 自动检查，然后 lilac 去打包的～

(10:40:41 PM) **condy:** 这个还是今天在reddit上看到的..

(10:40:55 PM) **condy:** 我去试试nvchecker.

(10:42:55 PM) **xmppbot:** [流浪的百合] mber: 不看源码的话我也不知道是什么情况

(10:45:14 PM) **mber:** ok

(10:45:21 PM) **mber left the room.**

(10:49:45 PM) **fasheng left the room (quit: Remote host closed the connection).**

(10:52:02 PM) **gebjgd: **

(10:52:04 PM) **gebjgd: **

(10:52:04 PM) **gebjgd: \]**

(11:06:58 PM) **if_else left the room (quit: Ping timeout: 250 seconds).**

(11:13:29 PM) **abc_ left the room (quit: Quit: qicr for android: faster and better).**

(11:23:11 PM) **October21 left the room (quit: Quit: leaving).**

(11:29:55 PM) **banbanchs left the room (quit: Quit: WeeChat 1.1.1).**

(11:35:39 PM) **ArchStacker [~ArchStack@unaffiliated/archstacker] entered the room.**

(11:37:26 PM) **ArchStacker**: 有什么语言能在windows下通过编译生成带GUI的可执行文件? go、rust什么的行吗? 还有什么比较好的解决方法吗?

(11:37:45 PM) **xmppbot**: [流浪的百合] 行。Haskell 也行

(11:37:51 PM) **xmppbot**: [流浪的百合] C 和 C++ 都行

(11:38:14 PM) **LQYMGT**: 0 0

(11:38:16 PM) **xmppbot**: [farseerfc] 有Qt綁定的編譯型語言都可以吧

(11:38:33 PM) **ArchStacker**: Lua那?

(11:39:19 PM) **xmppbot**: [farseerfc] 您不是要編譯麼...不考慮編譯的話 PythonQt也能生成個exe

(11:39:49 PM) **ArchStacker**: 不要那样的.....

(11:40:42 PM) **gebjgd**: ArchStacker, 说白了的就是早能编译的 不开源的?

(11:41:07 PM) **JQK left the room (quit: Remote host closed the connection).**

(11:41:13 PM) **ArchStacker**: shadowsocks不是有个win下的gui客户端吗, 是不是用coffeescript写的?

(11:41:20 PM) **ArchStacker**: gebjgd: 对

(11:41:56 PM) **xmppbot**: [farseerfc] 要哪樣的?

(11:42:23 PM) **gebjgd**: ArchStacker, shadowsocks-csharp:

(11:42:32 PM) **gebjgd**: ArchStacker, 那个是c#的

(11:42:36 PM) **ArchStacker**: <https://v2ex.com/t/70580> 这个

(11:42:37 PM) **xmppbot**: [Lisa] ArchStacker: 网页标题: V2EX › 登录 (重定向到 [https://v2ex.com/signin?next=/t/70580\[1\]](https://v2ex.com/signin?next=/t/70580[1]))

(11:42:39 PM) **MeowBot**: [V2EX › 登录] - v2ex.com

(11:42:39 PM) **MeowBot**: [V2EX › 登录] - v2ex.com

(11:42:50 PM) **ArchStacker**: 这个为什么有exe那?

(11:43:27 PM) **ArchStacker**: gebjgd: 不是C#那个

(11:44:04 PM) **farseerfc-laptop [~farseerfc@st1372.nas811.p-osaka.nttpc.ne.jp]** entered the room.

(11:44:33 PM) **gebjgd**: ArchStacker, node-webkit is an app runtime based on Chromium and node.js. You can write native apps in HTML and JavaScript with node-webkit. It also lets you call Node.js modules directly from the DOM and enables a new way of writing

native applications with all Web technologies.

(11:45:27 PM) **gebjgd**: On Windows, the easiest way to run the app is to drag the folder onto nw.exe, or a shortcut to nw.exe. Remember to drag the folder containing package.json, and not package.json itself.

(11:46:50 PM) **ArchStacker**: 如果用C++实现POST、JSON解析什么的有比较好用的库吗？

(11:47:11 PM) **xmppbot**: [流浪的百合] HTTP 请求用 curl 就好

(11:47:34 PM) **ArchStacker**: 默认windows没有curl啊

(11:47:35 PM) **gebjgd**: ArchStacker, 这个照样能看到源代码

(11:47:45 PM) **xmppbot**: [流浪的百合] 带上

(11:47:54 PM) **ArchStacker**: 额.....

(11:48:10 PM) **gebjgd**: ArchStacker, 自己link上就是了

(11:48:34 PM) **ArchStacker**: 能静态编译进去吗？

(11:48:43 PM) **xmppbot**: [流浪的百合] 能

(11:48:56 PM) **ArchStacker**: 哪个库？