

PyRuby

Today I saw a package called PyRuby in Github.
The readme says:

PyRuby - Some Ruby for your Python!
PyRuby is a simple way to leverage
the power of Ruby to make your Python
code more readable and beautiful
.

Usage

All you have to do is import the ruby
module:

```
import ruby
```

From now on you should be able to write
Ruby code within a regular Python
module. An example:

```
1.upto(10) { |n| puts n }
```

Even [PyPI](#) has listed this as a package.

In the beginning I thought this was again a Ruby
implementation by PyPy project. Or at least it use
some magic trick to write ruby code directly in
Python.

Then I browse into the source code of it.

It contains only one file: ruby.py

```
1  # -*- coding: utf-8 -*-
2
3  print("""
4
5                                     `.-:./+
ossyhhddmmmmNNNNNNNmmmmmddddhhyyyhhh
yo:`
6                                     .:+sydNNNmmdh
hysso++/++++++///:::--` `` .....--/
oymms.
7                                     `:ohmdys+//::/::--
::://///:-` `` ..... ```` ``://:-`
`/dNs.
8                                     .+hNds:` -:-:////::----
--:::////++///:-.....-:////:-` .///.
`oMm/
9                                     /hNmo.` `` ..... ``
```````` .....-:::-:/+/-.:/:`
/NMs
10 oMd/` `:::--.-.-:/
/+` //` ```` -:::++/-`::
.` :NM+
11 yN` -+.` ``
/` o. ``:::-.
`` :NN:
12 :Nm -
./ : `.-://///:-` `` ``
:NN-
13 /NM/`
```

` / :sdmdhyMMMMMMNNmy/`  
 :mNo`  
 14 :hMd: /dmdddddNNmdy+  
 - . `smmy/-```hMMMMMMMydm/`- .  
 `` `...:mMm+.  
 15 -hNd/-/o/-...::`.ydmMMMNNMMMMMM  
 Nh:/+- dMN-`-+hmmmdhhhhdddmMN-`-/  
 o: .-:::/oydms-  
 16 oNMo:+/::: ``...-:/+oh  
 NMNhs- :hNmmdyo:...`yo-```.---.``-`  
 -+shdddhS+-` ``.//yMS.  
 17 .MMo:/`o::+SSo+:`-`  
 SM+ ./-` /mNh+-.....-/ym  
 NNdo::-/-shd+` -` :mm:  
 18 /MM-o ./ ohhsooohNmy::sh. `  
 yM/ :oyyyyyyyhys+  
 :.` hy `/Nh` : -NN.  
 19 -MM// -: `` y: odddh+ -om  
 Nh- ``-..` ``  
 .:ohMMs. +Ms / yMo  
 20 hMoo .+. :Mh ```` `/hNd/  
 .` ohdddy:....`..` -/sd  
 mdyo+NMNh+- :Mh / sMs  
 21 .mmh:.... :NMm -/-dMMN+  
 ./++++/:`.hM:``````.``-/-shmNmh+  
 -` /Mmooso.hM/ .: `mM/  
 22 .mNs://: .NMNMs- -:-.`/+-sms  
 . ```shyyyhy`sNd` .:+sdmmmdMM- .  
 .oNM+ :m/ `s` `yMh  
 23 -mMo . sMNdMMNnh+- . .y  
 dyoyy` ``+o::+shdddhS+:-.:MM.`- .-  
 +hNMh- ``-`-/:dNs`

24 -NM- mMMMh:MMdNmhs+:-.` ` ` `   
 -ohs-`...-:/+syhddmMMs:-.` ` /mMMdmmd   
 dNMm+`...-/hNh-   
 25 sMy NMMM` :Mh` -/mMmmddddd   
 ddddhhdNNdhyo+:--.yMs `...+ymMMMMd+-   
 yNh. `+hNh:   
 26 -Mm NMMM/yMh -NM-`...-:N   
 Mo:--.`+My :MNoydmNMNMhhdMh` -d   
 Ns` `yMd:   
 27 `MN mMMMMMMMMyshMN+:---.-M   
 N-.....+My...-:/oyhdMMMMNm dy+-` +Mh:sNm   
 / yMy`   
 28 MN yMMMMMMMMMMMMMMMMMMMMMM   
 MMNNNNNNMMNNNNMMMMMMNmhMM/-.`yMMNs.   
 /My   
 29 `MN :MMmMMMMMMMMMMMMMMMMMM   
 MMMMMMMMMMMMMNm dy+:--`NM- ./hNNy-   
 /Nd`   
 30 -Mh dMydMmsNMNdNNMMmmmNM   
 MMdddhys+yMo`` /Nm: `:yNNdo.   
 .sNd.   
 31 +Ms .mMsMN::NN::MN: `.+   
 NM. +Mo +Mm+ymNdo-   
 .omm+`   
 32 yM: .hNMd+:sMN. oMm.   
 oMo +Mh ```. :+shMNmy+-``.-:-.-/   
 /-`:yNm o`   
 33 mM. :ohmNNMMdhyMMdo//   
 +Mm////////sMNhyhhdmmNmhs/-``./+/:--+so/-   
 :smNy/`   
 34 .Mm ``. -:/+osyyhdd   
 ddddddddhyysoo+/:-.`./+//--+oo/-+ym

my/.

```
35 :Mh .: `+:` `.-.-
-----` ``- - - - -/:++/:.../ydNdo:`
```

```
36 +Ms `/` :+o+:`-``
 ``.-.::///++///:-.`-+ydNdo:`
```

```
37 oMs :/:.` `.-.-.``
``````.-.:/::-.``-ohmmh+:`
```

```
38          /Mh      .://///:-:-----
---.....`      `--+hmy+-
```

```
39          sMy`
      ``````-+ydmy+-
```

```
40 /mNs-`
 `./ohmNMNNNmy+-
```

```
41 /yNmho/:.```````````.-:./+
syhdNmdyso+/-.`
```

```
42 `:+ydmNMNNNNNNNNNNmdhys
+/:.`
```

```
43 ``.....`
```

```
44
```


```
45 LOL U MAD?
```

```
46 """)
```

```
47
```

```
48 import sys
```

```
49 sys.exit(1)
```



Yes, indeed. The idea of using Ruby in Python is totally mad.

