PyRuby 🛮

Today I saw a package called PyRuby in Github. The readme says:

PyRuby - Some Ruby for your Python!

PyRuby is a simple way to leverage the power of Ruby to make your Py thon code more readable and beautiful.

Usage All you have to do is import the r uby module:

import ruby
From now on you should be able to
write Ruby code within a regular P
ython module. An example:

1.upto(10) { |n| puts n }

Even PyPI has listed this as a package.

In the beginning I thought this was again a Ruby implementation by PyPy project. Or at least it use some magic trick to write ruby code directly in Python.

Then I browse into the source code of it.

It contains only one file: ruby.py

```
# -*- coding: utf-8 -*-
3
  print("""
4
5
                                     `.-:/
+ossyhhddmmmmNNNNNNnmmmmdddddhhhyyyyh
hhyo:`
6
                              .: +sydNNNmmd
hhysso++/++++++///::::::-.```.....-
-/oymms.
                        `:ohmdys+//::/::-
-::::////:-.```.....`````.://:-`
    `/dNs.
8
                    .+hNds:`-:-:///::---
---::///++///:--...--::///::-`.///.
      `oMm/
                  /hNmo.` `` `....`
                  . . . - - - - - : : : - : / + / - . : / :
         /NMs
                 oMd/` `::::--.--
//` ````-::::+/-`
10
                 //`
//+`
          : NM+
                 yN`
11
`/`
               0.
```

```
: NN:
12
             : Nm
            : `.-:////:-.
./
         : NN -
          /NM/
13
           `:sdmdhyMMMMMMNNmy/`
          :mNo`
               /dmddddNNmdy
14
          : hMd:
          `smmv/-```hMMMMMMMhvdm/ `
+-.
      `...:mMm+.
       -hNd/-/o/-..-::`.ydmmmmNMMMMM
15
        dMN-`-+hmmmmdhhhhdddmMN-`
MNh:/+-
-/o: .-:::/ovdms-
16 oNMo:+/::.
hNMNhs-:hNmmdyo:..``yo-```.--.
-`-+shdddhs+-` `.//yms.
17 .MMo:/`o:.:+sso+:-`
             ./-` /mNh+-...-/
sM+
ymNNdo::--/shd+` - `:mm:
18 /MM-o ./ ohhsooohNmy::sh.
`yM/
                        `:ovyvyvyhy
s+:.` hy `/Nh` : -NN.
     -MM// -: `` y: odddhh+
19
mNh-
.:ohMMs. +Ms / yMo
    hMoo .+. :Mh ````
                             `/hNd
20
/.`
       ohdddy::...`..`
sdmdyo+NMNh+-:Mh / sMs
       .mmh:..:.:NMm `-/dMNM+
21
        ./+++/:`.hM:`.```.` `-/shmNm
h+-` /Mmooso.hM/ .: `mM/
22
        .mNs://: .NMNMs- -:-.`/+-sm
```

```
s. ` `shyyyhy`sNd` `.:+sdmmmdMM-.
           :m/ `s``vMh
   .oNM+
23
         -mMo . sMNdMNNh+-.
             ``+o::+shdddhs+:-.:MM.`
vdvovv,
.-+hNMMh- `.`-/::dNs`
          -NM- mMMMh: MMdNmhs+:-..``
24
mddNMm+`
       ..-/hNh-
          sMy NMMM`:Mh`-/mMmmmdddd
25
dddddhhhdNNdhyo+:--.yMs `..:+ymMMMMd+
--yNh. `+hNh:
          -Mm NMMM/yMh -NM-`..-:
26
NMo:--.`+Mv
                 : MNoydmNMMNmhdMh`
-dNs`
           `yMd:
           `MN mMMMMMMMyshMN+:---.-
27
MN-....+My...-:/oyhdMMMMNmdy+-` +Mh:s
           yMy`
Nm/
28
           MMMNNNNMMMMNNMMMMNmhMM/-.
                            `vMMN
          /Mv
S.
          29
MMMMMMMMMMMMdy+:-``NM-
                          ./hNNy-
         /Nd`
30
           -Mh dMydMmsNMNdNNMMmmmN
MMMdddhys+yMo``
                  /Nm: `:yNNdo.
       .sNd.
31
          +Ms
                .mMsMN::NN:.:MN: `.
+NM.
        +Mo
                   +Mm+ymNdo-
      .omm+`
32
                 .hNMd+:sMN. oMm.
          yM:
             ```.:+shMNmy+-``.-:-..
оМо
 +Mh
-//-`:yNmo`
```

```
33
 mM.
 :ohmNNMMdhyMMdo/
/+Mm/////sMNhyhhdmNNmhs/-``./+/:--+so
/-:smNy/`
 `` .-:/+osyyhhd
34
 . Mm
ddddddddhhyysoo+/:-. `./+//--+oo/--+
ymmy/.
 :Mh .: `+:` `.--
```-///:/++/:../ydNd
35
0:`
          +Ms `/` :+o+:-```
36
         ``..-::///++///:-.`-+ydNdo:`
          oMs :/:.`` `..---.
37
        ..-:/:::---.` `-ohmmh+:`
           /Mh .:////:::------
`-+hmmy+-
38
39
            sMy`
          ````-+ydmy+-
 /mNs-`
40
 `./ohmNMNNNmy+-
 /yNmho/:.``````.-:/
41
+syhdNmdyso+/-.`
 `:+ydmNMNNNNNNNNnmdhy
42
s+/:.`
43
44
45
 LOL U MAD?
46 """)
47
48 import sys
49 sys.exit(1)
```

Yes, indead. The idea of using Ruby in Python is totally mad.