PyRuby

Today I saw a package called <u>PyRuby</u> in Github. The readme says:

PyRuby - Some Ruby for your Python! PyRuby is a simple way to leverage the power of Ruby to make your Pyth on code more readable and beautiful.

Usage

All you have to do is import the ru by module:

import ruby

From now on you should be able to w rite Ruby code within a regular Pyt hon module. An example:

1.upto(10) { |n| puts n }

Even PyPI has listed this as a package.

In the beginning I thought this was again a Ruby implementation by PyPy project. Or at least it use some magic trick to write ruby code directly in Python.

Then I browse into the source code of it.

It contains only one file: ruby.py

```
# -*- coding: utf-8 -*-
1
2
  print("""
3
4
5
                                  `.-:/+
ossyhhddmmmmNNNNNNmmmmmdddddhhhyyyyhhh
yo:`
6
                           .:+sydNNNmmdh
hysso++/+++++////:::::-.```.....--/
oymms.
7
                      `:ohmdys+//::/::--
::::///:-.```....
  `/dNs.
8
                   .+hNds:`-:-:///::----
--::///++///:--...--::///::-`.///.
   `oMm/
               /hNmo.` `` `....``
               ...----:::-:/+/-.:/:`
      /NMs
                oMd/` `::::--.--:/
/` `````-:::::+/-`::
10
              //`
/+`
       : NM+
11
                yN`
/`
             Ο.
        :NN:
12
               : Nm
               `.-:////:-. `-` ``
./
         : NN -
              /NM/
13
```

```
`:sdmdhyMMMMMMNNmy/`
        :mNo`
        :hMd: /dmddddNNmdy+
14
         `smmy/-```hMMMMMMMhydm/ `-.
     `...:mMm+.
      -hNd/-/o/-..-::`.ydmmmnMMMMMM
15
Nh:/+- dMN-`-+hmmmmdhhhhdddmMN-`-/
o: .-:::/oydms-
16 oNMo:+/::. ``...-:/+oh
NMNhs- :hNmmdyo:..``yo-```.--. `-`
-+shdddhs+-``.//yms.
17 .MMo:/`o:.:+sso+:-`
       ./-` /mNh+-...-/ym
sM+
NNdo::--/shd+\ -\:mm:
18 /MM-o ./ ohhsooohNmy::sh.
                    `:oyyyyyhys+
yM/
19 -MM// -: `` y: odddhh+ -om Nh- `--.` ``
.:ohMMs. +Ms / yMo
20 hMoo .+. :Mh ```` `/hNd/
       ohdddy::...`..` `-/sd
mdyo+NMNh+- :Mh / sMs
       .mmh:..:. :NMm `-/dMNM+
21
      ./+++/:`.hM:`.```.` `-/shmNmh+
- ` /Mmooso.hM/ .: `mM/
22
       .mNs://: .NMNMs- -:-.`/+-sms
. ` `shyyyhy`sNd` `.:+sdmmmdMM-.
.oNM+ :m/ `s``yMh
+hNMMh- `.`-/::dNs`
```

```
-NM- mMMMh:MMdNmhs+:-..```
24
-ohs-`...-:/+svhddmMMs:-.` `/mMMdmmd
dNMm+` ..-/hNh-
25
          sMy NMMM`:Mh`-/mMmmmddddd
ddddhhhdNNdhyo+:--.yMs `..:+ymMMMMd+--
          `+hNh:
yNh.
26
           -Mm NMMM/yMh -NM-`..-:N
Mo:--.`+My
                :MNoydmNMMNmhdMh` -d
          `yMd:
Ns`
           `MN
                mMMMMMMyshMN+:---.-M
27
N-....+My...-:/oyhdMMMMNmdy+-`+Mh:sNm
         vMv`
28
            MMNNNNMMMNNNMMMMNmhMM/-.
                            `vMMNs.
        /My
           29
MMMMMMMMMMMmmdy+:-``NM- ./hNNy-
        /Nd`
30
           -Mh
                 dMydMmsNMNdNNMMmmmNM
MMdddhys+yMo``
                 /Nm: `:yNNdo.
      .sNd.
31
           +Ms .mMsMN::NN:.:MN: `.+
NM.
       +Mo
                   +Mm+ymNdo-
    .omm+`
32
                  .hNMd+:sMN. oMm.
           yM:
            ```.:+shMNmy+-``.-:-..-/
 +Mh
oMo
/-`:yNmo`
33
 mM.
 :ohmNNMMdhyMMdo//
+Mm/////sMNhyhhdmNNmhs/-``./+/:--+so/-
:smNy/`
 `` .-:/+osyyhhdd
34
 . Mm
dddddddhhyysoo+/:-. `./+//--+oo/--+ym
```

```
my/.
35
 :Mh .: `+:`
               ```-///:/++/:../ydNdo:`
           +Ms \'\\\ :+0+:-
36
        ``..-::///++///:-.`-+ydNdo:`
37
      ..-:/:::---.``-ohmmh+:`
          /Mh .:////:::-----
38
                `-+hmmy+-
            sMy`
39
         `````-+ydmy+-
 /mNs-`
40
 `./ohmNMNNNmy+-
 /yNmho/:.`````.-:/+
41
syhdNmdyso+/-.
42
 `:+ydmNMNNNNNNNNndhys
+/:.`
43
44
45
 LOL U MAD?
 """)
46
47
48 import sys
49 sys.exit(1)
```

Yes, indead. The idea of using Ruby in Python is totally mad.