PyRuby 🛮

Today I saw a package called <u>PyRuby</u> in Github. The readme says:

PyRuby - Some Ruby for your Python!

PyRuby is a simple way to leverage the power of Ruby to make your Python code more readable and beautiful.

Usage

All you have to do is import the ruby module:

import ruby

From now on you should be able to write Ruby code within a regular Python module. An example:

1.upto(10) { |n| puts n }

Even PyPI has listed this as a package.

In the beginning I thought this was again a Ruby implementation by PyPy project. Or at least it use some magic trick to write ruby code directly in Python.

Then I browse into the source code of it.

It contains only one file: ruby.py

```
1 # -*- coding: utf-8 -*-
2
3 print("""
4
                  `.-:/+ossyhhddmmmmNNNNNNNmmm
5
mmdddddhhhyyyyhhhyo:`
              ::+sydNNNmmdhhysso++/++++++///:::::
-.```.....-/oymms.
            `:ohmdys+//::/::--::::////:-.```......````.://:-`
/dNs.
          .+hNds:`-:-:///:----:.///++///:--....-::///::-`.///.
8
oMm/
         /hNmo.` `` `....`
9
   /NMs
         oMd/` `::::--.--://+` //` ````-:::::+/-`::.`
10
 :NM+
        yN` -+.` `/` o.
11
NN:
       :Nm - ./ : `.-:////:-. `-` `` :
12
NN-
      /NM/ .-:::-.` `/ `:sdmdhyMMMMMMNNm
13
        :mNo`
٧/`
       :hMd: /dmddddNNmdy+-. `smmy/-```hMM
14
MMMMMhydm/`-.`` `...:mMm+.
      -hNd/-/o/-..-::`.ydmmmmNMMMMMMNh:/+- dMN-`-
+hmmmmdhhhhdddmMN-`-/o: .-:::/oydms-
     oNMo:+/::. ``...--:/+ohNMNhs- :hNmmdyo:..``yo
-```.--. `-`-+shdddhs+-` `.//yms.
   .MMo:/`o:.:+sso+:-`
                                    ./-` /mNh+-...
                         sM+
17
```

```
.-/ymNNdo::--/shd+` -`:mm:
     /MM-o ./ ohhsooohNmy::sh. `yM/
                                          `:oyyy
vvvhvs+:.`hv `/Nh`:-NN.
     -MM// -: `` y: odddhh+ -omNh-
   .:ohMMs. +Ms / yMo
     hMoo .+. :Mh ```` `/hNd/.` ohdddy:....`..`
20
`-/sdmdyo+NMNh+-:Mh / sMs
                                ./+++/:`.hM:`.```.
     .mmh:..: :NMm `-/dMNM+
21
``-/shmNmh+-` /Mmooso.hM/ .: `mM/
      .mNs://: .NMNMs- -:-.`/+-sms. ` `shyyyhy`sNd` `.:
22
+sdmmmdMM-. .oNM+ :m/`s``yMh
      -mMo . sMNdMNNh+-. .ydyoyy` ``+o::+shdd
23
dhs+:-.:MM.`.-+hNMMh- `.`-/::dNs`
24 -NM- mMMMh:MMdNmhs+:-..``-ohs-`...-:/+syhddm
MMs:-.` `/mMMdmmddNMm+` ..-/hNh-
      sMy NMMM`:Mh`-/mMmmmddddddddhhhdNNdhyo
25
+:--.yMs `..:+ymMMMMd+--yNh. `+hNh:
26 -Mm NMMM/yMh -NM-`..--:NMo:--.`+My :MNoy
dmNMMNmhdMh`-dNs` `yMd:
      `MN mMMMMMMMyshMN+:---.-MN-.....+My...-:/oyhd
27
MMMMNmdy+-`+Mh:sNm/ yMy`
        MN yMMMMMMMMMMMMMMMMMNNNNM
28
MMNNNMMMMMNmhMM/-. `yMMNs. /My
       MMMMNmmdy+:-``NM- ./hNNy-
                               /Nd`
       -Mh dMydMmsNMNdNNMMmmmNMMMdddhys+yM
30
o`` /Nm: `:yNNdo. .sNd.
       +Ms .mMsMN::NN:::MN: `.+NM. +Mo +Mm
31
+ymNdo- .omm+`
      yM: .hNMd+:sMN. oMm. oMo +Mh ```.:+shM
32
Nmy+-``.-:-..-//-`:yNmo`
33 mM. :ohmNNMMdhyMMdo//+Mm/////sMNhyhhdm
NNmhs/-``./+/:--+so/-:smNy/`
       .Mm \cdot \cdot \cdot \cdot -:/+ osyyhhddddddddddhhyysoo+/:-. \cdot \cdot ./+
34
//--+oo/--+ymmy/.
       :Mh .: `+:` `.-----` ```-////:/++/:../vdNd
35
0:`
       +Ms `/` :+o+:-``` ``..-::///++///:-.`-+ydNd
36
0:`
      oMs :/:.```..--.`````````.-:/:::---.` `-ohmmh+:`
37
```

```
.:////:::----`
38
       /Mh
                               `-+hmmy+-
                            `````-+ydmy+-
39
 sMy`
 /mNs-`
 `./ohmNMNNNmy+-
40
 /yNmho/:.``````.-:/+syhdNmdyso+/-.`
41
 `:+ydmNMNNNNNNNNMdhys+/:.`
42
43
44
45
 LOL U MAD?
46
47
48
 import sys
49
 sys.exit(1)
```

Yes, indead. The idea of using Ruby in Python is totally mad.