

PyRuby

Today I saw a package called PyRuby in Github.
The readme says:

PyRuby - Some Ruby for your Python!
PyRuby is a simple way to leverage
the power of Ruby to make your Python
code more readable and beautiful
.

Usage

All you have to do is import the ruby
module:

```
import ruby
```

From now on you should be able to write
Ruby code within a regular Python
module. An example:

```
1.upto(10) { |n| puts n }
```

Even [PyPI](#) has listed this as a package.

In the beginning I thought this was again a Ruby
implementation by PyPy project. Or at least it use
some magic trick to write ruby code directly in
Python.

Then I browse into the source code of it.

```

1 # -*- coding: utf-8 -*-
2
3 print("""
4
5                                     `.-:/+
ossyhddmmmmNNNNNNNmmmmmddddhhhyyyhhh
yo:`
6                                     .:+sydNNNmmdh
hysso++/+/////////:-----.````.-----/
oymms.
7                                     `:ohmdys+//:::--
://///:-.````.-----``````://:-`
`/dNs.
8                                     .+hNds:`-:-:////:----
-:-:////++///:-.....-:-:////:-`.`.///.
`oMm/
9                                     /hNmo.` `` `.....`
`~~~~~` .....-----:---:/+/-.:/:`
/NMs
10                                    oMd/` `:-----:--:/
/+` //` ``````-:++++/-`::
.` :NM+
11                                   yN`      -+.` `
/`      o.          ``:..-..
``      :NN:
12                                   :Nm      -
./      :      `.-://///:-.    `-' ``
      :NN-
13                                   /NM/      .-:---`

```

` / :sdmdhyMMMMMMNNmy/`
 :mNo`
 14 :hMd: /dmdddddNNmdy+
 - . `smmy/-```hMMMMMMMydm/`- .
 `` `...:mMm+.
 15 -hNd/-/o/-...::`.ydmMMMNNMMMMMM
 Nh:/+- dMN-`-+hmmmdhhhhdddmMN-`-/
 o: .-:::/oydms-
 16 oNMo:+/::: ``...--:/+oh
 NMNhs- :hNmmdyo:...``yo-````...`-`
 -+shdddhS+-` ``.//yMS.
 17 .MMo:/`o::+SSo+:`-`
 SM+ ./-` /mNh+-.....-/ym
 NNdo::-/-shd+` -` :mm:
 18 /MM-o ./ ohhsooohNmy::sh. `
 yM/ :oyyyyyyyhys+
 :.` hy `/Nh` : -NN.
 19 -MM// -: `` y: odddh+ -om
 Nh- ``-` `` `` ``
 .:ohMMs. +Ms / yMo
 20 hMoo .+. :Mh ```` ``/hNd/
 .` ohdddy:....`..` ``-/sd
 mdyo+NMNh+- :Mh / sMs
 21 .mmh:.... :NMm ``-/dMMN+
 ./++++/:`.hM:```````````-/shmNmh+
 -` /Mmooso.hM/ .: `mM/
 22 .mNs://: .NMNMs- -:-`/+-sms
 . ```shyyyhy`sNd` ``.:+sdmmmdMM- .
 .oNM+ :m/ `s` `yMh
 23 -mMo . sMNdMNNh+- . .y
 dyoyy` ``+o::+shdddhS+:-.:MM.`- .
 +hNMh- ``-`-/::dNs`

24 -NM- mMMMh:MMdNmhs+:-.` ` ` `
 -ohs-`...-:/+syhddmMMs:-.` ` /mMMdmmd
 dNMm+`...-/hNh-
 25 sMy NMMM` :Mh` -/mMmmddddd
 ddddhhdNNDhyo+:--.yMs `...+ymMMMMd+-
 yNh. `+hNh:
 26 -Mm NMMM/yMh -NM-`...-:N
 Mo:--.`+My :MNoydmNMNMhdmh` -d
 Ns` `yMd:
 27 `MN mMMMMMMMyshMN+:---.-M
 N-.....+My...-:/oyhdMMMMNm dy+-` +Mh:sNm
 / yMy`
 28 MN yMMMMMMMMMMMMMMMMMMMMMM
 MMNNNNNNMMNNNNMMMMMMNmhmM/-.`yMMNs.
 /My
 29 `MN :MMmMMMMMMMMMMMMMMMMMM
 MMMMMMMMMMMMMNmmdy+:--`NM- ./hNNy-
 /Nd`
 30 -Mh dMydMmsNMNdNNMMmmmNM
 MMdddhys+yMo`` /Nm: `:yNNdo.
 .sNd.
 31 +Ms .mMsMN::NN::MN: `.+
 NM. +Mo +Mm+ymNdo-
 .omm+`
 32 yM: .hNMd+:sMN. oMm.
 oMo +Mh ```. :+shMNmy+-``.-:-.-/
 /-`:yNmO`
 33 mM. :ohmNNMMdhyMMdo//
 +Mm////////sMNhyhhdmmNmhs/-``./+/:--+so/-
 :smNy/`
 34 .Mm ``. -:/+osyyhdd
 ddddddddhyysoo+/:-.`./+//--+oo/-+ym

```

my/.
35          :Mh      .:      `+:`      `.-.-
-----`      ``-////////:++/:.../ydNdo:`

36          +Ms      `/`      :+o+:`-``
      ``.-.::///++///:-.`-+ydNdo:`
37          oMs      :/:.`      `.-.-.``      `
``````.-.:/::-.``      `.-ohmmh+:`
38 /Mh .:////////::-.-----
---.....` `.-+hmy+-
39 sMy`
      ``````-+ydmy+-
40          /mNs-`
      `./ohmNMNNNmy+-
41          /yNmho/:.`````````````.-:./+
syhdNmdyso+/-.`
42          `:+ydmNMNNNNNNNNNNmdhys
+/:.`
43          ``.....`
44
45      LOL U MAD?
46      """)
47
48      import sys
49      sys.exit(1)

```

Yes, indeed. The idea of using Ruby in Python is totally mad.

