PyRuby

Today I saw a package called PyRuby in Github. The readme says:

PyRuby - Some Ruby for your Python! PyRuby is a simple way to leverage the power of Ruby to make your Pyth on code more readable and beautiful.

Usage

All you have to do is import the ru by module:

import ruby

From now on you should be able to w rite Ruby code within a regular Pyt hon module. An example:

1.upto(10) { |n| puts n }

Even PyPI has listed this as a package.

In the beginning I thought this was again a Ruby implementation by PyPy project. Or at least it use some magic trick to write ruby code directly in Python.

Then I browse into the source code of it.

It contains only one file: ruby.py

```
# -*- coding: utf-8 -*-
1
2
  print("""
3
4
5
                                     `.-:/+
ossyhhddmmmmNNNNNNmmmmmdddddhhhyyyyhhh
yo:`
6
                              .:+sydNNNmmdh
hysso++/+++++///:::::-.```.....--/
oymms.
                        `:ohmdys+//::/::--
7
::::///:-.```.....````.://:-`
  `/dNs.
                    .+hNds:`-:-:///::----
8
--::///++///:--...--::///::-`.///.
    `oMm/
                  /hNmo.` `` `....``
. . . . . . . . . .
                 . . . - - - - - : : : - : / + / - . : / : `
      /NMs
                 oMd/`
10
/+`
        : NM+
                 yN`
11
/`
              0.
         : NN:
12
                : Nm
                    `.-:////:-.
. /
          : NN -
13
               /NM/
```

```
`:sdmdhyMMMMMMNNmy/`
       :mNo`
        :hMd: /dmddddNNmdy+
14
        `smmy/-```hMMMMMMMhydm/ `-.
     `...:mMm+.
      -hNd/-/o/-..-::`.ydmmmmNMMMMMM
15
Nh:/+- dMN-`-+hmmmmdhhhhdddmMN-`-/
o: .-:::/oydms-
16 oNMo:+/::. ``...--:/+oh
NMNhs-: hNmmdyo:..``yo-```.--.`-`
-+shdddhs+-` `.//yms.
17 .MMo:/`o:.:+sso+:-`
       ./-`/mNh+-...-/ym
sM+
NNdo::--/shd+` -`:mm:
18 /MM-o ./ ohhsooohNmy::sh.
                    `:oyyyyyhys+
yM/
:.` hy `/Nh` : -NN.
      -MM// -: `` y: odddhh+ -om
19
Nh-
.:ohMMs. +Ms / yMo
20 hMoo .+. :Mh ```` `/hNd/
.` ohdddy::...`..` `-/sd
mdyo+NMNh+- :Mh / sMs
21 .mmh:..:. :NMm `-/dMNM+
      ./+++/:`.hM:`.```.` `-/shmNmh+
- ` /Mmooso.hM/ .: `mM/
22
       .mNs://: .NMNMs- -:-.`/+-sms
. ` `shyyyhy`sNd` `.:+sdmmmdMM-.
.oNM+ :m/ `s``yMh
+hNMMh- `.`-/::dNs`
```

```
-NM- mMMMh:MMdNmhs+:-..```
24
-ohs-`...-:/+syhddmMMs:-.` `/mMMdmmd
dNMm+ ... -/hNh-
           sMy NMMM`:Mh`-/mMmmmddddd
25
ddddhhhdNNdhyo+:--.yMs `..:+ymMMMMd+--
    `+hNh:
vNh.
26
           -Mm NMMM/yMh -NM-`..-:N
Mo: - - . ` +My
               :MNoydmNMMNmhdMh` -d
          `yMd:
Ns`
           `MN
                mMMMMMMyshMN+:---.-M
27
N-....+My...-:/oyhdMMMMNmdy+-` +Mh:sNm
         vMv`
28
            MMNNNNMMMMNNMMMMNmhMM/-.
                            `vMMNs.
        /My
           29
MMMMMMMMMMMmmdy+:-``NM-
                          ./hNNv-
        /Nd`
30
           -Mh dMydMmsNMNdNNMMmmmNM
MMdddhys+yMo``
                 /Nm: `:yNNdo.
      .sNd.
           +Ms .mMsMN::NN:.:MN: `.+
31
NM.
        +Mo
                   +Mm+ymNdo-
    .omm+`
           yM: .hNMd+:sMN. oMm.
32
            ```.:+shMNmy+-``.-:-..-/
 +Mh
oMo
/-`:yNmo`
33
 mM.
 :ohmNNMMdhyMMdo//
+Mm/////sMNhyhhdmNNmhs/-``./+/:--+so/-
:smNy/`
 `` .-:/+osyyhhdd
 . Mm
34
dddddddhhyysoo+/:-. `./+//--+oo/--+ym
```

```
my/.
35
 :Mh .: `+:`
                ```-///:/++/:../ydNdo:`
36
           +Ms `/` :+0+:-
        ``..-::///++///:-.`-+ydNdo:`
37
        .-:/:::---.` `-ohmmh+:`
          /Mh .:////:::----
38
                 `-+hmmy+-
39
            sMy`
              -+ydmy+-
             /mNs-`
40
    ./ohmNMNNmy+-
               /yNmho/:.
41
syhdNmdyso+/-.
42
                 `:+ydmNMNNNNNNNNmdhys
+/:.`
43
44
45
       LOL U MAD?
   """)
46
47
48 import sys
49 sys.exit(1)
```

Yes, indead. The idea of using Ruby in Python is totally mad.