

PyRuby

Today I saw a package called PyRuby in Github.
The readme says:

PyRuby - Some Ruby for your Python!
PyRuby is a simple way to leverage
the power of Ruby to make your Python
code more readable and beautiful
.

Usage

All you have to do is import the ruby
module:

```
import ruby
```

From now on you should be able to write
Ruby code within a regular Python
module. An example:

```
1.upto(10) { |n| puts n }
```

Even PyPI has listed this as a package.

In the beginning I thought this was again a Ruby
implementation by PyPy project. Or at least it use
some magic trick to write ruby code directly in
Python.

Then I browse into the source code of it.

```

1  # -*- coding: utf-8 -*-
2
3  print("""
4
5                                     `.-:./+
ossyhddmmmmNNNNNNNmmmmmddddhhyyyhhh
yo:`
6                                     .:+sydNNNmmdh
hysso++/+++++++///::::-.```.-----/
oymms.
7                                     `:ohmdys+//:::--
::://///:-.```.```.```.:///:-`
`/dNs.
8                                     .+hNds:`-:-:////:----
-:-:////++//:--.....-:-:////:-`.////.
`oMm/
9                                     /hNmo.` ```.```.```.```.
``````````.``````````-:-:-:/+/-.:/:`
/NMs
10 oMd/` ```::::--.-:-:/
/+` //` ``````-:-:++/-`::
.` :NM+
11 yN` -+.` ```.```.
/` o. ```:..-..
`` :NN:
12 :Nm -
./ : ``-://///:-. ``-` ``
:NN-
13 /NM/ ```:..-.-`

```

` / :sdmdhyMMMMMMNNmy/`  
 :mNo`  
 14 :hMd: /dmddddNNmdy+  
 - . `smmy/-``hMMMMMMhydm/`- .  
 `` `...:mMm+.  
 15 -hNd/-/o/-...::`.ydmmmmmMMMMMM  
 Nh:/+- dMN-`-+hmmmdhhhhdddmMN-`-/  
 o: .-:::/oydms-  
 16 oNMo:+/:: ``...-:/+oh  
 NMNhs- :hNmmdyo:...`yo-```.--.``-`  
 -+shdddhst+-` `./yms.  
 17 .MMo:/`o::+sso+:`-`  
 sM+ ./-` /mNh+-.....-/ym  
 NNdo::-/-shd+` -`:mm:  
 18 /MM-o ./ ohhsooohNmy::sh. `  
 yM/ :oyyyyyyyhst+  
 :.`hy `/Nh` : -NN.  
 19 -MM// -: `` y: odddhst+ -om  
 Nh- `--.`` `` ````  
 .:ohMMs. +Ms / yMo  
 20 hMoo .+. :Mh ```` `/hNd/  
 .` ohdddy:....`..` -/sd  
 mdyo+NMNh+- :Mh / sMs  
 21 .mmh:.... :NMm -/-dMMN+  
 ./++++/:`.hM:``````.``-/-shmNmst+  
 -` /Mmooso.hM/ .: `mM/  
 22 .mNs://: .NMNMs- -:-`/+-sms  
 . ` `shyyyhy`sNd` .:+sdmmmdMM- .  
 .oNM+ :m/ `s` `yMh  
 23 -mMo . sMNdMMNst+- . .y  
 dyoyy` ``+o::+shdddhst+-::MM.`.-  
 +hNMst- ``-/-::dNs`

24 -NM- mMMMH:MdNmhs+:-.`  
-ohs-`. . . .:/+syhddmMMS:-.` /mMMdmmd  
dNMm+` . .-/hNh-

25 sMy NMMM`:Mh`-/mMmmddddd  
ddddhhhdNNdhyo+:--.yMs`. . .:+ymMMMMd+--  
yNh.`+hNh:

26 -Mm NMMM/yMh -NM-`. . . -:N  
Mo:--.`+My :MNoydmNMNMmhdMh`-d  
Ns` `yMd:

27 `MN mMMMMMMMMyshMN+:---.-M  
N-.....+My...-:/oyhdMMMMNm dy+-` +Mh:sNm  
/ yMy`

28 MN yMMMMMMMMMMMMMMMMMMMMNM  
MMNNNNNNMMMMNNNNMMMMNMmhMM/-.`yMMNs.  
/My

29 `MN :MMmMMMMMMMMMMMMMMMMMMMM  
MMMMMMMMMMMMMMNm dy+:--` NM- ./hNNy-  
/Nd`

30 -Mh dMydMmsNMNdNNMMmmmNM  
MMdddhys+yMo`` /Nm: ``:yNNdo.  
.sNd.

31 +Ms .mMsMN::NN::MN:``.+  
NM. +Mo +Mm+yMNdo-  
.omm+`

32 yM: .hNMd+:sMN. oMm.  
oMo +Mh ```. . .+shMNmy+-``. . .-./  
/-`:yNmo`

33 mM. :ohmNNMMdhyMMdo//  
+Mm////////sMNhyhhdmmNmhs/-``./+/:-+so/-  
:smNy/`

34 .Mm ``. .-:/+osyyhdd  
dddddddhhyysoo+/:-. ``./+//-++oo/-++ym

```

my/.
35 :Mh .: `+:` `.-.-
-----` ``-////////:++/:.../ydNdo:`

36 +Ms `/` :+o+:`-``
 ``.-.::///++///:-.`-+ydNdo:`
37 oMs :/:.` `.-.-.` `
``````.-.:/::-.``      `.-ohmmh+:`
38          /Mh      .:////////::-.-----
---.....`      `.-+hmy+-
39          sMy`
      ``````-+ydmy+-
40 /mNs-`
 `./ohmNMNNNmy+-
41 /yNmho/:.` `.....` `.-:./+
syhdNmdyso+/-.`
42 `:+ydmNMNNNNNNNNNNmdhys
+/:.`
43 ``.....`
44
45 LOL U MAD?
46 """)
47
48 import sys
49 sys.exit(1)

```

Yes, indeed. The idea of using Ruby in Python is totally mad.

