

PyRuby

Today I saw a package called PyRuby in Github.
The readme says:

PyRuby - Some Ruby for your Python!
PyRuby is a simple way to leverage
the power of Ruby to make your Python
code more readable and beautiful
.

Usage

All you have to do is import the ruby
module:

```
import ruby
```

From now on you should be able to write
Ruby code within a regular Python
module. An example:

```
1.upto(10) { |n| puts n }
```

Even PyPI has listed this as a package.

In the beginning I thought this was again a Ruby
implementation by PyPy project. Or at least it use
some magic trick to write ruby code directly in
Python.

Then I browse into the source code of it.

It contains only one file: ruby.py

```
1  # -*- coding: utf-8 -*-
2
3  print("""
4
5                                     `.-:./+
ossyhhddmmmmNNNNNNNmmmmmddddhhyyyhhh
yo:`
6                                     .:+sydNNNmmdh
hysso++/++++++///:::-.```.-----/
oymms.
7                                     `:ohmdys+//:::--
::::///::-.````.-----`:://:-`
`/dNs.
8                                     .+hNds:`-:-:////::----
--::///++///:-.....-:////:-`.:///
`oMm/
9                                     /hNmo.` ```.-----`
` `````` ```.-----:::-:/+/-.:/:`
      /NMs
10      oMd/` ```.-----:/
/+`      //` ``````-:::++/-`::
.`      :NM+
11      yN`      -+.` ```.-----`
/`      o.      ```.-----:
``      :NN:
12      :Nm      -
./      :      `.-://///::-.`-` ``
      :NN-
13      /NM/      .-:::-`
```

14 :hMd: /dmdddddNNmdy+
 - . `smmy/-````hMMMMMMHydm/ ``.
 `` `...:mMm+.
 15 -hNd/-/o/-...::`.ydmmmmNMMMMMM
 Nh:/+ - dMN-`-+hmmmmddhhhhdddmMN-`-/
 o: .-:::/oydms-
 16 oNMo:+/::: ``.....:/+oh
 NMNhs- :hNmmdyo:...``yo-````.--- ``-`
 -+shdddh+ - ``.//yms.
 17 .MMo:/`o:..+sso+: -`
 sM+ ./-` /mNh+ -....-/ym
 NNdo:--/shd+` -`:mm:
 18 /MM-o ./ ohhsooohNmy::sh. `
 yM/ ``:oyyyyyyyhys+
 :.` hy `/Nh` : -NN.
 19 -MM// -: `` y: odddh+ -om
 Nh- ``- `` `` ``
 .:ohMMs. +Ms / yMo
 20 hMoo .+. :Mh ```` `/hNd/
 .` ohddy:.....` `` -/sd
 mdyo+NMNh+ - :Mh / sMs
 21 .mmh:..... :NMm ``-/dNMN+
 ./+++/:``.hM:``````.`` -/shmNmh+
 -` /Mmooso.hM/ .: `mM/
 22 .mNs://: .NMNMs- -:-`/+-sms
 . `` `shyyyhy`sNd` ``.:+sdmmmdMM-.
 .oNM+ :m/ `s``yMh
 23 -mMo . sMNdMNNh+ - . .y
 dyoyy` ``+o::+shdddh+:-.:MM.`.-
 +hNMMh- ``-/:dNs`

24 -NM- mMMMh:MMdNmhs+:-.` ``
 -ohs-`...-:/+syhddmMMs:-.` ``/mMMdmmd
 dNMm+`...-/hNh-
 25 sMy NMMM` :Mh` -/mMmmddddd
 ddddhhdNNdhyo+:--.yMs ``...+ymMMMMd+--
 yNh. ``+hNh:
 26 -Mm NMMM/yMh -NM-`...-:N
 Mo:--.`+My :MNoydmNMNMhdmh` -d
 Ns` ``yMd:
 27 `MN mMMMMMMMyshMN+:---.-M
 N-.....+My...-:/oyhdMMMMNm dy+-` +Mh:sNm
 / yMy`
 28 MN yMMMMMMMMMMMMMMMMMMMMMM
 MMNNNNNNMMNNNNMMMMMMNmhmM/-.` yMMNs.
 /My
 29 `MN :MMmMMMMMMMMMMMMMMMMMMMM
 MMMMMMMMMMMMMNmmdy+:--` NM- ./hNNy-
 /Nd`
 30 -Mh dMydMmsNMNdNNMMmmmNM
 MMdddhys+yMo`` /Nm: ``:yNNdo.
 .sNd.
 31 +Ms .mMsMN::NN::MN: ``.+
 NM. +Mo +Mm+ymNdo-
 .omm+`
 32 yM: .hNMd+:sMN. oMm.
 oMo +Mh ````.:+shMNmy+-``.-:-.-/
 /-`:yNmo`
 33 mM. :ohmNNMMdhyMMdo//
 +Mm////////sMNhyhhdmmNmhs/-``./+/:--+so/-
 :smNy/`
 34 .Mm ``.-:/+osyyhdd
 ddddddddhyysoo+/:-. ``./+//--+oo/---+ym

```

my/.
35          :Mh      .:      `+:`      `.-.-
-----`      ``-////////:++/:.../ydNdo:`

36          +Ms      `/`      :+o+:`-``
      ``.-.::///++///:-.`-+ydNdo:`
37          oMs      :/:.`      `.-.-.``      `
````````.-.:/::-.``      `.-ohmmh+:`
38 /Mh .:////////::-.-----
---.....` `.-+hmy+-
39 sMy`
      ``````-+ydmy+-
40          /mNs`
      `./ohmNMNNNmy+-
41          /yNmho/:.```````````````.-:./+
syhdNmdyso+/-.`
42          `:+ydmNMNNNNNNNNNNmdhys
+/:.`
43          ``.....`
44
45      LOL U MAD?
46      """)
47
48      import sys
49      sys.exit(1)

```

Yes, indeed. The idea of using Ruby in Python is totally mad.

