

Conversation with #archlinux-cn at Fri 16 Jan 2015 01:57:34 PM JST on farseerfc@irc.freenode.net (irc)

(01:57:34 PM) The topic for #archlinux-cn is: 欢迎来到Archlinux中文社区|官网: <http://www.archlinux.org> | 阅读和查询 Archwiki: https://wiki.archlinux.org/index.php/Main_Page | 中文bbs: <http://bbs.archlinuxcn.org/> | 社区仓库/镜像加速源: <https://www.archlinuxcn.org/archlinux-cn-repo-and-mirror/> | 消息超过3行请使用: <https://cfp.vim-cn.com>, <http://ideone.com>, <https://img.vim-cn.com> 等第三方服务

(01:57:34 PM) Topic for #archlinux-cn set by gebjgd!~gebjgd@unaffiliated/gebjgd at 07:02:15 PM on 01/01/2015

(02:03:16 PM) Airi left the room (quit: Remote host closed the connection).

(02:19:35 PM) xeirrr [~yaaic@unaffiliated/xeirrr] entered the room.

(02:23:07 PM) dantmnf left the room (quit: Quit: ZNC - <http://znc.in>).

(02:23:21 PM) dantmnf [dantmnf@unaffiliated/dantmnf] entered the room.

(02:25:47 PM) xeirrr left the room (quit: Quit: Yaaic - Yet another Android IRC client - <http://www.yaaic.org>).

(02:28:57 PM) wxg4irc [~wxg@123.169.213.44] entered the room.

(02:29:42 PM) farseerfc: 其實stream那個問題, 推薦做法不是symlink到別的地方麼.....

(02:39:53 PM) huntxu left the room (quit: Ping timeout: 252 seconds).

(02:41:33 PM) farseerfc: aur裏已經有iojs了, 好快.....

(02:42:28 PM) huntxu [~hunt@steamedfish.org] entered the room.

(02:44:50 PM) quiner: .g iojs

(02:44:51 PM) MeowBot: quiner: <https://iojs.org/>

(02:45:39 PM) ***quiner 不知道是干嘛的

(02:46:55 PM) xmppbot: [farseerfc] node.js有絲分裂的結果

(02:48:05 PM) xmppbot: [Rivsen-Tan] 2333

(02:48:42 PM) ***quiner 好评

(02:55:35 PM) **_tranch** [*~tranch@183.61.71.102*] entered the room.

(02:57:15 PM) **xmppbot**: [流浪的百合] ES6?

(02:57:21 PM) **acgtyrant** [*~acgtyrant@39.186.245.225*] entered the room.

(02:58:19 PM) **xmppbot**: [流浪的百合] 哦就是不需要一堆 flags 来开启支持了呀

(02:58:32 PM) **xmppbot**: [流浪的百合] JS 的特性越来越像 Python 了呢

(02:58:43 PM) **tranch** left the room (quit: Ping timeout: 245 seconds).

(03:02:33 PM) **tranch** [*~tranch@116.251.221.227*] entered the room.

(03:03:53 PM) **Petrus07** [*~silence@222.67.83.1*] entered the room.

(03:03:59 PM) **_tranch** left the room (quit: Ping timeout: 245 seconds).

(03:07:53 PM) **fxstar1** left the room (quit: Ping timeout: 245 seconds).

(03:09:52 PM) **fxstar1**

[*~Thunderbi@2400:dd01:2000:5:ca0a:a9ff:fe4e:e1a5*] entered the room.

(03:14:08 PM) **fxstar1** left the room (quit: Ping timeout: 245 seconds).

(03:29:09 PM) **acgtyrant** left the room (quit: Quit: 墮入 /dev/null).

(03:34:13 PM) **_tranch** [*~tranch@183.61.71.102*] entered the room.

(03:36:07 PM) **tranch** left the room (quit: Ping timeout: 245 seconds).

(03:38:24 PM) **farseerfc1** [*~farseerfc@fenrir.ics.es.osaka-u.ac.jp*] entered the room.

(03:41:58 PM) **yugioh** left the room (quit: Quit: yugioh).

(03:44:44 PM) **_tranch** left the room (quit: Ping timeout: 246 seconds).

(03:44:45 PM) **tranch** [*~tranch@li734-150.members.linode.com*] entered the room.

(03:46:35 PM) **acgtyrant** [*~acgtyrant@39.186.245.225*] entered the room.

(03:48:55 PM) **acgtyrant**: 还记得我上次提到 Gmail block 了同学发来的

附件吗?

(03:49:13 PM) **acgtyrant**: 现在我吃惊地发现原来那个附件用的是「快压」格式

(03:49:32 PM) *****acgtyrant** 世上又多了一个「快压」的受害者!

(03:52:10 PM) **jack77213**: 快压格式?!

(03:52:53 PM) **jack77213**: acgtyrant: 不会只是改下扩展名吧?

(03:53:15 PM) **acgtyrant**: 打開一個zip包發現裡面只有一個寫著“本文件使用了好壓的xxx技術，請您下載好壓。”的txt文件

(03:53:16 PM) **xmppbot**: [流浪的百合] 不是

(03:53:18 PM) **acgtyrant**: 别人的说法

(03:53:24 PM) **xmppbot**: [流浪的百合] 只是改扩展名的话很容易处理

(03:53:36 PM) **xmppbot**: [流浪的百合] 快压把压缩档的头和尾都改了

(03:53:40 PM) **xmppbot**: [流浪的百合] (正文部分没变)

(03:53:53 PM) **acgtyrant**: 嗯，改成快压独家支持的格式

(03:54:26 PM) **xmppbot**: [流浪的百合] 让你同学换个正常的软件压了重发呗

(03:54:31 PM) **LQYMGT left the room (quit: Quit: rcirc on GNU Emacs 24.4.1).**

(03:55:25 PM) **jack77213**: Gmail不收压缩文件吧?

(03:57:57 PM) **acgtyrant**: @依云 嗯

(03:58:03 PM) **acgtyrant**: jack77213, 收的

(03:58:11 PM) **xmppbot**: [流浪的百合] 收，但是会检查内容

(03:58:21 PM) **noinil left the room (quit: Remote host closed the connection).**

(03:58:45 PM) **jack77213**: 哦，原来是这样。。。

(03:59:39 PM) **noinil [~noinil@fold.biophys.kyoto-u.ac.jp] entered the room.**

(04:00:57 PM) **handsome1 [7911adbc@gateway/web/cgi-irc/kiwiirc.com/ip.121.17.173.188] entered the room.**

(04:10:02 PM) **acgtyrant**: 你们用过 pandoc 吗

(04:12:47 PM) **if_e1se [uid16886@gateway/web/irccloud.com/x-xudpbzizfopwkwzak] entered the room.**

(04:14:29 PM) **xmppbot**: [流浪的百合] 用过

(04:20:01 PM) **acgtyrant**: 怎么把 md 转成 html 时，同时实现代码颜色

高亮效果？

(04:20:49 PM) **quininer**: acgtyrant: 加js和css

(04:21:33 PM) **acgtyrant**:

(04:21:49 PM) **xmppbot**: [流浪的百合] 也可以自己写插件

(04:21:54 PM) **xmppbot**: [流浪的百合] 也许有现成的

(04:22:16 PM) **quininer**: 有个参数

(04:23:32 PM) **acgtyrant**: --highlight-style=option

(04:23:36 PM) **acgtyrant**: 试了下，没啥效果.....

(04:23:39 PM) **quininer**: -H FILE, --include-in-header=FILE

(04:23:42 PM) **acgtyrant**: 也许还不支持 Rust 代码吧

(04:27:08 PM) **Lisongmin**: 支持rust的

(04:29:53 PM) **yk Elvis left the room (quit: Ping timeout: 244 seconds).**

(04:30:43 PM) **Lisongmin**: 需要css文件支持

(04:31:22 PM) **acgtyrant**: Lisongmin, 敢问去哪弄 CSS 好呢！（抱大腿

(04:31:24 PM) *****quininer** ...

(04:31:49 PM) **quininer**: 不止css，代码着色还需要js吧

(04:32:28 PM) **quininer**: <http://blog.wpjam.com/m/prism/>

(04:32:29 PM) **xmppbot**: [Lisa] quiner: 网页标题: Prism：轻量级的 Javascript 代码高亮库

(04:32:30 PM) **MeowBot**: [Prism：轻量级的 Javascript 代码高亮库] - blog.wpjam.com

(04:32:32 PM) **quininer**: <http://blog.sae.sina.com.cn/archives/5581>

(04:32:34 PM) **xmppbot**: [Lisa] quiner: 网页标题: 7个高性能 JavaScript代码高亮插件 | Sina App Engine Blog

(04:32:36 PM) **MeowBot**: [7个高性能JavaScript代码高亮插件 | Sina App Engine Blog] - blog.sae.sina.com.cn

(04:32:55 PM) **wangchao left the room (quit: Quit: leaving).**

(04:33:00 PM) **Lisongmin**: 不需要吧，转换的时候就已经附带格式了

(04:34:35 PM) **quininer**: 并不知道有纯css实现的代码着色方案

(04:34:45 PM) **Lisongmin**:

```
<pre class="sourceCode rust"><code class="sourceCode rust"><span class="kw">fn</span> main() {
```

(04:34:59 PM) **Lisongmin**: 比如fn是关键字，就是kw类

(04:35:05 PM) **quininer**: 原来如此

(04:35:34 PM) *****quininer** 已经转换的就另说了

(04:39:15 PM) **fxstar1**

[~**Thunderbi@2400:dd01:2000:5:ca0a:a9ff:fe4e:e1a5**] entered the room.

(04:42:21 PM) **acgtyrant**: 恐怕还是需要 JavaScript

(04:42:42 PM) **acgtyrant**: 我用了某 github.css, 输出的 HTML 的确有所美化, 不过还是没代码高亮

(04:42:53 PM) **fixme**: acgtyrant: 插个gist什么的呢

(04:43:52 PM) **acgtyrant**: 我要转成 HTML 啊, Pandoc 恐怕不支持 Gist 吧

(04:46:45 PM) **gebjgd** [~**gebjgd@212.23.140.110**] entered the room.

(04:46:45 PM) **gebjgd** left the room (quit: Changing host).

(04:46:45 PM) **gebjgd** [~**gebjgd@unaffiliated/gebjgd**] entered the room.

(04:46:45 PM) **mode** (+o gebjgd) by ChanServ

(04:48:31 PM) **LQYMG**T [~**qyliu@unaffiliated/lqymgt**] entered the room.

(04:51:32 PM) **fasheng** [~**fasheng@59.173.241.82**] entered the room.

(04:53:52 PM) **Lisongmin**: acgtyrant: 试试这个
<http://ideone.com/1Plqyx>

(04:53:55 PM) **MeowBot**: [Ideone.com - 1Plqyx - Online Java Compiler & Debugging Tool] - ideone.com

(04:54:00 PM) **Lisongmin**: -t html5

(04:55:23 PM) **quininer**: [http://quininer.github.io/tests/inner.html#<link rel="stylesheet" type="text/css" href="http://doc.rust-lang.org/1.0.0-alpha/book/rust-book.css">%0A%0A<pre class="rust ">let x = 5;%0A%0Aif x == 5](http://quininer.github.io/tests/inner.html#<link rel='stylesheet' type='text/css' href='http://doc.rust-lang.org/1.0.0-alpha/book/rust-book.css'>%0A%0A<pre class='rust '>let x = 5;%0A%0Aif x == 5)

(04:55:25 PM) **MeowBot**: [innerHTML_TestTool] - quininer.github.io

(04:55:26 PM) **MeowBot**: [Not Found] - doc.rust-lang.org

(04:55:27 PM) **xmppbot**: [Lisa] quiner: 📄 网页标题:

innerHTML_TestTool

(04:55:27 PM) **xmppbot**: [Lisa] quiner: 📄 文件类型: text/css

(04:55:29 PM) **quiner**: {%0A println
!("x is five!"
);%0A}%0A</pre>

(04:55:32 PM) **quiner**: ==

(04:55:41 PM) **quiner**: acgtyrant: <http://doc.rust-lang.org/1.0.0-alpha/book/rust-book.css>

(04:55:44 PM) **quiner**: acgtyrant: 试试这个

(04:55:45 PM) **acgtyrant**: Lisongmin, 我用的 github-markdown.css 不支持代码高亮

(04:55:48 PM) **xmppbot**: [Lisa] quiner: 📄 文件类型: text/css

(04:56:47 PM) **quiner** rust 官方出品, 没有更好

(04:57:32 PM) **acgtyrant**: quiner, 试了下, 代码高亮效果不全.....

(04:57:58 PM) **acgtyrant**: Lisongmin, 没效果

(04:58:02 PM) **quiner**: acgtyrant: 如果官方出品都不全的话..

(04:58:39 PM) **acgtyrant**: quiner, 我估计还是要用到 Javascript 的

(04:58:47 PM) **Lisongmin**: 你命令行什么样子的?

(04:59:00 PM) **Lisongmin**: 官方这个css也可以

(04:59:44 PM) **Lisongmin**: `pandoc -c a.css -t html5 abc.html.md -o abc.html`

(05:00:06 PM) **acgtyrant**: `pandoc -o l10660211\ 姓名\ 外文翻译.html l10660211\ 姓名\ 外文翻译.md -c ideone.css`

(05:00:25 PM) **acgtyrant**: 好吧, 忘记用 -t 参数了 (つдㇿ)

(05:02:36 PM) **acgtyrant**: 加上参数还是不行啊

(05:03:16 PM) **relaed_** [**~relaed@203.175.172.123**] entered the room.

(05:03:53 PM) **leaeasy** [**~leaeasy@59.173.241.82**] entered the room.

(05:05:38 PM) **cherrot is now known as Rub^2**

(05:06:09 PM) **Rub^2 is now known as RubRub**

(05:06:33 PM) **relaed** left the room (quit: Ping timeout: 256 seconds).

(05:07:12 PM) **acgtyrant**: 那就没办法了, 不管代码高亮了

(05:09:19 PM) **Lisongmin**: 不可能吧, 把 -c 和 -t 放到最前面

(05:11:10 PM) **quininer**: acgtyrant: 把生成出来的文件丢出来看看?

(05:14:09 PM) **acgtyrant**:

(05:14:14 PM) **acgtyrant**: 终于发现问题所在了

(05:15:03 PM) **acgtyrant**: 事实上我要转换的 md 就是这个

<https://github.com/rust-lang/rust/blob/master/src/doc/intro.md>

(05:15:06 PM) **MeowBot**: [rust/intro.md at master · rust-lang/rust · GitHub] - github.com

(05:15:09 PM) **xmppbot**: [Lisa] acgtyrant: 网页标题: rust/intro.md at master · rust-lang/rust · GitHub

(05:15:50 PM) **acgtyrant**: 但是它用的「代码块」标记是 ```\${bash} blablabla ```

(05:16:00 PM) **acgtyrant**: 而不是标准的 ```\${bash} blablabla ```

(05:16:07 PM) **acgtyrant**: (摔!

(05:16:27 PM) **xmppbot**: [流浪的百合] 那个也不是标准

(05:16:28 PM) **wxg4irc left the room (quit: Ping timeout: 255 seconds)**.

(05:17:13 PM) **quininer**: 诶，有标准么

(05:18:59 PM) **LQYMGT left the room (quit: Quit: rcirc on GNU Emacs 24.4.1)**.

(05:19:38 PM) **acgtyrant**: ```\${bash} blablabla ``` 大概是一个 markdown 扩展之一

(05:19:41 PM) **acgtyrant**: 反正 pandoc 支持的

(05:19:45 PM) **farseerfc1 left the room (quit: Ping timeout: 276 seconds)**.

(05:19:51 PM) **noinil left the room (quit: Quit: ERC Version 5.3 (IRC client for Emacs))**.

(05:20:01 PM) **acgtyrant**: ```\${bash} blablabla ``` 就不被支持

(05:20:19 PM) **farseerfc**: acgtyrant: 那个是github flavored markdown

(05:20:43 PM) **acgtyrant**: 我检查并 fix 了下那个 md, 我发现它混用 ```\${bash} blablabla ``` 和 ```\${shell} blablabla ``` , 无语

(05:21:02 PM) **acgtyrant**: 还有更莫名其妙的 ```\${text} blablabla ```

(05:21:12 PM) **acgtyrant**: farseerfc, 嗯

(05:21:37 PM) **acgtyrant**: quiner, 标准就是最原生的 markdown 规范啦，没有什么扩展的

(05:22:05 PM) **quininer:** ..

(05:22:18 PM) **Lisongmin:** 不知道 -f markdown_github 是不是可以

(05:22:23 PM) **farseerfc:** acgtyrant: 最原生的應該是這個吧

<http://daringfireball.net/projects/markdown/>

(05:22:24 PM) **xmppbot:** [Lisa] farseerfc: 📄 网页标题: Daring Fireball: Markdown

(05:22:25 PM) **MeowBot:** [Daring Fireball: Markdown] - daringfireball.net

(05:22:35 PM) **xmppbot:** [流浪的百合] 原生的代码块是空四格的

(05:22:49 PM) **acgtyrant:** farseerfc, 对

(05:23:33 PM) **acgtyrant:** 有人看不下去混乱，派系林立的 markdown 扩展，立誓统一并标准化成 Standard Markdown, 但 JOHN GRUBER 很不高兴，于是前者只好又改成 Common Markdown, 于是世界上又多了一个 markdown 扩展.....

(05:23:38 PM) **quininer:** 百合快发明个标记语言干掉markdown!

(05:24:01 PM) **acgtyrant:** @依云 对

(05:24:29 PM) **farseerfc:** 原生的空四格的那個語法應該不支持選語言吧

(05:24:35 PM) **quininer:** 好写易读功能强

(05:25:05 PM) **acgtyrant:** 终于实现代码高亮了

(05:25:25 PM) **acgtyrant:** 把 markdown 转成 docx 真不容易。

(05:25:28 PM) **quininer:** acgtyrant: 辛苦你了

(05:25:51 PM) **acgtyrant:** Lisongmin, quiner 也要谢谢你们的帮忙

(05:26:11 PM) **acgtyrant:** Lisongmin, 不用加 -f 参数，Pandoc 支持这个代码高亮扩展的

(05:26:32 PM) **farseerfc:** acgtyrant: 爲什麼要轉docx.....

(05:26:44 PM) **quininer:** farseerfc 大概是作业?

(05:26:55 PM) **acgtyrant:** farseerfc, 毕业设计狗屁的格式要求

(05:27:02 PM) *****quininer** 23333

(05:27:13 PM) **Lisongmin:** 可以转docx吧

(05:27:35 PM) **Lisongmin:** 但多好看就没法保证了

(05:27:35 PM) **acgtyrant:** 我还是数学专业生呢，我想不通理学院为什么还没全面转移到 PDF 甚至 LaTeX 格式

(05:28:01 PM) **farseerfc:** acgtyrant: 努力向上級反映意見

(05:28:55 PM) **farseerfc:** 當年我學院似乎是只看打印結果的，只要打印

出來看起來格式對用html啦方正啦都沒問題

(05:29:09 PM) **lainme**: acgtyrant: 我们只收pdf

(05:29:32 PM) *****quininer** 看打印结果的好评

(05:30:12 PM) **LQYMG**T [~*qyliu@unaffiliated/lqymgt*] entered the room.

(05:30:24 PM) **acgtyrant**: farseerfc, 其实我还欠理学院领导很大的人情, 已经没资格再提要求了

(05:31:08 PM) **Petrus07** left the room (quit: Ping timeout: 246 seconds).

(05:31:22 PM) **farseerfc**: 數學專業的用docx寫公式不是會很痛苦麼

(05:31:29 PM) **acgtyrant**: Lisongmin, <http://img.vim-cn.com/d5/4fa215d061e30c88d1ba4681fa3f83177badbe.png>

(05:31:29 PM) **xmppbot**: [Lisa] acgtyrant: 文件类型: image/png, 文件大小: 212.9KiB, 图像尺寸: 1366x723

(05:31:39 PM) **acgtyrant**: farseerfc, 这还用问

(05:32:01 PM) **acgtyrant**: 虽然我的毕业设计是计算机科学方面的, 不用写数学公式

(05:32:16 PM) **LQYMG**T: 才想起来我的数理老师slides是用beamer做的

(05:33:50 PM) **beefcfe** left the room (quit: Remote host closed the connection).

(05:34:23 PM) **beefcfe** [~*beefcfe@unaffiliated/beefcfe*] entered the room.

(05:34:32 PM) **huntxu**: 计算机科学方面的不用写数学公式?

(05:34:52 PM) **huntxu**: 国内好多数学专业大把的latex用户啊

(05:35:15 PM) **huntxu**: 你让那些数学老师用word会疯掉的

(05:36:03 PM) **gebjgd**: acgtyrant, 要求docx的都是好學校

(05:37:00 PM) **Petrus07** [~*silence@222.67.83.1*] entered the room.

(05:37:44 PM) **acgtyrant**: huntxu, 理学院就用 word, 神奇吧

(05:38:22 PM) **RubRub** is now known as **OneHundredNotGiv**

(05:38:55 PM) **OneHundredNotGiv** is now known as **NotGiveMe100**

(05:39:35 PM) **acgtyrant**: 搞定外文翻译, 要开始写文献综述了

(05:39:41 PM) **acgtyrant**: 没明白这玩意是干啥的.....

(05:41:47 PM) **NotGiveMe100**: lyx 好用方便~

(05:42:42 PM) **NotGiveMe100** is now known as **cherrot**

(05:43:32 PM) **wxg4irc** [*~wxg@123.169.213.44*] entered the room.

(05:46:53 PM) **acgtyrant** left the room (quit: Ping timeout: 246 seconds).

(05:51:27 PM) **cherrot is now known as SoBoring**

(05:51:50 PM) **xmppbot**: [流浪的百合] 对于复杂的操作，还是 rcode + Python 比 awk 好用啊

(05:51:51 PM) **yugioh** [*~Thunderbi@113.108.133.55*] entered the room.

(05:51:57 PM) **xmppbot**: [流浪的百合] awk 里引号的转义真头疼

(05:56:30 PM) **handsome1** left the room (quit: Quit: <http://www.kiwiirc.com/> - A hand crafted IRC client).

(05:56:35 PM) **beefcake** left the room (quit: Remote host closed the connection).

(05:57:01 PM) **beefcake** [*~beefcake@unaffiliated/beefcake*] entered the room.

(05:58:02 PM) **_tranch** [*~tranch@183.61.71.102*] entered the room.

(06:01:00 PM) **tranch** left the room (quit: Ping timeout: 264 seconds).

(06:01:09 PM) **handsome1** [*7911adbc@gateway/web/cgi-irc/kiwiirc.com/ip.121.17.173.188*] entered the room.

(06:06:20 PM) **handsome1** is now known as handsome2

(06:06:33 PM) **tranch** [*~tranch@116.251.221.243*] entered the room.

(06:06:41 PM) **_tranch** left the room (quit: Ping timeout: 252 seconds).

(06:11:09 PM) **erhandsome** left the room (quit: Ping timeout: 244 seconds).

(06:15:28 PM) **LQYMGT** left the room (quit: Quit: rcirc on GNU Emacs 24.4.1).

(06:16:04 PM) **fantix** left the room (quit: Ping timeout: 245 seconds).

(06:20:10 PM) **handsome2** left the room (quit: Quit: <http://www.kiwiirc.com/> - A hand crafted IRC client).

(06:22:43 PM) **fantix** [*~Adium@46.246.89.146*] entered the room.

(06:32:13 PM) **LQYMGT** [*~qyliu@unaffiliated/lqymgt*] entered the room.

(06:38:52 PM) **ykelvis** [**~ykelvis@unaffiliated/ykelvis**] entered the room.

(06:41:06 PM) **maivel_** [**~maivel@111.161.77.236**] entered the room.

(06:41:48 PM) **wxg4irc** left the room (quit: Ping timeout: 264 seconds).

(06:42:26 PM) **yugioh** left the room (quit: Quit: yugioh).

(06:44:05 PM) **maivel** left the room (quit: Ping timeout: 252 seconds).

(06:45:15 PM) **erhandsome** [**~erhandsom@unaffiliated/erhandsome**] entered the room.

(07:01:15 PM) **leaeasy** left the room (quit: Ping timeout: 264 seconds).

(07:05:53 PM) **ykelvis** left the room (quit: Ping timeout: 240 seconds).

(07:07:20 PM) **acgtyrant** [**~acgtyrant@39.186.245.225**] entered the room.

(07:12:07 PM) **wxg4irc** [**~wxg@123.169.213.44**] entered the room.

(07:13:04 PM) **Lisongmin** left the room.

(07:15:24 PM) **fasheng** left the room (quit: Ping timeout: 264 seconds).

(07:16:00 PM) **relaed_** left the room (quit: Ping timeout: 264 seconds).

(07:21:20 PM) **ykelvis** [**~ykelvis@unaffiliated/ykelvis**] entered the room.

(07:22:56 PM) **bnw** left the room (quit: Quit: Leaving).

(07:24:19 PM) **fantix** left the room (quit: Quit: Leaving.).

(07:30:55 PM) **JQK** [**~jqk@122.4.13.82**] entered the room.

(07:35:32 PM) **r3nd3r** left the room (quit: Remote host closed the connection).

(07:38:18 PM) **\u:** 什么是 rcode ?

(07:41:51 PM) **fasheng** [**~fasheng@59.173.241.82**] entered the room.

(07:42:30 PM) **fasheng** left the room (quit: Max SendQ exceeded).

(07:43:10 PM) **xmppbot:** [流浪的百合]

http://www.vim.org/scripts/script.php?script_id=3705

(07:43:11 PM) **xmppbot**: [Lisa] 流浪的百合: 📄网页标题: Rcode - Run various types of code against current buffer : vim online

(07:43:12 PM) **MeowBot**: [Rcode - Run various types of code against current buffer : vim online] - www.vim.org

(07:48:23 PM) **quininer**: 好棒

(07:49:02 PM) \u: 好复杂的样子

(07:54:34 PM) **quininer**: 仔细一看是11年的

(08:00:49 PM) \u: 命令行filter我还在等 <https://bitbucket.org/tkatchev/tab>

(08:00:52 PM) **xmppbot**: [Lisa] \u: 📄网页标题: tkatchev / tab — Bitbucket

(08:00:53 PM) **MeowBot**: [tkatchev / tab — Bitbucket] - bitbucket.org

(08:07:30 PM) **hoxily1** [*~hoxily@60.180.169.144*] entered the room.

(08:10:55 PM) **fasheng** [*~fasheng@59.173.241.82*] entered the room.

(08:11:37 PM) **fasheng** left the room (quit: Max SendQ exceeded).

(08:15:55 PM) **huntxu** left the room (quit: Quit: Leaving).

(08:16:41 PM) **hoxily1** left the room (quit: Ping timeout: 246 seconds).

(08:18:34 PM) **leaeasy** [*~leaeasy@59.173.241.82*] entered the room.

(08:18:39 PM) **ykelvis** left the room (quit: Ping timeout: 264 seconds).

(08:22:07 PM) **hoxily1** [*~hoxily@60.180.169.144*] entered the room.

(08:22:46 PM) **The account has disconnected and you are no longer in this chat. You will automatically rejoin the chat when the account reconnects.**