

PyRuby

Today I saw a package called PyRuby in Github.
The readme says:

PyRuby - Some Ruby for your Python!
PyRuby is a simple way to leverage
the power of Ruby to make your Python
code more readable and beautiful
.

Usage

All you have to do is import the ruby
module:

```
import ruby
```

From now on you should be able to write
Ruby code within a regular Python
module. An example:

```
1.upto(10) { |n| puts n }
```

Even PyPI has listed this as a package.

In the beginning I thought this was again a Ruby
implementation by PyPy project. Or at least it use
some magic trick to write ruby code directly in
Python.

Then I browse into the source code of it.

It contains only one file: ruby.py

```
1  # -*- coding: utf-8 -*-
2
3  print("""
4
5                                     `.-:./+
ossyhhddmmmmNNNNNNNmmmmmddddhhyyyhhh
yo:`
6                                     .:+sydNNNmmdh
hysso++/++++++///:::-.```.....--/
oymms.
7                                     `:ohmdys+//:::--
:::////:-.```.....``````.://:-`
`/dNs.
8                                     .+hNds:`-:-:////:----
--::///++///:-.....-:////:-`.:///
`oMm/
9                                     /hNmo.` `` ``.....``
``````````.....-----:::-:/+/-.:/:`
 /NMs
10 oMd/` `` `:::-.-.-:/
/+` //` ``````-:::++/-`::
.` :NM+
11 yN` -+.` `` ``
/` o.` `` `:::-..
`` :NN:
12 :Nm -
./ : ``.-://///:-.` `` ``
 :NN-
13 /NM/ .-:::-.`
```

14 :hMd: /dmdddddNNmdy+  
 - . smmy/-````hMMMMMMHydm/ ``.  
 `` . . . :mMm+.  
 15 -hNd/-/o/- . . . :` . ydmmmmNMMMMMM  
 Nh: /+ - dMN- ``-+hmmmmddhhhhdddmMN- ``-/  
 o: . - : : : /oydms -  
 16 oNMo: + / : : . `` . . . - : /+oh  
 NMNhs - : hNmmdyo: . . . `` yo- `` `` . - . `` - `  
 -+shdddh+ - `` `` . // yms .  
 17 .MMo: / ` o: . . +ss+ : - `  
 sM+ . / - ` /mNh+ - . . . - /ym  
 NNdo: : - - /shd+ ` - ` : mm:  
 18 /MM- o . / ohhsooohNmy: : sh. ``  
 yM/ `` : oyyyyyyhy+  
 : . ` hy ` /Nh` : -NN.  
 19 -MM// - : `` y: odddh+ -om  
 Nh- `` - . `` `` `` ``  
 . : ohMMs . +Ms / yMo  
 20 hMoo . + . : Mh `` `` `` `` /hNd/  
 . ` ohddy: : . . . `` . . `` - /sd  
 mdyo+NMNh+ - : Mh / sMs  
 21 .mmh: . . . . : NMm `` - /dNMN+  
 . /+++ / : ` . hM: ` . `` `` `` . `` - /shmNmh+  
 - ` /Mmooso . hM/ . : ` mM/  
 22 .mNs: // : .NMNMs- - : - . ` /+ - sms  
 . `` ` shyyyhy ` sNd` `` . : +sdmmmdMM- .  
 . oNM+ : m/ ` s ` ` yMh  
 23 -mMo . sMNdMNNh+ - . . y  
 dyoyy` `` +o: : +shdddh+ : - . : MM. ` . -  
 +hNMMh- `` . ` - / : : dNs`

24 -NM- mMMMh:MMdNmhs+:-. .`  
 -ohs-` . . . : /+syhddmMMs:-. ` /mMMdmmd  
 dNMm+` . . - /hNh-  
 25 sMy NMMM` :Mh` - /mMmmddddd  
 ddddhhdNNdhyo+:-. .yMs ` . . :+ymMMMMd+-  
 yNh. `+hNh:  
 26 -Mm NMMM/yMh -NM-` . . . :N  
 Mo:-. .`+My :MNoydmNMNMhdmh` -d  
 Ns` `yMd:  
 27 `MN mMMMMMMMMyshMN+:-. .-M  
 N- . . . .+My . . . : /oyhdMMMMNm dy+-` +Mh:sNm  
 / yMy`  
 28 MN yMMMMMMMMMMMMMMMMMMMMMM  
 MMNNNNNNMMNNNNMMMMMMNmhmM/-. `yMMNs.  
 /My  
 29 `MN :MMmMMMMMMMMMMMMMMMMMMMM  
 MMMMMMMMMMMMMNmmdy+: -` NM- . /hNNy-  
 /Nd`  
 30 -Mh dMydMmsNMNdNNMMmmmNM  
 MMdddhys+yMo`` /Nm: `:yNNdo.  
 .sNd.  
 31 +Ms .mMsMN::NN::MN: `.+  
 NM. +Mo +Mm+ymNdo-  
 .omm+`  
 32 yM: .hNMd+:sMN. oMm.  
 oMo +Mh ```. . :+shMNmy+-`` .-: . . - /  
 /-` :yNmO`  
 33 mM. :ohmNNMMdhyMMdo//  
 +Mm////////sMNhyhhdmmNmhs/-`` . /+: - -+so/-  
 :smNy/`  
 34 .Mm ``. - : /+osyyhdd  
 ddddddddhyysoo+/:-. ` . /+/- -+oo/- -+ym

```

my/.
35 :Mh .: `+:` `.-.-
-----` ``-////////:++/:.../ydNdo:`

36 +Ms `/` :+o+:`-``
 ``.-.::///++///:-.`-+ydNdo:`
37 oMs :/:.` `.-.-.``
````````.-.:/::-.``      -ohmmh+:`
38          /Mh      .:////////::-.-----
---.....`      `--+hmy+-
39          sMy`
      ``````-+ydmy+-
40 /mNs-`
 `./ohmNMNNNmy+-
41 /yNmho/:.```````````.-:./+
syhdNmdyso+/-.`
42 `:+ydmNMNNNNNNNNNNmdhys
+/:.`
43 ``.....`
44
45 LOL U MAD?
46 """)
47
48 import sys
49 sys.exit(1)

```

Yes, indeed. The idea of using Ruby in Python is totally mad.

