farseerfc.me

```
farseerfc.me
http https github.io HTTPS
#archlinux-cn quininer lilydjwg
cloudflare SSL CDN
CloudFlare
```

- 1. CDN
- 2. SSL (HTTPS)
- 3. SPDY

4. IPv6

20151229

SPDY HTTP/2

custom domain

- 1. CloudFlare github.io github
- 2. CloudFlare SSL XP IE 2.x Android HTTP
- 3. HSTS HTTPS javascript HTTPSEverywhere

20151229


HSTS

Security profile

- 1. Low CAPTCHA
- SSL Flexible SSL CloudFlare CloudFlare github.io
- 3. CDN CDT+Full Optimization

4.

CloudFlare



CloudFlare CloudFlare DNS github pages IP

Α




CloudFlareDNS

DNS farseerfc.github.io push CNAME
Makefile pelican

```
1 publish: rmdrafts cc clean theme
2 [!-d $(OUTPUTDIR) ] || find $(OU
TPUTDIR) -mindepth 1 -not -wholename "*
/.git*" -delete
3 rm -rf cache
4 echo $(SITEURL) > content/static/C
NAME
5 $(PELICAN) $(INPUTDIR) -o $(OUTPUT
DIR) -s $(PUBLISHCONF) $(PELICANOPTS)
6 $(MAKE) rsthtml
7
8 aithub:
9 (cd $(OUTPUTDIR) && git checkout m
aster)
10 env SITEURL="farseerfc.me" $(MAKE)
publish
11 (cd $(OUTPUTDIR) && git add . && g
it commit -m "update" && git push)
```

```
1 SITEURL = '//' + getenv("SITEURL", d
efault='localhost:8000')
2 STATIC_PATHS = ['static', 'images',
'uml', 'images/favicon.ico', 'static/CN
AME']
3 EXTRA_PATH_METADATA = {
4    'images/favicon.ico': {'path': 'favicon.ico'},
5    'static/CNAME': {'path': 'CNAME'}
6 }
```

push github



*Github*Disqusdisqus

quininer lilydjwg Jonathan J Hunt CloudFlare SSL CDN Github Pages