

II I

- Chrome Remote Desktop □□□□
- Archlinux [][][][][][][][]
- Linux [][] Chrome[][] [] Windows/ OS X [][][]
- Bonus 🛮 🖂 🖂 🖂 🖂

000 0000000000000000	

Chrome Remote Desktop □□



Chrome Remote Desktop [][]

Google remote-desktop
TOUTH TO THE STATE OF THE STATE
33333333333333333333333333333333333333

00000000000000000000000000000000000000
Ubuntu 12.10
chrome-remote-desktop Windows/OS
X 🛮 🔻 🖂 🖂 🖂 Remote Desktop Host Controller 🖂 archlinux
[archlinuxcn] ODOODOODOODOODOO ALIR OO

\$ pacman -Ss chrome-remote-desktop archlinuxcn/chrome-remote-desktop 40.0.2214.44-1 Allows you to securely access your computer over the Internet thro ugh Chrome.

groupadd [[] ID "chrome-remote-desktop"

Please create ~/.config/chrome-remotedesktop folder manually, if it doesn't exist, or else you can't use CRD. The needed files are created by the Chrome app, inside the chrome-remote-desktop folder, after Enabling Remote Connections. To {enable,start} the service use systemctl -user {enable,start} chrome-remote-desktop

You may need to create a ~/.chromeremote-desktop-session file with commands to start your session

Go to

https://support.google.com/chrome/answer/1 649523 for more information.


□ chroi	AUR	100000000 emote	
1 top	\$ /opt/google/chrome-remote-desktop/chrome add-user	-remote-de	esk
	~/.config/chrome-remote-desktop		
1	\$ mkdir ~/.config/chrome-remote-desktop		
			JDD /DE
1 2 3 4	\$ cat ~/.chrome-remote-desktop-session #!/bin/bash startxfce4 \$ chmod 755 .chrome-remote-desktop-session	n	
] Chrome	ote Deskto	op 🛚
	我的计算机	G	
	yang-z800		
	如果您想使用 Chrome 远程桌面来访问此计算机,就必须后用远程连接。	启用远程连接	

____ Archlinux ___ chromium ___ aur/google-

chrome
32 Linux Chrome Remote Desktop
PIN Google
我的计算机
yang-z800
farseerfc-vaio-arch
1 \$ ls .config/chrome-remote-desktop2 chrome-profile host#8cfe7ecfd6bb17955c1ea22f77d0d800.json pulseaudio#8cfe7ecfd6
systemdsystemctluser enable _
1 \$ systemctluser start chrome-remote-desktop.service
chrome-remote-desktopXorg [

6008	farseerfc	20	0	97448	11384	2888 S	0.0	0.1	0:00.00	/usr/bin/python2 /opt/google/chrome-remote-desktop/chrome-remote-desktopsta
6033	farseerfc	20	0	465M	41224	23408 S	0.0	0.5	0:18.73	/opt/google/chrome-remote-desktop/chrome-remote-desktop-hosthost-config=
6032	farseerfc			18788		2672 S	0.0	0.0	0:00.00	/bin/bash /home/farseerfc/.chrome-remote-desktop-session
6034	farseerfc	20		18788	3072	2648 S	0.0	0.0	0:00.00	/bin/sh /etc/xdg/xfce4/xinitrc /etc/X11/xinit/xserverrc
6040	farseerfc					17340 S			0:00.12	└ xfce4-session
6079	farseerfc			18436	3004	2676 S	0.0	0.0	0:00.01	- stalonetray
6014	farseerfc	20			92664	18752 S	0.0		0:04.04	Xvfb :20 =auth /home/farseerfc/.Xauthority -nolisten tcp -noreset -screen C
897	farseerfr					0.5	0.0	0.0	0.00 00	(sd-pam) INTERESTINE

htop [][][] chrome-remote-desktop [][][][][] Xorg



Linux 🛮 🖺 🗎	Chrome [] []
Windows/	OS X 🛮 🗎 🗎

0000000 X 000000 Linux0000000000000000000 X
Chrome Linux Host Controller beta
□ Ubuntu 12.04 □ 12.10 □14.04□□□□□ <u>Bug</u> □□□□□□□□□□□□□□□□
$\sqcap \sqcap$

Bonus | | | | | | | | | |

□□□□ Chrome □□□□ App

