

# PyRuby

---

Today I saw a package called PyRuby in Github.  
The readme says:

PyRuby - Some Ruby for your Python!  
PyRuby is a simple way to leverage  
the power of Ruby to make your Python  
code more readable and beautiful  
.

### Usage

All you have to do is import the ruby  
module:

```
import ruby
```

From now on you should be able to write  
Ruby code within a regular Python  
module. An example:

```
1.upto(10) { |n| puts n }
```

Even PyPI has listed this as a package.

In the beginning I thought this was again a Ruby  
implementation by PyPy project. Or at least it use  
some magic trick to write ruby code directly in  
Python.

# Then I browse into the source code of it.

```

1 # -*- coding: utf-8 -*-
2
3 print("""
4
5                                     `.-:/+
ossyhhddmmmmNNNNNNNmmmmmddddhhhhyyyhhh
yo:`
6                                     .:+sydNNNmmdh
hysso++/+/////////:-----.````.-----/
oymms.
7                                     `:ohmdys+//:::--
://///-.````.`````.://:-`
`/dNs.
8                                     .+hNds:`-:-:////:----
-:-:////++///:-.....-:-:////:-`.`.///.
`oMm/
9                                     /hNmo.` `` `.....``
`````````` .....-----:---:/+/-.:/:`
/NMs
10                                    oMd/` ` :---.--:~/
/+` //` ``````-:---+/-`::
.` :NM+
11                                   yN` -+. ` `
/` o. `` :..-.
`` :NN:
12                                   :Nm -
./ : `.-://///:-. ` ` ``
:Nn-
13                               /NM/ .....`

```

` / :sdmdhyMMMMMMNNmy/`  
 :mNo`  
 14 :hMd: /dmdddddNNmdy+  
 - . `smmy/-``hMMMMMMhydm/`- .  
 `` `...:mMm+.  
 15 -hNd/-/o/-...::`.ydmMMMNNMMMMMM  
 Nh:/+- dMN-`-+hmmmdhhhhdddmMN-`-/  
 o: .-:::/oydms-  
 16 oNMo:+/::: ``...-:/+oh  
 NMNhs- :hNmmdyo:...`yo-```.---.``-`  
 -+shdddhS+-` ``.//yMS.  
 17 .MMo:/`o::+SSo+:`-`  
 SM+ ./-` /mNh+-.....-/ym  
 NNdo::-/-shd+` -` :mm:  
 18 /MM-o ./ ohhsooohNmy::sh. `  
 yM/ :oyyyyyyyhys+  
 :.` hy `/Nh` : -NN.  
 19 -MM// -: `` y: odddh+ -om  
 Nh- ``-` `` `` ``  
 .:ohMMs. +Ms / yMo  
 20 hMoo .+. :Mh ```` `/hNd/  
 .` ohdddy:....`..` -/sd  
 mdyo+NMNh+- :Mh / sMs  
 21 .mmh:.... :NMm -/-dMMN+  
 ./++++/:`.hM:``````.``-/-shmNmh+  
 -` /Mmooso.hM/ .: `mM/  
 22 .mNs://: .NMNMs- -:-`/+-sms  
 . `` `shyyyhy`sNd` .: +sdmmmdMM- .  
 .oNM+ :m/ `s` `yMh  
 23 -mMo . sMNdMMNnh+- . .y  
 dyoyy` ``+o::+shdddhS+:-.:MM.`- .-  
 +hNMh- ``-`-/:dNs`

[illegible]

my/.

```
35      :Mh      .:      `+:`      `.-.-  
-----`      ``-////////:++/:.../ydNdo:`
```

```
36      +Ms      `/`      :+o+:`-``  
``...-:////++//:-.`-+ydNdo:`
```

```
37      oMs      :/:.`-`-...-`-``-`  
``````-...-:/::-...`-`-ohmmh+:`
```

```
38      /Mh      .:////////:--...-  
---.....`-`-+hmy+-
```

```
39      sMy`  
``````-+ydmy+-
```

```
40      /mNs-`  
`. /ohmNMNNNmy+-
```

```
41      /yNmho/:.`-``````````-.:/+  
syhdNmdyso+/-.`
```

```
42      `:+ydmNMNNNNNNNNNNmdhys  
+/:.`
```

```
43      ``.....`
```

44


45 LOL U MAD?

46 """)

47

48 import sys

49 sys.exit(1)



Yes, indeed. The idea of using Ruby in Python is totally mad.

