

PyRuby

Today I saw a package called PyRuby in Github.
The readme says:

PyRuby - Some Ruby for your Python!
PyRuby is a simple way to leverage
the power of Ruby to make your Python
code more readable and beautiful
.

Usage

All you have to do is import the ruby
module:

```
import ruby
```

From now on you should be able to write
Ruby code within a regular Python
module. An example:

```
1.upto(10) { |n| puts n }
```

Even PyPI has listed this as a package.

In the beginning I thought this was again a Ruby
implementation by PyPy project. Or at least it use
some magic trick to write ruby code directly in
Python.

Then I browse into the source code of it.

```

1  # -*- coding: utf-8 -*-
2
3  print("""
4
5                                     `.-:./+
ossyhhddmmmmNNNNNNNmmmmmddddhhyyyhhh
yo:`
6                                     .:+sydNNNmmdh
hysso++/+++++++///::::-.```.-----/
oymms.
7                                     `:ohmdys+//:::--
::://///:-.```.-----`````.://:-`
`/dNs.
8                                     .+hNds:`-:-:////:----
-:-:////++//:-:-----:////:-`.////.
`oMm/
9                                     /hNmo.` ```.-----``
````````.-----:--:/+/-.:/:`
/NMs
10 oMd/` ```:--:--:/
/+` //` ``````-:++/-`::
.` :NM+
11 yN` -+.` ```.
/` o. ```:--..
`` :NN:
12 :Nm -
./ : ``-://///:-. ````
:NN-
13 /NM/ ```:--:--`

```

14 :hMd: /dmdddddNNmdy+  
 - . `smmy/-````hMMMMMMMydm/ ``.  
 `` `...:mMm+.  
 15 -hNd/-/o/-...::`.ydmmmmNMMMMMM  
 Nh:/+ - dMN-`-+hmmmmddhhhhdddmMN-`-/  
 o: .-:::/oydms-  
 16 oNMo:+/::: ``...-:/+oh  
 NMNhs- :hNmmdyo:...``yo-````... ``-`  
 -+shdddh+ - `` `./yms.  
 17 .MMo:/`o:..+sso+: -`  
 sM+ ./-` /mNh+ -...- /ym  
 NNdo: - - /shd+` -` :mm:  
 18 /MM-o ./ ohhsooohNmy::sh. `  
 yM/ ``:oyyyyyyyhys+  
 :.`` hy `/Nh` : -NN.  
 19 -MM// -: `` y: odddh+ -om  
 Nh- ``- `` `` ``  
 .:ohMMs. +Ms / yMo  
 20 hMoo .+. :Mh ```` `/hNd/  
 .` ohddy:..... `` -/sd  
 mdyo+NMNh+ - :Mh / sMs  
 21 .mmh:..... :NMm ``-/dNMN+  
 ./+++/:``.hM:``````.`` -/shmNmh+  
 -` /Mmooso.hM/ .: `mM/  
 22 .mNs://: .NMNMs- -:-` /+ -sms  
 . `` `shyyyhy`sNd` ``.:+sdmmmdMM- .  
 .oNM+ :m/ `s``yMh  
 23 -mMo . sMNdMNNh+ - . .y  
 dyoyy` ``+o::+shdddh+:-.:MM.``-  
 +hNMh- ``-/:dNs`

[illegible]

my/.

```
35 :Mh .: `+:` `.-.-
-----` ``-////////:++/:.../ydNdo:`
```

```
36 +Ms `/` :+o+:`-``
``...:////++///:-.`-+ydNdo:`
```

```
37 oMs :/:.` `.-.-.````
``````...-:/:::---.`      `-ohmmh+:`
```

```
38      /Mh      .:////////:::-----
---.....`      `-+hmy+-
```

```
39      sMy`
``````-+ydmy+-
```

```
40 /mNs-`
`. /ohmNMNNNmy+-
```

```
41 /yNmho/:.```````````. -: /+
syhdNmdyso+/-.`
```

```
42 `:+ydmNMNNNNNNNNNNmdhys
+/:.`
```

```
43 ``.....`
```

```
44
```


```
45 LOL U MAD?
```

```
46 """)
```

```
47
```

```
48 import sys
```

```
49 sys.exit(1)
```



Yes, indeed. The idea of using Ruby in Python is totally mad.

