

PyRuby

Today I saw a package called PyRuby in Github.
The readme says:

PyRuby - Some Ruby for your Python!
PyRuby is a simple way to leverage
the power of Ruby to make your Python
code more readable and beautiful
.

Usage

All you have to do is import the ruby
module:

```
import ruby
```

From now on you should be able to write
Ruby code within a regular Python
module. An example:

```
1.upto(10) { |n| puts n }
```

Even PyPI has listed this as a package.

In the beginning I thought this was again a Ruby
implementation by PyPy project. Or at least it use
some magic trick to write ruby code directly in
Python.

Then I browse into the source code of it.

```

1 # -*- coding: utf-8 -*-
2
3 print("""
4
5                                     `.-:/+
ossyhhddmmmmNNNNNNNmmmmmddddhhhhyyyhhh
yo:`
6                                     .:+sydNNNmmdh
hysso++/+/////////::::-.```.....--/
oymms.
7                                     `:ohmdys+//::/::-
://///:-.` `` ..... `````.://:-`
`/dNs.
8                                     .+hNds:` -:-:////:-----
-:-:////++///:-.....-:-:////:-`.`.///.
`oMm/
9                                     /hNmo.` `` .....``
```````` ..-:-:-:-:-:~:-:/+/-.::/:`
/NMs
10 oMd/` `` ::::-.-.-:-:/
/+` //` ``````-:~:-+/-`::
.` :NM+
11 yN` +.` `` ``
/` o. `` :~:-..
`` :NN:
12 :Nm -
./ : `.-://///:-. `~` ``
 :NN-
13 /NM/ .-:-:-.``

```

` / :sdmdhyMMMMMMNNmy/`  
 :mNo`  
 14 :hMd: /dmdddddNNmdy+  
 - . `smmy/-```hMMMMMMMydm/`- .  
 `` `...:mMm+.  
 15 -hNd/-/o/-...::`.ydmMMMNNMMMMMM  
 Nh:/+- dMN-`-+hmmmdhhhhdddmMN-`-/  
 o: .-:::/oydms-  
 16 oNMo:+/::: ``...--:/+oh  
 NMNhs- :hNmmdyo:...``yo-````...`-`-`  
 -+shdddhS+-` ``.//yMS.  
 17 .MMo:/`o::+SSo+:`-`  
 SM+ ./-` /mNh+-.....-/ym  
 NNdo::-/-shd+` -` :mm:  
 18 /MM-o ./ ohhsooohNmy::sh. `  
 yM/ :oyyyyyyyhys+  
 :.` hy `/Nh` : -NN.  
 19 -MM// -: `` y: odddh+ -om  
 Nh- ``-` `` `` ``  
 .:ohMMs. +Ms / yMo  
 20 hMoo .+. :Mh ```` ``/hNd/  
 .` ohdddy:....`..` ``-/sd  
 mdyo+NMNh+- :Mh / sMs  
 21 .mmh:.... :NMm ``-/dMMN+  
 ./++++/:`.hM:``````````-/-shmNmh+  
 -` /Mmooso.hM/ .: `mM/  
 22 .mNs://: .NMNMs- -:-`/+-sms  
 . ```shyyyhy`sNd` ``.:+sdmmmdMM- .  
 .oNM+ :m/ `s` `yMh  
 23 -mMo . sMNdMNNh+- . .y  
 dyoyy` ``+o::+shdddhS+:-.:MM.`- .-  
 +hNMh- ``-`-/:dNs`

24 -NM- mMMMH:MdNmhs+:-.`  
-ohs-`. . . .:/+syhddmMMS:-.` /mMMdmmd  
dNMm+` . .-/hNh-

25 sMy NMMM`:Mh`-/mMmmddddd  
ddddhhhdNNdhyo+:-.yMs`. . .:+ymMMMMd+--  
yNh.`+hNh:

26 -Mm NMMM/yMh -NM-`. . . -:N  
Mo:--.`+My :MNoydmNMNMmhdMh`-d  
Ns` `yMd:

27 `MN mMMMMMMMMyshMN+:---.-M  
N-.....+My...-:/oyhdMMMMNmdy+-` +Mh:sNm  
/ yMy`

28 MN yMMMMMMMMMMMMMMMMMMMMNM  
MMNNNNNNMMMMNNNNMMMMNMmhMM/-.`yMMNs.  
/My

29 `MN :MMmMMMMMMMMMMMMMMMMMMMM  
MMMMMMMMMMMMMMNmmdy+:--`NM- ./hNNy-  
/Nd`

30 -Mh dMydMmsNMNdNNMMmmmNM  
MMdddhys+yMo`` /Nm: ``:yNNdo.  
.sNd.

31 +Ms .mMsMN::NN::MN:``.+  
NM. +Mo +Mm+yMNdo-  
.omm+`

32 yM: .hNMd+:sMN. oMm.  
oMo +Mh ```. . .+shMNmy+-``. . .-/  
/-`:yNmo`

33 mM. :ohmNNMMdhyMMdo//  
+Mm////////sMNhyhhdmmNmhs/-``./+/:--+so/-  
:smNy/`

34 .Mm ``. .-:/+osyyhdd  
dddddddhhyysoo+/:-.``./+//-++oo/-++ym

```

my/.
35 :Mh .: `+:` `.-.-
-----` ``-////////:++/:.../ydNdo:`

36 +Ms `/` :+o+:`-``
 ``.-.::///++///:-.`-+ydNdo:`
37 oMs :/:.` `.-.-.``
``````.-.:/::-.``      `.-ohmmh+:`
38          /Mh      .:////////::-.-.-
---.....`      `.-+hmy+-
39          sMy`
      ``````-+ydmy+-
40 /mNs`
 `./ohmNMNNNmy+-
41 /yNmho/:.`````````````.-:./+
syhdNmdyso+/-.`
42 `:+ydmNMNNNNNNNNNNmdhys
+/:.`
43 ``.....`
44
45 LOL U MAD?
46 """)
47
48 import sys
49 sys.exit(1)

```

Yes, indeed. The idea of using Ruby in Python is totally mad.

