PyRuby ↗

Today I saw a package called PyRuby in Github. The readme says:

```
PyRuby – Some Ruby for your Python!
PyRuby is a simple way to leverage the power of Ruby to mak
e your Python code more readable and beautiful.

Usage
All you have to do is import the ruby module:

import ruby
From now on you should be able to write Ruby code within a
regular Python module. An example:

1.upto(10) { |n| puts n }
```

Even PyPI has listed this as a package.

In the beginning I thought this was again a Ruby implementation by PyPy project. Or at least it use some magic trick to write ruby code directly in Python.

Then I browse into the source code of it.

It contains only one file: ruby.py

```
 1  # -*- coding: utf-8 -*-
 2
 3  print("""
 4
 5                          `.-:/+ossyhhddmmmmNNNNNNNmmmmm
dddddhhhyyyyyhhhyo:`
 6              .:+sydNNNmmdhhysso++/+++++++////:::::
:-.```......--/oymms.
 7          `:ohmdys+//::/::--::::////:-.```......````
`.://:-`        `/dNs.
 8            .+hNds:`-:-:///::-----::///++///:--....--::/
//::-`.///.        `oMm/
 9          /hNmo.`    ``    `....``````````      ...------
:::-:/+/-.:/:`      /NMs
10          oMd/`      `::::--.---://+`          //`      `
````-:::::+/-`::.`    :NM+
11   yN`        -+.`   `/`   o.
    ``::.-:. ``   :NN:
12   :Nm   -   ./   :   `.-:/
////:-.   `-` ``   :NN-
13   /NM/   .-:::-.`   `/   `:sdmdhyM
MMMMMNNmy/`            :mNo`
14   :hMd: /dmdddNNmdy+-.   `smmy/-```h
MMMMMMMhydm/ `-.``   `...:mMm+.
15   -hNd/-/o/-..-::`.ydmmmmNMMMMMMNh:/+-    dMN-`-+hmmm
mdhhhhdddmMN-`-/o: .-::::/oydms-
16   oNMo:+/::.   ``...--:/+ohNMNhs-   :hNmmdyo:..
``yo-```.--. `-`-+shdddhs+-` `.//yms.
17   .MMo:/`o:.:+sso+:-`   sM+   ./-`
  /mNh+-....-/ymNNdo::--/shd+`  -`:mm:
18   /MM-o ./ ohhsooohNmy::sh.   `yM/
  `:oyyyyyyhys+:.` hy   `/Nh` : -NN.
19   -MM// -: ``  y: oddddhh+    -omNh-          `--.` ``
    ````  .:ohMMs.   +Ms  /  yMo
20      hMoo .+.   :Mh ````  `/hNd/.`        ohdddy::..
.`..`      `-/sdmdyo+NMNh+- :Mh  /  sMs
21      .mmh:..:. :NMm      `-/dMNN+      ./+++/:`.hM:`.`
```.` `-/shmNmh+-` /Mmooso.hM/ .: `mM/
22      .mNs://: .NMNMs-   -:-.`/+-sms.  `  `shyyyhy`sNd`
`.:+sdmmmdMM-.   .oNM+   :m/ `s``yMh
23      -mMo  . sMNdMNNh+-.        .ydyoyy`      ``+o::+sh
dddhs+:-.:MM.`.-+hNMMh-   `.`-/::dNs`
24      -NM-  mMMMh:MMdNmhs+:-..```-ohs-`...-:/+syhddmMMs:
-.`  `/mMMdmmddNMm+`      ..-/hNh-
25      sMy  NMMM`:Mh`-/mMmmmddddddddhhhdNNdhyo+:--.yMs
`..:+ymMMMMd+--yNh.      `+hNh:
26      -Mm  NMMM/yMh  -NM-`..--:NMo:--.`+My      :MNo
ydmNMMNmhdMh` -dNs`      `yMd:
27      `MN  mMMMMMMMyshMN+:---.-MN-.....+My...-:/oyhdMMM
MNmdy+-` +Mh:sNm/        yMy`
```

```
MNMMdy+-   +nn.sNm/          yMy
28         MN  yMMMMMMMMMMMMMMMMMNMMMMNNNNNMMMNNNNMMMMMNmhMM
/-.    `yMMNs.          /My
29         `MN  :MMmMMMMMMMMMMMMMMMMMMMMMMMMMMMMNmmdy+:-``NM
-    ./hNNy-          /Nd`
30         -Mh  dMydMmsNMNdNNMMmmmNMMMdddhys+yMo``       /N
m:  `:yNNdo.          .sNd.
31         +Ms  .mMsMN::NN:.:MN: `.+NM.      +Mo         +
Mm+ymNdo-          .omm+`
32         yM:  .hNMd+:sMN. oMm.   oMo      +Mh  ```.:+sh
MNmy+-``.-:-..-//-`:yNmo`
33         mM.      :ohmNNMMdhyMMdo//+Mm//////sMNhyhhdmNNmhs
/-``./+/:--+so/-:smNy/`
34         .Mm       ``  .-:/+osyyhhdddddddddddhhyysoo+/:-.  `
./+//--+oo/--+ymmy/.
35         :Mh   .:   `+:`       `.------------`       ```-///
/:/++/:../ydNdo:`
36         +Ms  `/`  :+o+:-```               ``..-::///++///
:-.`-+ydNdo:`
37         oMs   :/:.``  `..---.``` ````````..-:/:::---.`  `
-ohmmh+:`
38         /Mh     .://///:::-----.-----.......`      `-+hm
my+-
39         sMy`                         ``````-+ydmy+-
40        /mNs-`                        `./ohmNMNNNmy+-
41         /yNmho/:.`````````````.-:/+syhdNmdyso+/-.`
42          `:+ydmNMNNNNNNNNmdhys+/:.`
43              ``.....`
44
45     LOL U MAD?
46  """)
47
48  import sys
49  sys.exit(1)
```

Yes, indead. The idea of using Ruby in Python is totally mad.