

PyRuby

Today I saw a package called PyRuby in Github.
The readme says:

PyRuby - Some Ruby for your Python!
PyRuby is a simple way to leverage
the power of Ruby to make your Python
code more readable and beautiful
.

Usage

All you have to do is import the ruby
module:

```
import ruby
```

From now on you should be able to write
Ruby code within a regular Python
module. An example:

```
1.upto(10) { |n| puts n }
```

Even [PyPI](#) has listed this as a package.

In the beginning I thought this was again a Ruby
implementation by PyPy project. Or at least it use
some magic trick to write ruby code directly in
Python.

Then I browse into the source code of it.

```

1  # -*- coding: utf-8 -*-
2
3  print("""
4
5                                     `.-:./+
ossyhhddmmmmNNNNNNNmmmmmddddhhyyyhhh
yo:`
6                                     .:+sydNNNmmdh
hysso++/+++++++///:-.```.....--/
oymms.
7                                     `:ohmdys+//:::--
::://///:-.```.....`````.://:-`
`/dNs.
8                                     .+hNds:`-:-:////:----
-:-:////++//:-.....-:-:////:-`.////.
`oMm/
9                                     /hNmo.` `` ``.....``
``````````.....-----:~:-:/+/-.:/:`
/NMs
10 oMd/` ``.:~:-.---:/
/+` //` ``````-:~:-+/-`.:
.` :NM+
11 yN` -+.` `` ``
/` o. ``.:~:-.
`` :NN:
12 :Nm -
./ : ``.-://///:-.` `` ``
:NN-
13 /NM/`

```

14 :hMd: /dmdddddNNmdy+  
 - . `smmy/-````hMMMMMMHydm/ ``- .  
 `` `...:mMm+.  
 15 -hNd/-/o/-...::`.ydmmmmNMMMMMM  
 Nh:/+ - dMN-`-+hmmmmddhhhhdddmMN-`-/  
 o: .-::::/oydms-  
 16 oNMo:+/::: ``.....:/+oh  
 NMNhs- :hNmmdyo:...``yo-````.--- ``-`  
 -+shdddh+ - ``.//yms.  
 17 .MMo:/`o:..+sso+: -`  
 sM+ ./-` /mNh+ -....-/ym  
 NNdo:--/shd+` -`:mm:  
 18 /MM-o ./ ohhsooohNmy::sh. `  
 yM/ ``:oyyyyyyyhys+  
 :.` hy `/Nh` : -NN.  
 19 -MM// -: `` y: odddh+ -om  
 Nh- ``- . `` `` `` ``  
 .:ohMMs. +Ms / yMo  
 20 hMoo .+. :Mh ```` ``/hNd/  
 .` ohddy:.....` `` ``- /sd  
 mdyo+NMNh+ - :Mh / sMs  
 21 .mmh:..... :NMm ``-/dMMN+  
 . /+++/:` .hM:``````.`` ``-/shmNmh+  
 -` /Mmooso.hM/ .: `mM/  
 22 .mNs://: .NMNMs- -:-` /+-sms  
 . `` `shyyyhy`sNd` ``.:+sdmmmdMM- .  
 .oNM+ :m/ `s``yMh  
 23 -mMo . sMNdMNNh+ - . .y  
 dyoyy` ``+o::+shdddh+:-.:MM.`.-  
 +hNMMh- ``.``-/::dNs`

24 -NM- mMMMH:MdNmhs+:-.`  
-ohs-`. . . : /+syhddmMMS:-.` /mMMdmmd  
dNMm+` . . - /hNh-

25 sMy NMMM`:Mh`-/mMmmddddd  
ddddhhhdNNdhyo+:-.yMs`. . . : +ymMMMMd+-  
yNh.`+hNh:

26 -Mm NMMM/yMh -NM-`. . . -:N  
Mo:-.`. `+My :MNoydmNMNMmhdMh`-d  
Ns` `yMd:

27 `MN mMMMMMMMMyshMN+:--.-M  
N- . . . . +My. . . : /oyhdMMMMNmdy+-` +Mh:sNm  
/ yMy`

28 MN yMMMMMMMMMMMMMMMMMMMMNM  
MMNNNNNNMMMMNNNNMMMMNMmhMM/-.`yMMNs.  
/My

29 `MN :MMmMMMMMMMMMMMMMMMMMMMM  
MMMMMMMMMMMMMMNmmdy+:-.` NM- ./hNNy-  
/Nd`

30 -Mh dMydMmsNMNdNNMMmmmNM  
MMdddhys+yMo`` /Nm: ``:yNNdo.  
.sNd.

31 +Ms .mMsMN::NN::MN:``.+  
NM. +Mo +Mm+yMNdo-  
.omm+`

32 yM: .hNMd+:sMN. oMm.  
oMo +Mh ```. . . : +shMNmy+-``. . . : - /  
/-` :yNmo`

33 mM. :ohmNNMMdhyMMdo//  
+Mm////////sMNhyhhdmmNmhs/-``./+/:--+so/-  
:smNy/`

34 .Mm ``. . : /+osyyhdd  
dddddddhhyysoo+/:-.``./+//-++oo/-++ym

```

my/.
35 :Mh .: `+:` `.-.-
-----` ``-////////:++/:.../ydNdo:`

36 +Ms `/` :+o+:`-``
 ``.-.::///++///:-.`-+ydNdo:`
37 oMs :/:.` `.-.-.`` `
````````.-.:/::-.``      `.-ohmmh+:`
38          /Mh      .:////////::-.-----
---.....`      `.-+hmy+-
39          sMy`
      ``````-+ydmy+-
40 /mNs-`
 `./ohmNMNNNmy+-
41 /yNmho/:.```````````````.-:./+
syhdNmdyso+/-.`
42 `:+ydmNMNNNNNNNNNNmdhys
+/:.`
43 ``.....`
44
45 LOL U MAD?
46 """)
47
48 import sys
49 sys.exit(1)

```

Yes, indeed. The idea of using Ruby in Python is totally mad.

