

PyRuby

Today I saw a package called PyRuby in Github.
The readme says:

PyRuby - Some Ruby for your Python!
PyRuby is a simple way to leverage
the power of Ruby to make your Python
code more readable and beautiful
.

Usage

All you have to do is import the ruby
module:

```
import ruby
```

From now on you should be able to write
Ruby code within a regular Python
module. An example:

```
1.upto(10) { |n| puts n }
```

Even PyPI has listed this as a package.

In the beginning I thought this was again a Ruby
implementation by PyPy project. Or at least it use
some magic trick to write ruby code directly in
Python.

Then I browse into the source code of it.

It contains only one file: ruby.py

```
1  # -*- coding: utf-8 -*-
2
3  print("""
4
5                                     `.-:./+
ossyhhddmmmmNNNNNNNmmmmmddddhhyyyhhh
yo:`
6                                     .:+sydNNNmmdh
hysso++/++++++///:::--` `` .....--/
oymms.
7                                     `:ohmdys+//::/::--
::://///:-` `` ..... `` `` `` .://:-`
`/dNs.
8                                     .+hNds:`-:-:////::----
--:::///++///:-.....-:////:-` .///.
`oMm/
9                                     /hNmo.` `` ..... ``
`` `` `` `` .....
.....-:~+/-.:/:`
/NMs
10                                     oMd/` `:::--.--:~/
/+` //` `` `` ``-:~+/-`::
.` :NM+
11                                     yN` -+.` ``
/` o. ``:::~.
`` :NN:
12                                     :Nm -
./ : `.-://///:-` `` `` ``
:NN-
13                                     /NM/ .....`
```

14 :hMd: /dmdddddNNmdy+
 - . smmy/-````hMMMMMMHydm/ ``.
 `` . . . :mMm+.
 15 -hNd/-/o/- . . . :` . ydmmmmNMMMMMM
 Nh: /+ - dMN- ``-+hmmmmddhhhhdddmMN- ``-/
 o: . - : : : /oydms -
 16 oNMo: +/ : . . . `` . . . - : /+oh
 NMNhs - : hNmmdyo: . . . `` yo- `` `` . - . `` - `
 -+shdddh+ - `` `` . // yms .
 17 .MMo: / ` o: . . +ss+ : - `
 sM+ . / - `` /mNh+ - . . . - /ym
 NNdo: : - - /shd+ `` - `` : mm:
 18 /MM- o . / ohhsooohNmy: : sh. ``
 yM/ `` : oyyyyyyhy+
 : . ` hy `` /Nh` : -NN.
 19 -MM// - : `` y: odddh+ -om
 Nh- `` - . `` `` `` ``
 . : ohMMs . +Ms / yMo
 20 hMoo . + . : Mh `` `` `` `` /hNd/
 . ` ohddy: : . . . `` . . . `` - /sd
 mdyo+NMNh+ - : Mh / sMs
 21 .mmh: : NMm `` - /dNMN+
 . /+++ / : ` . hM: ` . `` `` `` . `` - /shmNmh+
 - ` /Mmooso . hM/ . : ` mM/
 22 .mNs: // : .NMNMs- - : - . ` /+ - sms
 . `` ` shyyyhy ` sNd` `` . : +sdmmmdMM- .
 . oNM+ : m/ ` s `` yMh
 23 -mMo . sMNdMNNh+ - . . y
 dyoyy` `` +o: : +shdddh+ : - . : MM. ` . -
 +hNMMh- `` . ` - / : : dNs`

24 -NM- mMMMh:MMdNmhs+:-.`
 -ohs-`...:/+syhddmMMs:-.` /mMMdmmd
 dNMm+`...-/hNh-
 25 sMy NMMM` :Mh` -/mMmmddddd
 ddddhhdNNdhyo+:-.yMs `...+ymMMMMd+-
 yNh. `+hNh:
 26 -Mm NMMM/yMh -NM-`...:N
 Mo:-.`+My :MNoydmNMNMhdMh` -d
 Ns` `yMd:
 27 `MN mMMMMMMMyshMN+:---.-M
 N-.....+My...:/oyhdMMMMNm dy+-` +Mh:sNm
 / yMy`
 28 MN yMMMMMMMMMMMMMMMMMMMMMM
 MMNNNNNNMMNNNNMMMMMMNmhMM/-.`yMMNs.
 /My
 29 `MN :MMmMMMMMMMMMMMMMMMMMM
 MMMMMMMMMMMMMNm dy+: -` NM- ./hNNy-
 /Nd`
 30 -Mh dMydMmsNMNdNNMMmmmNM
 MMdddhys+yMo`` /Nm: `:yNNdo.
 .sNd.
 31 +Ms .mMsMN::NN::MN: `. +
 NM. +Mo +Mm+ymNdo-
 .omm+`
 32 yM: .hNMd+:sMN. oMm.
 oMo +Mh ```. :+shMNmy+-``.-:-.-/
 /-`:yNm o`
 33 mM. :ohmNNMMdhyMMdo//
 +Mm////////sMNhyhhdmmNmhs/-``./+/:--+so/-
 :smNy/`
 34 .Mm ``. -:/+osyyhdd
 ddddddddhyysoo+/:-.`./+//---+oo/-+ym

```

my/.
35          :Mh      .:      `+:`      `.-.-
-----`      ``-////////:++/:.../ydNdo:`

36          +Ms      `/`      :+o+:`-``
      ``.-.::///++///:-.`-+ydNdo:`
37          oMs      :/:.`      `.-.-.``      `
``````.-.:/::-.``      `.-ohmmh+:`
38 /Mh .:////////::-.-----
---.....` `.-+hmy+-
39 sMy`
      ``````-+ydmy+-
40          /mNs-`
      `./ohmNMNNNmy+-
41          /yNmho/:.`````````````.-:./+
syhdNmdyso+/-.`
42          `:+ydmNMNNNNNNNNNNmdhys
+/:.`
43          ``.....`
44
45      LOL U MAD?
46      """)
47
48      import sys
49      sys.exit(1)

```

Yes, indeed. The idea of using Ruby in Python is totally mad.

