

# PyRuby

Today I saw a package called PyRuby in Github. The readme says:

PyRuby - Some Ruby for your Python!

PyRuby is a simple way to leverage the power of Ruby to make your Python code more readable and beautiful.

Usage

All you have to do is import the ruby module:

```
import ruby
```

From now on you should be able to write Ruby code within a regular Python module. An example:

```
1.upto(10) { |n| puts n }
```

Even PyPI has listed this as a package.

In the beginning I thought this was again a Ruby implementation by PyPy project. Or at least it use some magic trick to write ruby code directly in Python.

Then I browse into the source code of it.

It contains only one file: `ruby.py`

```

1  #-*- coding: utf-8 -*-
2
3  print("""
4
5      `.-:/+ossyhddmmmmmmNNNNNNNNmmmmmmddddd
dhhhyyyhhhyo:`
6      .:+sydNNNmmdhhyssso++/+++++++////:.....-` `` .....-
/oymms.
7      `:ohmdys+//:/:--:////:.-` `` .....` `` `` `.://:-`      `/d
Ns.
8      .+hNds:`.-:////:-----:////++///:-....-:////:-` .///.      `oMm/
9      /hNmO.` `` `` `` ....` `` `` `` `` `` `` `` ..-----:~:/+/-:/:~
/NMs
10     oMd/`      `.:~--:~:~//+`      //`      ` `` `` `` `~:~:~+/-` ~:~`      :NM
+
11     yN`      -+.`      `/`      o.      ` ``.:~..` ``      :NN:
12     :Nm      -      ./      :      `.-://///:.-`      ` `` ``      :NN-
13     /NM/      .-:~--:~`      /      `:sdmdhyMMMMMMNNmy/`
      :mNo`
14     :hMd:      /dmddddNNmdy+-.      `smmy/-` `` `hMMMMMM
MhydM/` `` `` `.....:mMm+.
15     -hNd/-/o/-..:~.ydmmmmmNNNNNNMMNh:/+      dMN-`-+hmm
mmdhHHHdddmMN-`-/o:      .-:~:~:/oydms-
16     oNMo:+/::      ` `` .....-/ohNMNhs-      :hNmmdyo:..` `` yo-` `` `.-
.-` `` -+shdddhS+` `` `./yms.
17     .MMo:/` o:~+sso+:~`      sM+      ./-`      /mNh+....-/ymNnd
o:~-/shd+` `` `:mm:
18     /MM-o ./ohhsooohNmy::sh.      `yM/      `:oyyyyyyhys
+.:` hy      `/Nh`      :~NN.

```

19 -MM// -: `` y: odddh+ -omNh- ``--..`` ..o  
hMMS. +Ms / yMo  
20 h Moo .+. :Mh ```` `/hNd/.` ohdddy::...`..`` `-/sd  
mdyo+NMN+-:Mh / sMs  
21 .mmh:...: :NMm ``-/dMNm+ ./+++/:`.hM:`.````.` ``-/sh  
mNmh+` /Mmooso.hM/.:`mM/  
22 .mNs://: .NMNMs- -:.`/+sms. ```shyyyhy`sNd` ``.:+sdm  
mmdMM-. .oNM+ :m/`s`yMh  
23 -mMo .sMNdMNNh+-. .ydyoyy` ``+o+:shdddhs+:-:  
MM.`.+hNMMh- ``.-/:dNs`  
24 -NM- mMMMh:MMdNmhs+:-.````-ohs-`...-:/syhddmMMS:-.  
` `/mMMdmddNMm+` ..-/hNh-  
25 sMy NMMM`:Mh`-/mMmmmdddddddhhdNNDhyo+:-.  
yMs `..:+ymMMMMd+--yNh. ``+hNh:  
26 -Mm NMMM/yMh -NM-`..-:NMo:-.`+My :MNoydmNMM  
NmhdMh`-dNs` ``yMd:  
27 `MN mMMMMMMMMMyshMN+:---.-MN-----+My...:/oyhdMMMM  
Nmdy+-`+Mh:sNm/ yMy`  
28 MN yMMMMMMMMMMMMMMMMMMMMMMMMNNNNNNMMMMNN  
NNNNMMNmhMM/-.`yMMNs. /My  
29 `MN :MMmMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMM  
Nmmdy+:` NM- ./hNNy- /Nd`  
30 -Mh dMydMmsNMNdNNMMmmmNMMMdddhys+yMo``  
/Nm: `yNND o. .sNd.  
31 +Ms .mMsMN::NN::MN: `.+NM. +Mo +Mm+yMNdo-  
.omm+`  
32 yM: .hNMd+:sMN. oMm. oMo +Mh ```.+:shMNmy+-``  
.-:--/-`yNmo`  
33 mM. :ohmNNMMdhyMMdo//+Mm/////sMNhyhhdnNNm  
hs/-``./+/:--+so/-:smNy/`  
34 .Mm ``.-:/osyyhhdddddddddhhyysoo+/:-. `./+//--+o  
o/--+ymmy/.  
35 :Mh .: `+:` ``-----` ````-////:/++:/../ydNdo:`  
36 +Ms `/` :+o+:` ```` ``..-:///++///:-.`+ydNdo:`  
37 oMs :/..`` ``.--.``````````````..:/::---.``-ohmmh+:`  
38 /Mh .:////////::----.-----.....` ``+hmmy+-  
39 sMy` ``````````-ydmmy+-  
40 /mNs-` ``. /ohmNMNNNmy+-  
41 /yNmho/..``````````.-:/+syhdNmdyso+/-.`  
42 `:ydmNMNNNNNNNNNNmdhys+/.`

```
43         ``.....`
44
45     LOL U MAD?
46     """)
47
48     import sys
49     sys.exit(1)
```

Yes, indeed. The idea of using Ruby in Python is totally mad.