

PyRuby

Today I saw a package called PyRuby in Github.
The readme says:

PyRuby - Some Ruby for your Python
!

PyRuby is a simple way to leverage the power of Ruby to make your Python code more readable and beautiful.

Usage

All you have to do is import the ruby module:

```
import ruby
```

From now on you should be able to write Ruby code within a regular Python module. An example:

```
1.upto(10) { |n| puts n }
```

Even PyPI has listed this as a package.

In the beginning I thought this was again a Ruby implementation by PyPy project. Or at least it use some magic trick to write ruby code directly in Python.

Then I browse into the source code of it.

It contains only one file: `ruby.py`

```

1  #  -*- coding: utf-8 -*-
2
3  print("""
4
5                                          `.-:./
+ossyhhddmmmmNNNNNNNmmmmmddddddhhhyyyh
hhyo:`
6                                          .:+sydNNNmmd
hhyss+++/+++++++/////:::-.```.....-
-/oyms.
7                                          `:ohmdys+//::/:-
-::://///:-.```.....``````.://:-`
    `/dNs.
8                                          .+hNds:`-:-:////:---
---:::///++///:-.---:::////:-`.////.
    `oMm/
9                                          /hNm.` `` `` `` ``
``````````
 -:::-:/+/-.:/:
`
 /NMs
10 oMd/` ``:::---.---:
//+` //` ``````-:::++/-`
::.` :NM+
11 yN` -+.`
`/` o. ``:::.-:

```

. `` :NN:  
 12 :Nm -  
 ./ : ``.-://///:-. ``-`  
 `` :NN-  
 13 /NM/ .-:---`  
 `/ `:sdmdhyMMMMMMNNmy/`  
 :mNo`  
 14 :hMd: /dmddddNNmdy  
 +- . `smmy/-```hMMMMMMHhydmy/`  
 -.` `` `...:mM+.  
 15 -hNd/-/o/-...:``.ydmMMMNNMMMM  
 MNh:/+- dMN-`-+hmmmmdhhhhdddmMN-`  
 -/o: .-:---:/oydms-  
 16 oNMo:+/:: ``...--:/+o  
 hNMNhs- :hNmmdyo:...`yo-```.---`  
 -`-+shdddhst+-` ``./yms.  
 17 .MMo:/`o::+sso+:--`  
 sM+ ./-` /mNh+-.....-/  
 ymNNdo:--/shd+` -`:mm:  
 18 /MM-o ./ ohhsooohNmy::sh.  
 `yM/ `:oyyyyyyyhy  
 s+:.` hy `/Nh` : -NN.  
 19 -MM// -: `` y: odddhst+- -o  
 mNh- `--.` `` `....  
 .:ohMMs. +Ms / yMo  
 20 hMoo .+. :Mh ```` ``/hNd  
 /.` ohddy::...`..` ``-/  
 sdmdyo+NMNh+- :Mh / sMs  
 21 .mmh:.... :NMm ``- /dMNM+  
 ./+++/:``.hM:``.````.`` ``- /shmNm  
 h+-` /Mmooso.hM/ .: `mM/  
 22 .mNs://: .NMNMs- -:-.`/+ -sm

s. ` `shyyyhy`sNd` `.:+sdmmmdMM- .

.oNM+ :m/ `s` `yMh

23 -mMo . sMNdMNNh+- . .

ydyoyy` ``+o::+shdddhs+:-.:MM.`

.-+hNMMh- ``-/:dNs`

24 -NM- mMMMh:MMdNmhs+:-. ``

`-ohs-`...-:/+syhddmMMs:-.` `/mMMdm

mddNMm+` ..-/hNh-

25 sMy NMMM` :Mh`-/mMmmddddd

dddddhhdNNDhyo+:-.yMs `...+ymMMMMd+

--yNh. `+hNh:

26 -Mm NMMM/yMh -NM-`...-:

NMo:--.`+My :MNoydmNMMNmhdMh`

-dNs` `yMd:

27 `MN mMMMMMMMyshMN+:--.-

MN-.....+My...-:/oyhdMMMMNmdy+-` +Mh:s

Nm/ yMy`

28 MN yMMMMMMMMMMMMMMMMMMNM

MMMNNNNNMMMMNNMMMMNMmhMM/- . `yMMN

s. /My

29 `MN :MMmMMMMMMMMMMMMMMMMMM

MMMMMMMMMMMMMMNmdy+:--`NM- ./hNNy-

/Nd`

30 -Mh dMydMmsNMNdNNMMmmmN

MMMdddhys+yMo`` /Nm: `:yNNdo .

.sNd .

31 +Ms .mMsMN::NN::MN: ` .

+NM. +Mo +Mm+ymNdo-

.omm+`

32 yM: .hNMd+:sMN. oMm .

oMo +Mh ```.+:shMNmy+-``.-:-..

-//-` :yNmo`

```
33 mM. :ohmNNMMdhyMMdo/
/+Mm////////sMNhyhhdMNNmhs/-``./+/:--+so
/-:smNy/`
34 .Mm `` .-:/+osyyhhd
ddddddddddhhysoo+/:-. ``./+//--+oo/---+
ymmy/.
35 :Mh .: ``+:` `` .--
-----` `` -////:++/:.../ydNd
o: `
36 +Ms `/` :+o+:--``
`` ..-:://++//:--.`-+ydNdo: `
37 oMs :/:.`` `` ..---.``
```````` ..-:/:::---.` `` -ohmmh+:`  
38          /Mh          .:////////:::-----  
-----` `` -+hmmmy+-  
39          sMy`  
```````` -+ydmy+-  
40 /mNs-`
` ./ohmNNNNNmy+-
41 /yNmho/:.`````````````` .-:/
+syhdNmdyso+/-.`
42 `:+ydmNNNNNNNNNNNNmdhy
s+/:. `
43 ```
44
45 LOL U MAD?
46 """)
47
48 import sys
49 sys.exit(1)
```

Yes, indeed. The idea of using Ruby in Python is totally mad.