

PyRuby

Today I saw a package called PyRuby in Github.
The readme says:

PyRuby - Some Ruby for your Python!
PyRuby is a simple way to leverage
the power of Ruby to make your Python
code more readable and beautiful

.

Usage

All you have to do is import the ruby
module:

```
import ruby
```

From now on you should be able to write
Ruby code within a regular Python
module. An example:

```
1.upto(10) { |n| puts n }
```

Even PyPI has listed this as a package.

In the beginning I thought this was again a Ruby
implementation by PyPy project. Or at least it use
some magic trick to write ruby code directly in
Python.

Then I browse into the source code of it.

It contains only one file: ruby.py

```
1  # -*- coding: utf-8 -*-
2
3  print("""
4
5                                     `.-:./+
ossyhhddmmmmNNNNNNNmmmmmddddhhyyyhhh
yo:`
6                                     .:+sydNNNmmdh
hysso++/++++++///:::--` `` .....--/
oymms.
7                                     `:ohmdys+//::/::--
::://///:-` `` ..... ```` ``://:-`
`/dNs.
8                                     .+hNds:`-:-:////::----
--:::///++///:-.....-:////:-` .///.
`oMm/
9                                     /hNmo.` `` ..... ``
```````` .....-:::-:/+/-.:/:`
/NMs
10 oMd/` `:::--.--:/
/+` //` ```` -:::++/-`::
.` :NM+
11 yN` -+.` ``
/` o. ``:::-.
`` :NN:
12 :Nm -
./ : `.-://///:-` `` ``
:NN-
13 /NM/`
```

` / :sdmdhyMMMMMMNNmy/`  
 :mNo`  
 14 :hMd: /dmdddddNNmdy+  
 - . `smmy/-```hMMMMMMMydm/`- .  
 `` `...:mMm+.  
 15 -hNd/-/o/-...::`.ydmMMMNNMMMMMM  
 Nh:/+- dMN-`-+hmmmdhhhhdddmMN-`-/  
 o: .-:::/oydms-  
 16 oNMo:+/::: ``...-:/+oh  
 NMNhs- :hNmmdyo:...`yo-```.---.``-`  
 -+shdddhS+-` ``.//yMS.  
 17 .MMo:/`o::+SSo+:`-`  
 SM+ ./-` /mNh+-.....-/ym  
 NNdo::-/-shd+` -` :mm:  
 18 /MM-o ./ ohhsooohNmy::sh. `  
 yM/ :oyyyyyyyhys+  
 :.` hy `/Nh` : -NN.  
 19 -MM// -: `` y: odddh+ -om  
 Nh- ``-` `` ``  
 .:ohMMs. +Ms / yMo  
 20 hMoo .+. :Mh ```` `/hNd/  
 .` ohdddy:....`..` -/sd  
 mdyo+NMNh+- :Mh / sMs  
 21 .mmh:.... :NMm -/-dMMN+  
 ./++++/:`.hM:``````.``-/-shmNmh+  
 -` /Mmooso.hM/ .: `mM/  
 22 .mNs://: .NMNMs- -:-`/+-sms  
 . ```shyyyhy`sNd` .:+sdmmmdMM- .  
 .oNM+ :m/ `s` `yMh  
 23 -mMo . sMNdMNNh+- . .y  
 dyoyy` ``+o::+shdddhS+:-.:MM.`- .-  
 +hNMh- ``-`-/:dNs`

24 -NM- mMMMh:MMdNmhs+:-.`  
 -ohs-`...-:/+syhddmMMs:-.` /mMMdmmd  
 dNMm+`...-/hNh-  
 25 sMy NMMM` :Mh` -/mMmmddddd  
 ddddhhhhdNNdhyo+:--.yMs `...+ymMMMMd+--  
 yNh. `+hNh:  
 26 -Mm NMMM/yMh -NM-`...-:N  
 Mo:--.`+My :MNoydmNMNMhhdMh` -d  
 Ns` `yMd:  
 27 `MN mMMMMMMMMyshMN+:---.-M  
 N-.....+My...-:/oyhdMMMMNm dy+-` +Mh:sNm  
 / yMy`  
 28 MN yMMMMMMMMMMMMMMMMMMMMMM  
 MMNNNNNNMMNNNNMMMMMMNmhmM/-.` yMMNs.  
 /My  
 29 `MN :MMmMMMMMMMMMMMMMMMMMMMM  
 MMMMMMMMMMMMMNmmdy+:--` NM- ./hNNy-  
 /Nd`  
 30 -Mh dMydMmsNMNdNNMMmmmNM  
 MMdddhys+yMo`` /Nm: `:yNNdo.  
 .sNd.  
 31 +Ms .mMsMN::NN::MN: `. +  
 NM. +Mo +Mm+ymNdo-  
 .omm+`  
 32 yM: .hNMd+:sMN. oMm.  
 oMo +Mh ```. :+shMNmy+-`` .-:-.-/  
 /-`:yNmo`  
 33 mM. :ohmNNMMdhyMMdo//  
 +Mm////////sMNhyhhdmmNmhs/-`` ./+/:--+so/-  
 :smNy/`  
 34 .Mm ``. -:/+osyyhdd  
 ddddddddhyysoo+/:-. `./+//--+oo/-+ym

my/.

```
35 :Mh .: `+:` `.-.-
-----` ``- - - - -/:++/:.../ydNdo:`
```

```
36 +Ms `/` :+o+:`-``
 ``.-.::///++///:-.`-+ydNdo:`
```

```
37 oMs :/:.` `.-.-.`` `
````````.-.:/::-.``      ` -ohmmh+:`
```

```
38          /Mh      .://///:-:-.-.-
---.....`      ` -+hmy+-
```

```
39          sMy`
      ``````-+ydmy+-
```

```
40 /mNs -`
 `./ohmNMNNNmy+-
```

```
41 /yNmho/:.```````````.-.:/+
syhdNmdyso+/-.`
```

```
42 `:+ydmNMNNNNNNNNNNmdhys
+/:.`
```

```
43 ``.....`
```

```
44
```


```
45 LOL U MAD?
```

```
46 """)
```

```
47
```

```
48 import sys
```

```
49 sys.exit(1)
```



Yes, indeed. The idea of using Ruby in Python is totally mad.

