

PyRuby

Today I saw a package called PyRuby in Github.
The readme says:

PyRuby - Some Ruby for your Python!
PyRuby is a simple way to leverage
the power of Ruby to make your Python
code more readable and beautiful
.

Usage

All you have to do is import the ruby
module:

```
import ruby
```

From now on you should be able to write
Ruby code within a regular Python
module. An example:

```
1.upto(10) { |n| puts n }
```

Even PyPI has listed this as a package.

In the beginning I thought this was again a Ruby
implementation by PyPy project. Or at least it use
some magic trick to write ruby code directly in
Python.

Then I browse into the source code of it.

```

1 # -*- coding: utf-8 -*-
2
3 print("""
4
5                                     `.-:/+
ossyhhddmmmmNNNNNNNmmmmmddddhhhhyyyhhh
yo:`
6                                     .:+sydNNNmmdh
hysso++/+/////////:-----.````.-----/
oymms.
7                                     `:ohmdys+//:::--
://///:-.````.-----``````://:-`
`/dNs.
8                                     .+hNds:`-:-:////:----
-:-:////++///:-.....-:-:////:-`.`.///.
`oMm/
9                                     /hNmo.` `` `.....`
`~~~~~` .....-----:---:/+/-.:/:`
/NMs
10                                    oMd/` `:-----:--:/
/+` //` ``````-:++++/-`::
.` :NM+
11                                   yN`      -+.` `
/`      o.          ``:..-..
``      :NN:
12                                   :Nm      -
./      :      `.-://///:-.    `-' ``
      :NN-
13                                   /NM/      .-:---:

```

` / :sdmdhyMMMMMMNNmy/`
 :mNo`
 14 :hMd: /dmdddddNNmdy+
 - . `smmy/-```hMMMMMMMydm/`- .
 `` `...:mMm+.
 15 -hNd/-/o/-...::`.ydmMMMNNMMMMMM
 Nh:/+- dMN-`-+hmmmdhhhhdddmMN-`-/
 o: .-:::/oydms-
 16 oNMo:+/::: ``...--:/+oh
 NMNhs- :hNmmdyo:...``yo-````...`-`-`
 -+shdddhS+-` ``.//yMS.
 17 .MMo:/`o::+SSo+:`-`
 SM+ ./-` /mNh+-.....-/ym
 NNdo::-/-shd+` -` :mm:
 18 /MM-o ./ ohhsooohNmy::sh. `
 yM/ :oyyyyyyyhys+
 :.` hy `/Nh` : -NN.
 19 -MM// -: `` y: odddh+ -om
 Nh- ``-` `` `` ``
 .:ohMMs. +Ms / yMo
 20 hMoo .+. :Mh ```` ``/hNd/
 .` ohdddy:....`..` ``-/sd
 mdyo+NMNh+- :Mh / sMs
 21 .mmh:.... :NMm ``-/dMMN+
 ./++++/:`.hM:``````````-/-shmNmh+
 -` /Mmooso.hM/ .: `mM/
 22 .mNs://: .NMNMs- -:-`/+-sms
 . ```shyyyhy`sNd` ``.:+sdmmmdMM- .
 .oNM+ :m/ `s` `yMh
 23 -mMo . sMNdMNNh+- . .y
 dyoyy` ``+o::+shdddhS+:-.:MM.`- .-
 +hNMh- ``-`-/:dNs`

24 -NM- mMMMH:MdNmhs+:-.`
-ohs-`. . . .:/+syhddmMMS:-.` /mMMdmmd
dNMm+` . .-/hNh-

25 sMy NMMM`:Mh`-/mMmmddddd
ddddhhhdNNdhyo+:-.yMs`. . .:+ymMMMMd+--
yNh.`+hNh:

26 -Mm NMMM/yMh -NM-`. . . -:N
Mo:--.`+My :MNoydmNMNMmhdMh`-d
Ns` `yMd:

27 `MN mMMMMMMMMyshMN+:---.-M
N-.....+My...-:/oyhdMMMMNm dy+-` +Mh:sNm
/ yMy`

28 MN yMMMMMMMMMMMMMMMMMMMMNM
MMNNNNNNMMMMNNNNMMMMNMmhMM/-.`yMMNs.
/My

29 `MN :MMmMMMMMMMMMMMMMMMMMMMM
MMMMMMMMMMMMMMNm dy+:--` NM- ./hNNy-
/Nd`

30 -Mh dMydMmsNMNdNNMMmmmNM
MMdddhys+yMo`` /Nm: ``:yNNdo.
.sNd.

31 +Ms .mMsMN::NN::MN: `. +
NM. +Mo +Mm+yMNdo-
.omm+`

32 yM: .hNMd+:sMN. oMm.
oMo +Mh ```. . .+shMNmy+-``. . .-./
/-`:yNmo`

33 mM. :ohmNNMMdhyMMdo//
+Mm////////sMNhyhhdmmNmhs/-``./+/:-+so/-
:smNy/`

34 .Mm ``. .-:/+osyyhdd
dddddddhhyysoo+/:-. ``./+//-+oo/-+ym

my/.

```
35          :Mh      .:      `+:`      `.-.-
-----`      ``- - - - -/:++/:.../ydNdo:`
```

```
36          +Ms      `/`      :+o+:`-``
      ``.-.::///++///:-.`-+ydNdo:`
```

```
37          oMs      :/:.`      `.-.-.``
``````.-.:/::-.``-ohmmh+:`
```

```
38 /Mh .://///:-:-----
---.....` `--+hmy+-
```

```
39 sMy`
      ``````-+ydmy+-
```

```
40          /mNs-`
      `./ohmNMNNNmy+-
```

```
41          /yNmho/:.```````````.-:./+
syhdNmdyso+/-.`
```

```
42          `:+ydmNMNNNNNNNNNNmdhys
+/:.`
```

```
43          ``.....`
```

44


45 LOL U MAD?

46 """)

47

48 import sys

49 sys.exit(1)



Yes, indeed. The idea of using Ruby in Python is totally mad.

