

PyRuby

Today I saw a package called PyRuby in Github.
The readme says:

PyRuby - Some Ruby for your Python!
PyRuby is a simple way to leverage
the power of Ruby to make your Python
code more readable and beautiful
.

Usage

All you have to do is import the ruby
module:

```
import ruby
```

From now on you should be able to write
Ruby code within a regular Python
module. An example:

```
1.upto(10) { |n| puts n }
```

Even PyPI has listed this as a package.

In the beginning I thought this was again a Ruby
implementation by PyPy project. Or at least it use
some magic trick to write ruby code directly in
Python.

Then I browse into the source code of it.

It contains only one file: ruby.py

```
1  # -*- coding: utf-8 -*-
2
3  print("""
4
5                                     `.-:./+
ossyhhddmmmmNNNNNNNmmmmmddddhhyyyhhh
yo:`
6                                     .:+sydNNNmmdh
hysso++/++++++///:::--` `` .....--/
oymms.
7                                     `:ohmdys+//::/::--
::://///:-` `` ..... ```` ``://:-`
`/dNs.
8                                     .+hNds:`-:-:////::----
--:::///++///:-.....-:////:-` .///.
`oMm/
9                                     /hNmo.` `` ..... ``
```````` .....-:::-:/+/-.:/:`
/NMs
10 oMd/` `:::--.-.-:/
/+` //` ```` -:::++/-`::
.` :NM+
11 yN` -+.` ``
/` o. ``:::-.
`` :NN:
12 :Nm -
./ : `.-://///:-` `` ``
:NN-
13 /NM/`
```

` / :sdmdhyMMMMMMNNmy/`  
 :mNo`  
 14 :hMd: /dmdddddNNmdy+  
 - . `smmy/-```hMMMMMMMydm/`- .  
 `` `...:mMm+.  
 15 -hNd/-/o/-...::`.ydmMMMNNMMMMMM  
 Nh:/+- dMN-`-+hmmmdhhhhdddmMN-`-/  
 o: .-:::/oydms-  
 16 oNMo:+/::: ``...-:/+oh  
 NMNhs- :hNmmdyo:...`yo-```.---.``-`  
 -+shdddhS+-` ``.//yMS.  
 17 .MMo:/`o::+SSo+:`-`  
 SM+ ./-` /mNh+-.....-/ym  
 NNdo::-/-shd+` -` :mm:  
 18 /MM-o ./ ohhsooohNmy::sh. `  
 yM/ :oyyyyyyyhys+  
 :.` hy `/Nh` : -NN.  
 19 -MM// -: `` y: odddh+ -om  
 Nh- ``-..` ``  
 .:ohMMs. +Ms / yMo  
 20 hMoo .+. :Mh ```` `/hNd/  
 .` ohdddy:....`..` -/sd  
 mdyo+NMNh+- :Mh / sMs  
 21 .mmh:.... :NMm -/-dMMN+  
 ./++++/:`.hM:``````.``-/-shmNmh+  
 -` /Mmooso.hM/ .: `mM/  
 22 .mNs://: .NMNMs- -:-.`/+-sms  
 . ```shyyyhy`sNd` .:+sdmmmdMM- .  
 .oNM+ :m/ `s` `yMh  
 23 -mMo . sMNdMNNh+- . .y  
 dyoyy` ``+o::+shdddhS+:-.:MM.`.-  
 +hNMh- ``-/-::dNs`

24 -NM- mMMMh:MMdNmhs+:-. .`  
 -ohs-` . . . . :/+syhddmMMs:-. ` /mMMdmmd  
 dNMm+` . . -/hNh-  
 25 sMy NMMM` :Mh` -/mMmmddddd  
 ddddhhdNNdhyo+:-. .yMs ` . . :+ymMMMMd+-  
 yNh. `+hNh:  
 26 -Mm NMMM/yMh -NM-` . . . :N  
 Mo:-. .`+My :MNoydmNMNMhdmh` -d  
 Ns` `yMd:  
 27 `MN mMMMMMMMMyshMN+:-. .-M  
 N- . . . . +My . . . :/oyhdMMMMNm dy+-` +Mh:sNm  
 / yMy`  
 28 MN yMMMMMMMMMMMMMMMMMMMMMM  
 MMNNNNNNMMNNNNMMMMMMNmhmM/- . `yMMNs .  
 /My  
 29 `MN :MMmMMMMMMMMMMMMMMMMMMMM  
 MMMMMMMMMMMMMNmmdy+: -` NM- . /hNNy-  
 /Nd`  
 30 -Mh dMydMmsNMNdNNMMmmmNM  
 MMdddhys+yMo`` /Nm: ` :yNNdo .  
 .sNd .  
 31 +Ms .mMsMN: :NN: . :MN: ` . +  
 NM. +Mo +Mm+ymNdo-  
 .omm+`  
 32 yM: .hNMd+:sMN. oMm .  
 oMo +Mh `` . :+shMNmy+-`` . -: . . -/  
 /-` :yNmO`  
 33 mM. :ohmNNMMdhyMMdo//  
 +Mm////////sMNhyhhdmmNmhs/-`` ./+/:--+so/-  
 :smNy/`  
 34 .Mm `` . -: /+osyyhdd  
 ddddddddhyysoo+/:-. .` ./+//--+oo/-+ym

```

my/.
35 :Mh .: `+:` `.-.-
-----` ``-////////:++/:.../ydNdo:`

36 +Ms `/` :+o+:`-``
 ``.-.::///++///:-.`-+ydNdo:`
37 oMs :/:.` `.-.-.` `
``````.-.:/::-.``      `.-ohmmh+:`
38          /Mh      .:////////::-.-----
---.....`      `.-+hmy+-
39          sMy`
      ``````-+ydmy+-
40 /mNs-`
 `./ohmNMNNNmy+-
41 /yNmho/:.`````````````.-:./+
syhdNmdyso+/-.`
42 `:+ydmNMNNNNNNNNNNmdhys
+/:.`
43 ``.....`
44
45 LOL U MAD?
46 """)
47
48 import sys
49 sys.exit(1)

```

Yes, indeed. The idea of using Ruby in Python is totally mad.

