

PyRuby

Today I saw a package called PyRuby in Github.
The readme says:

PyRuby - Some Ruby for your Python!
PyRuby is a simple way to leverage
the power of Ruby to make your Python
code more readable and beautiful
.

Usage

All you have to do is import the ruby
module:

```
import ruby
```

From now on you should be able to write
Ruby code within a regular Python
module. An example:

```
1.upto(10) { |n| puts n }
```

Even PyPI has listed this as a package.

In the beginning I thought this was again a Ruby
implementation by PyPy project. Or at least it use
some magic trick to write ruby code directly in
Python.

Then I browse into the source code of it.

```

1 # -*- coding: utf-8 -*-
2
3 print("""
4
5                                     `.:./+
ossyhddmmmmNNNNNNNmmmmmdddddhhhyyyhhh
yo:`
6                                     .:+sydNNNmmdh
hysso+++/+++++++/////:::-.````.-----/
oymms.
7                                     `:ohmdys+//::/:--
:::///::-.````.`````://:-`
`/dNs.
8                                     .+hNdS:`-:-:////:----
-:-:////++///:-.....-:-:////:-`.///.
`oMm/
9                                     /hNmo.` `` `` .....`
~::~~~~~~ ..--:-:-:/+/-.:/:`
/NMs
10                                    oMd/` `` :::-.-.-:-:/
/+` //` ~~~~~-:::++/-`::
.` :NM+
11                                    yN` -+.`` ``
/` o. ``:::-..
`` :NN:
12                                    :Nm -
./ : `.-:////////:-. `` ``
:NN-
13                                   /NM/ .....`

```

` / :sdmdhyMMMMMMNNmy/`
 :mNo`
 14 :hMd: /dmdddddNNmdy+
 - . `smmy/-```hMMMMMMMydm/`- .
 `` `...:mMm+.
 15 -hNd/-/o/-...::`.ydmMMMNNMMMMMM
 Nh:/+- dMN-`-+hmmmdhhhhdddmMN-`-/
 o: .-:::/oydms-
 16 oNMo:+/::: ``...-:/+oh
 NMNhs- :hNmmdyo:...`yo-```.---.``-`
 -+shdddhS+-` ``.//yMS.
 17 .MMo:/`o::+SSo+:`-`
 SM+ ./-` /mNh+-.....-/ym
 NNdo::-/-shd+` -` :mm:
 18 /MM-o ./ ohhsooohNmy::sh. `
 yM/ :oyyyyyyyhys+
 :.` hy `/Nh` : -NN.
 19 -MM// -: `` y: odddh+ -om
 Nh- ``-` `` `` ``
 .:ohMMs. +Ms / yMo
 20 hMoo .+. :Mh ```` `/hNd/
 .` ohdddy:....`..` -/sd
 mdyo+NMNh+- :Mh / sMs
 21 .mmh:.... :NMm -/-dMMN+
 ./++++/:`.hM:``````.``-/-shmNmh+
 -` /Mmooso.hM/ .: `mM/
 22 .mNs://: .NMNMs- -:-`/+-sms
 . `` `shyyyhy`sNd` .: +sdmmmdMM- .
 .oNM+ :m/ `s` `yMh
 23 -mMo . sMNdMMNnh+- . .y
 dyoyy` ``+o::+shdddhS+:-.:MM.`- .-
 +hNMh- ``-`-/:dNs`

24 -NM- mMMMh:MMdNmhs+:-.` ``
 -ohs-`...-:/+syhddmMMs:-.` ``/mMMdmmd
 dNMm+`...-/hNh-
 25 sMy NMMM` :Mh` -/mMmmddddd
 ddddhhdNNdhyo+:--.yMs ``...+ymMMMMd+--
 yNh. ``+hNh:
 26 -Mm NMMM/yMh -NM-`...-:N
 Mo:--.`+My :MNoydmNMNMhdmh` -d
 Ns` ``yMd:
 27 `MN mMMMMMMMyshMN+:---.-M
 N-.....+My...-:/oyhdMMMMNm dy+-` +Mh:sNm
 / yMy`
 28 MN yMMMMMMMMMMMMMMMMMMMMMM
 MMNNNNNNMMNNNNMMMMMMNmhmM/-.` yMMNs.
 /My
 29 `MN :MMmMMMMMMMMMMMMMMMMMMMM
 MMMMMMMMMMMMMNmmdy+:--` NM- ./hNNy-
 /Nd`
 30 -Mh dMydMmsNMNdNNMMmmmNM
 MMdddhys+yMo`` /Nm: ``:yNNdo.
 .sNd.
 31 +Ms .mMsMN::NN::MN: ``.+
 NM. +Mo +Mm+ymNdo-
 .omm+`
 32 yM: .hNMd+:sMN. oMm.
 oMo +Mh ````.:+shMNmy+-``.-:-.-/
 /-`:yNmo`
 33 mM. :ohmNNMMdhyMMdo//
 +Mm////////sMNhyhhdmmNmhs/-``./+/:--+so/-
 :smNy/`
 34 .Mm ``.-:/+osyyhdd
 ddddddddhyysoo+/:-. ``./+//---+oo/-+ym

my/.

```
35          :Mh      .:      `+:`      `.-.-
-----`      ``-////////:++/:.../ydNdo:`
```

```
36          +Ms      `/`      :+o+:`-``
      ``.-.::///++///:-.`-+ydNdo:`
```

```
37          oMs      :/:.`-`-.-.-.````
````````.-.:/::-.-.`-`-ohmmh+:`
```

```
38 /Mh .:////////::-.-.-.-
---.....`-`-+hmy+-
```

```
39 sMy`
      ``````-+ydmy+-
```

```
40          /mNs-`
      `./ohmNMNNNmy+-
```

```
41          /yNmho/:.`-.-.-.-.-.-.-.-.:/+
syhdNmdyso+/-.`
```

```
42          `:+ydmNMNNNNNNNNNNmdhys
+/:.`
```

```
43          ``.....`
```

```
44
```


```
45      LOL U MAD?
```

```
46      """)
```

```
47
```

```
48      import sys
```

```
49      sys.exit(1)
```



Yes, indeed. The idea of using Ruby in Python is totally mad.

