

PyRuby

Today I saw a package called PyRuby in Github.
The readme says:

PyRuby - Some Ruby for your Python
!

PyRuby is a simple way to leverage the power of Ruby to make your Python code more readable and beautiful.

Usage

All you have to do is import the ruby module:

```
import ruby
```

From now on you should be able to write Ruby code within a regular Python module. An example:

```
1.upto(10) { |n| puts n }
```

Even PyPI has listed this as a package.

In the beginning I thought this was again a Ruby implementation by PyPy project. Or at least it use some magic trick to write ruby code directly in Python.

Then I browse into the source code of it.

It contains only one file: `ruby.py`

```

1 # -*- coding: utf-8 -*-
2
3 print("""
4
5                                     `.-:/
+ossyhddmmmmNNNNNNNmmmmmddddhhhyyyhh
hhyo:`
6                                     .:+sydNNNmmd
hhyss+++/+++++++///:-----` `` .....-
-/oyms.
7                                     `:ohmdys+//::/-:-
-:::::///::-` `` .....` `````.://:-`
    `/dNs.
8                                     .+hNds:` -:-:////:----
---::///++///:-.....--:////:-` .///.
    `oMm/
9                                     /hNm.` `` `` .....`
` `` `` `` `` `` `` .....
    .....-:-:-:~:/+/-.:/:
`
    /NM$
10                                oMd/` `` :-----:
//+`                               //` `` `` `` -:::~+/-`
:.`                               :NM+
11                                yN`      -.+.`
`/`                                o. `` :-----:

```

. `` :NN:
 12 :Nm -
 ./ : `.-://///:-. ``-`
 `` :NN-
 13 /NM/ .-:-:-.``
 `/ `:sdmdhyMMMMMMNNmy/`
 :mNo`
 14 :hMd: /dmddddNNmdy
 +- . `smmy/-``hMMMMMMMydm/`
 -.` `` `...:mMm+.
 15 -hNd/-/o/-...::`.ydmmmmmNNMMMMM
 MNh:/+- dMN-`-+hmmmmddhhhhdddmMN-`
 -/o: .-:-:-:/oydms-
 16 oNMo:+/:. ``...-:-:/+o
 hNMNhs- :hNmmdyo:...``yo-````...`
 -`-+shdddhst+-` ``./y.ms.
 17 .MMo:/`o:...+sso+:-`
 sM+ ./-` /mNh+-.....-/
 ymNNdo::--/shd+` -`:mm:
 18 /MM-o ./ ohhsooohNmy::sh.
 `yM/ `:oyyyyyyyhy
 s+:.` hy `/Nh` : -NN.
 19 -MM// -: `` y: odddhst -o
 mNh- ``-.-` ``
 .:ohMMs. +Ms / yMo
 20 hMoo .+. :Mh ```` ``/hNd
 /.` ohddy::...`` ``-/
 sdmdyo+NMNh+- :Mh / sMs
 21 .mmh:..... :NMm ``-/dMMN+
 ./++++/:`.hM:`````` ``-/-shmNm
 h+-` /Mmooso.hM/ .: `mM/
 22 .mNs://: .NMNMs- -:-.`/+ -sm

s. ` `shyyyhy`sNd` `.:+sdmmmdMM- .

.oNM+ :m/ `s` `yMh

23 -mMo . sMNdMNNh+- .

ydyoyy` ``+o::+shdddhs+:-.:MM.`

.-+hNMMh- ``-/:dNs`

24 -NM- mMMMh:MMdNmhs+:-.` ``

`-ohs-`...-:/+syhddmMMs:-.` `/mMMdm

mddNMm+` ..-/hNh-

25 sMy NMMM` :Mh`-/mMmmddddd

dddddhhdNNDhyo+:-.yMs `...+ymMMMMd+

--yNh. `+hNh:

26 -Mm NMMM/yMh -NM-`...-:

NMo:--.`+My :MNoydmNMMNmhdMh`

-dNs` `yMd:

27 `MN mMMMMMMMyshMN+:-. .-

MN-.....+My...-:/oyhdMMMMNmdy+-` +Mh:s

Nm/ yMy`

28 MN yMMMMMMMMMMMMMMMMMMNM

MMMNNNNNMMMMNNMMMMNMmhMM/- . `yMMN

s. /My

29 `MN :MMmMMMMMMMMMMMMMMMMMM

MMMMMMMMMMMMMMNmdy+:--`NM- ./hNNy-

/Nd`

30 -Mh dMydMmsNMNdNNMMmmmN

MMMdddhys+yMo`` /Nm: `:yNNdo.

.sNd.

31 +Ms .mMsMN::NN::MN: `.

+NM. +Mo +Mm+ymNdo-

.omm+`

32 yM: .hNMd+:sMN. oMm.

oMo +Mh ```.+:shMNmy+-``.-:-..

-//-`:yNmo`

```
33          mM.          :ohmNNMMdhyMMdo/  
/+Mm////////sMNhyhhdMNNmhs/-``./+/:--+so  
/-:smNy/`  
34          .Mm          `` .-:/+osyyhhd  
ddddddddddhhysoo+/:-. ``./+//--+oo/---+  
ymmy/.  
35          :Mh          .: ``+:` `` .--  
-----` `` -////:++/:.../ydNd  
o: `  
36          +Ms          `/` :+o+:--``  
`` ..-:://++//:--.``-+ydNdo: `  
37          oMs          :/:.`` `` ..---.``  
```````` ..-:/:::---.`` `` -ohmmh+:`  
38 /Mh .:////////:::-----
-----.`` `` -+hmmmy+-
39 sMy`
```````` -+ydmy+-  
40          /mNs-`  
` ./ohmNNNNNmy+-  
41          /yNmho/:.`````````````` .-:/  
+syhdNmdyso+/-.`  
42          `:+ydmNNNNNNNNNNNNmdhy  
s+/:.``  
43          `` .....`  
44  
45          LOL U MAD?  
46          """)  
47  
48          import sys  
49          sys.exit(1)
```

Yes, indeed. The idea of using Ruby in Python is totally mad.