

# PyRuby

---

Today I saw a package called PyRuby in Github.  
The readme says:

PyRuby - Some Ruby for your Python!  
PyRuby is a simple way to leverage  
the power of Ruby to make your Python  
code more readable and beautiful  
.

### Usage

All you have to do is import the ruby  
module:

```
import ruby
```

From now on you should be able to write  
Ruby code within a regular Python  
module. An example:

```
1.upto(10) { |n| puts n }
```

Even PyPI has listed this as a package.

In the beginning I thought this was again a Ruby  
implementation by PyPy project. Or at least it use  
some magic trick to write ruby code directly in  
Python.

# Then I browse into the source code of it.

It contains only one file: ruby.py

```
1  # -*- coding: utf-8 -*-
2
3  print("""
4
5                                     `.-:./+
ossyhhddmmmmNNNNNNNmmmmmddddhhyyyhhh
yo:`
6                                     .:+sydNNNmmdh
hysso++/++++++///:::--` `` .....--/
oymms.
7                                     `:ohmdys+//::/::--
::://///:-` `` ..... ```` ``://:-`
`/dNs.
8                                     .+hNds:`-:-:////::----
--:::////++///:-.....-:////:-` .///.
`oMm/
9                                     /hNmo.` `` ..... ``
```````` .....-:::-:/+/-.:/:`
/NMs
10                                     oMd/` `:::--.--:./
/+` //` ```` ``-:::++/-`::
.` :NM+
11                                     yN` -+.` ``
/` o. ``:::-.
`` :NN:
12                                     :Nm -
./ : `.-://///:-` `` ``
:NN-
13                                     /NM/ .....`
```

` / :sdmdhyMMMMMMNNmy/`  
 :mNo`  
 14 :hMd: /dmdddddNNmdy+  
 - . `smmy/-```hMMMMMMMydm/`- .  
 `` `...:mMm+.  
 15 -hNd/-/o/-...::`.ydmmmmmMMMMMM  
 Nh:/+- dMN-`-+hmmmmddhhhhdddmMN-`-/  
 o: .-:::/oydms-  
 16 oNMo:+/::: ``...--:/+oh  
 NMNhs- :hNmmdyo:...``yo-````...`-`  
 -+shdddhhs+-` ``./yMs.  
 17 .MMo:/`o::+sso+:`-`  
 sM+ ./-` /mNh+-.....-/ym  
 NNdo::-/-shd+` -`:mm:  
 18 /MM-o ./ ohhsooohNmy::sh. `  
 yM/ :oyyyyyyyhs+  
 :.` hy `/Nh` : -NN.  
 19 -MM// -: `` y: odddh+ -om  
 Nh- ``-` `` `` ``  
 .:ohMMs. +Ms / yMo  
 20 hMoo .+. :Mh ```` `/hNd/  
 .` ohdddy:....`..` -/sd  
 mdyo+NMNh+- :Mh / sMs  
 21 .mmh:.... :NMm -/-dMMN+  
 ./+ +/+/:`.hM:`````````-/-shmNmh+  
 -` /Mmooso.hM/ .: `mM/  
 22 .mNs://: .NMNMs- -:-`/+-sms  
 . ```shyyyhy`sNd` ``.:+sdmmmdMM- .  
 .oNM+ :m/ `s``yMh  
 23 -mMo . sMNdMNNh+- . .y  
 dyoyy` ``+o::+shdddhhs+:-.:MM.`- .-  
 +hNMh- ``-`-/:dNs`

24 -NM- mMMMh:MMdNmhs+:-.` ` ` `   
 -ohs-`...-:/+syhddmMMs:-.` ` /mMMdmmd   
 dNMm+`...-/hNh-   
 25 sMy NMMM` :Mh` -/mMmmddddd   
 ddddhhdNNdhyo+:--.yMs `...+ymMMMMd+--   
 yNh. `+hNh:   
 26 -Mm NMMM/yMh -NM-`...-:N   
 Mo:--.`+My :MNoydmNMNMhdmh` -d   
 Ns` `yMd:   
 27 `MN mMMMMMMMMyshMN+:---.-M   
 N-.....+My...-:/oyhdMMMMNm dy+-` +Mh:sNm   
 / yMy`   
 28 MN yMMMMMMMMMMMMMMMMMMMMMM   
 MMNNNNNNMMNNNNMMMMMMNmhmM/-.`yMMNs.   
 /My   
 29 `MN :MMmMMMMMMMMMMMMMMMMMMMM   
 MMMMMMMMMMMMMNmmdy+:--`NM- ./hNNy-   
 /Nd`   
 30 -Mh dMydMmsNMNdNNMMmmmNM   
 MMdddhys+yMo`` /Nm: `:yNNdo.   
 .sNd.   
 31 +Ms .mMsMN::NN::MN: `.+   
 NM. +Mo +Mm+ymNdo-   
 .omm+`   
 32 yM: .hNMd+:sMN. oMm.   
 oMo +Mh ```. :+shMNmy+-``.-:-.-/   
 /-`:yNmo`   
 33 mM. :ohmNNMMdhyMMdo//   
 +Mm////////sMNhyhhdmmNmhs/-``./+/:--+so/-   
 :smNy/`   
 34 .Mm ``. -:/+osyyhdd   
 ddddddddhyysoo+/:-.`./+//--+oo/-+ym

```

my/.
35          :Mh   .:   `+:`           `.-.-
-----`      ``-////////:++/:.../ydNdo:`

36          +Ms   `/`           :+o+:`-``
      ``.-.::///++///:-.`-+ydNdo:`
37          oMs       :/:.`   `.-.-.`` `
````````.-.:/::-.`` ` -ohmmh+:`
38          /Mh       .:////////:--:-.-
---.....`      ` -+hmy+-
39          sMy`
      ``````-+ydmy+-
40          /mNs`
`./ohmNMNNNmy+-
41          /yNmho/:.```````````.-:./+
syhdNmdyso+/-.`
42          `:+ydmNMNNNNNNNNNNmdhys
+/:.`
43          ``.....`
44
45      LOL U MAD?
46      """)
47
48      import sys
49      sys.exit(1)

```

Yes, indeed. The idea of using Ruby in Python is totally mad.

