

PyRuby

Today I saw a package called PyRuby in Github.
The readme says:

PyRuby - Some Ruby for your Python!
PyRuby is a simple way to leverage
the power of Ruby to make your Python
code more readable and beautiful

.

Usage

All you have to do is import the ruby
module:

```
import ruby
```

From now on you should be able to write
Ruby code within a regular Python
module. An example:

```
1.upto(10) { |n| puts n }
```

Even PyPI has listed this as a package.

In the beginning I thought this was again a Ruby
implementation by PyPy project. Or at least it use
some magic trick to write ruby code directly in
Python.

Then I browse into the source code of it.

```

1  # -*- coding: utf-8 -*-
2
3  print("""
4
5                                     `.::/+
ossyhddmmmmNNNNNNNmmmmmddddhhyyyhhh
yo:`
6                                     .:+sydNNNmmdh
hysso++/+++++++///::::-.```.-----/
oymms.
7                                     `:ohmdys+//:::--
::://///:-.```.```.```.:///:-`
`/dNs.
8                                     .+hNds:`-:-:////:----
-:-:////++///:--.....-:-:////:-`.////.
`oMm/
9                                     /hNmo.` ```.```.```.```.
````````.```.-----:~:-:/+/-.:/:`
/NMs
10 oMd/` ```:~:-.---:/
/+` ``````-:~:-+/-`~:-:
.` :NM+
11 yN` -+.` ```.```.
/` o. ```:~:-.
`` :NN:
12 :Nm -
./ : ``:~:-://///:-. ```.```.
:NN-
13 /NM/ ```:~:-.

```

14 :hMd: /dmdddddNNmdy+  
 - . smmy/-````hMMMMMMHydm/ ``- .  
 `` . . . :mMm+ .  
 15 -hNd/-/o/- . . . :` . ydmmmmNMMMMMM  
 Nh: /+ - dMN- ``-+hmmmmddhhhhdddmMN- ``- /  
 o: . - : : : /oydms -  
 16 oNMo: + / : : . `` . . . - : /+oh  
 NMNhs - : hNmmdyo: . . . ``yo- ```` . - . ``-  
 -+shdddh+ - `` . // yms .  
 17 .MMo: / `o: . . +ss+ : - `  
 sM+ . / - ` /mNh+ - . . . - /ym  
 NNdo: : - - /shd+ ` - ` : mm:  
 18 /MM- o . / ohhsooohNmy: : sh. ``  
 yM/ `` : oyyyyyyhy+  
 : . ` hy ` /Nh` : -NN.  
 19 -MM// - : `` y: odddh+ - om  
 Nh- `` - . `` `` `` ``  
 . : ohMMs . +Ms / yMo  
 20 hMoo . + . : Mh ```` `` /hNd/  
 . ` ohddy: : . . . `` . `` - /sd  
 mdyo+NMNh+ - : Mh / sMs  
 21 .mmh: . . . . : NMm `` - /dNMN+  
 . /+++ / : ` . hM: ` . ```` . `` - /shmNmh+  
 - ` /Mmooso . hM/ . : `mM/  
 22 .mNs: // : .NMNMs- - : - . ` /+ - sms  
 . `` `shyyyhy` sNd` `` . : +sdmmmdMM- .  
 . oNM+ : m/ `s` `yMh  
 23 -mMo . sMNdMNNh+ - . . y  
 dyoyy` `` +o: : +shdddh+ : - . : MM. ` . -  
 +hNMMh- `` . ` - / : : dNs`

24 -NM- mMMMh:MMdNmhs+:-. .`  
 -ohs-` . . . : /+syhddmMMs:-. ` /mMMdmmd  
 dNMm+` . . - /hNh-  
 25 sMy NMMM` :Mh` - /mMmmddddd  
 ddddhhdNNdhyo+:-. .yMs ` . . :+ymMMMMd+- -  
 yNh. `+hNh:  
 26 -Mm NMMM/yMh -NM-` . . . :N  
 Mo:-. .`+My :MNoydmNMNMhdmh` -d  
 Ns` `yMd:  
 27 `MN mMMMMMMMyshMN+:-. .-M  
 N- . . . .+My . . . : /oyhdMMMMNm dy+- ` +Mh:sNm  
 / yMy`  
 28 MN yMMMMMMMMMMMMMMMMMMMMMM  
 MMNNNNNNMMNNNNMMMMMMNmhmM/ - . `yMMNs .  
 /My  
 29 `MN :MMmMMMMMMMMMMMMMMMMMMMM  
 MMMMMMMMMMMMMNmmdy+: - ` NM- . /hNNy-  
 /Nd`  
 30 -Mh dMydMmsNMNdNNMMmmmNM  
 MMdddhys+yMo` ` /Nm: ` :yNNdo .  
 .sNd .  
 31 +Ms .mMsMN: :NN: . :MN: ` .+  
 NM. +Mo +Mm+ymNdo-  
 .omm+`  
 32 yM: .hNMd+:sMN. oMm .  
 oMo +Mh ` ` ` . :+shMNmy+- ` ` . - : - . - /  
 / - ` :yNmo`  
 33 mM. :ohmNNMMdhyMMdo//  
 +Mm////////sMNhyhhdmmNmhs/- ` ` . /+/: - -+so/-  
 :smNy/`  
 34 .Mm ` ` . - : /+osyyhdd  
 ddddddddhyysoo+/: - . ` . /+// - -+oo/- -+ym

```

my/.
35 :Mh .: `+:` `.-.-
-----` ``-/////://++/:.../ydNdo:`

36 +Ms `/` :+o+:`-``
 ``.-.::///++///:-.`-+ydNdo:`
37 oMs :/:.` `.-.-.`` `
``````.-.:/::-.``      `.-ohmmh+:`
38          /Mh      .://///://:-.-.-.-
---.....`      `.-+hmy+-
39          sMy`
      ``````-+ydmy+-
40 /mNs-`
 `./ohmNMNNNmy+-
41 /yNmho/:.````````````.-:./+
syhdNmdyso+/-.`
42 `:+ydmNMNNNNNNNNNNmdhys
+/:.`
43 ``.....`
44
45 LOL U MAD?
46 """)
47
48 import sys
49 sys.exit(1)

```

Yes, indeed. The idea of using Ruby in Python is totally mad.

