•	0	

- 0
- English
- 0
- 0
- 0
- English
- 0
- • <u>About</u>
 - <u>Links</u>
 - About
 - <u>Links</u>
- - <u>Life</u>
 - <u>Tech</u>
- <u>Import</u>
- <u>Life</u>
- <u>Tech</u>
- 0
- •
- _
- •

- 1.
- 2. tech
- 3. archlinux chrome —

archlinux 上用 chrome 实现 透明计算 远程登录

2015 02 13 ()

- _
- _

linux archlinux arch chrome remote desktop 🐼 Loading...

- Chrome Remote Desktop
- Archlinux
- Linux Chrome Windows/ OS X
- Bonus

Xorg VNC NX RDP ssh X forwarding 不太易用 ip NAT

chrome-remote-desktop archlinux Google
XMPP NAT Chrome Remote

Desktop

Chrome Remote Desktop

Chrome Remote Desktop 的客户端

Chrome Google <u>remote-desktop</u>
Windows/OS X Linux

Archlinux 上设置远程登录的服务器

Windows OS X Chrome Linux debian Ubuntu 12.10

chrome-remote-desktop Windows/OS X Remote

Desktop Host Controller archlinux [archlinuxcn] AUR

\$ pacman -Ss chrome-remote-desktop archlinuxcn/chrome-remote-desktop 40.0.2214.44-1 Allows you to securely access your computer over the Internet through Chrome.

groupadd ID "chrome-remote-desktop"

Please create ~/.config/chrome-remote-desktop folder manually, if it doesn't exist, or else you can't use CRD. The needed files are created by the Chrome app, inside the chrome-remote-desktop folder, after Enabling Remote Connections. To {enable,start} the service use systemctl -- user {enable,start} chrome-remote-desktop

You may need to create a ~/.chrome-remote-desktopsession file with commands to start your session

Go to https://support.google.com/chrome/answer/1649523 for more information.

AUR Google chrome remote desktop

chrome-remote-desktop

\$ /opt/google/chrome-remote-desktop/chrome-remote-desktopadd-user						
~/.config/chrome-remote-desktop		chrome	host#.json			
\$ mkdir ~/.config/chrome-remote-desktop Shell ~/.chrome-remote-desktop-session .xinitrc						
#!/bin/bash startxfce4	xfce4 mote-desktop-session me-remote-desktop-session					
Chrome	Chrome Remote Desl	ktop				
Chrome Remote Desktop						
40.0.2214.111 41.0.2272.41	chromium aur/google Chrome Web Store Chrome Chrome Remo google-chrome-dev	ome Remote	Desktop			
32 Linux	Chrome Remote Desktop	Host	<u>bug</u>			
PIN	Google	hostname)			

~/.config/chrome-remote-desktop

\$ ls .config/chrome-remote-desktop chrome-profile host#8cfe7ecfd6bb17955c1ea22f77d0d800.json pulseaudio#8cfe7ecfd6

sys	temd	systemctlus	ser enable				
\$ systemctluser start chrome-remote-desktop.service							
	chrome-remote	e-desktop	Xorg				
htop ch	nrome-remote-d	esktop 2	Xorg				
Ren	note Desktop	Xorg					
XFC	CE4						
Linux 版本的 Chrome远程桌面 和							
Windows/ OS X 上的区别							
L	.inux >	× ×					
Chrom 12.10 14	e Linux Hos .04 <u>Bug</u>	t Controller	beta	Ubuntu 12.04			

Bonus: 手机远程登录

Chrome App

Chrome Chrome Windows / OS X / Linux

Chrome Android Chrome App App

comments powered by Disqus

换到 farseerfc.me 域名

📞 Loading...

从天气预报谈谈日本的学术氛围

关于 farseerfc

标签云

- termcap 1
- <u>tty 1</u>
- <u>ugh ¹</u>
- pelican 4
- domain 1
- <u>icse </u>2
- travis 1
- <u>unix </u>1
- paper 1
- gnome3 1
- <u>zz </u>1
- linux 4
- japan ¹

• kde5¹ • creationism 1 Java 2 academic 1 • chrome ¹ • <u>ruby </u>1 msr 1 • desktop 1 python 4 • archlinux 1 • <u>marry 1</u> template 1 • <u>you ¹</u> • cloudflare 1 • plasma 1 • <u>acpi ¹</u> • css 1 • mining 1 • <u>sjtu </u>1 • repository 1 • ncurses 1 • material² • <u>yssy 1</u> • <u>oop 1</u> <u>ubuntu ¹</u> arch 1 • pages 1 • <u>me ¹</u> • C++ 14 • github²

- remote 1
- stdio 1
- bootstrap 1
- <u>will </u>1
- travis-ci 1
- terminfo 1
- subsite 1
- microsoft²
- software 2

GitHub仓库

Status updating...

@farseerfc on GitHub

最新微博





farseerfc 海外 日本



真愛//@某亚瑟: 真爱无误//@艾鲁夫: 真爱 //@S电音狂人兔基神:真爱无误//@月刊少女Ku Ma君: 如果这都不算爱 //@发菜:印象里两千多吧[思考]//@J岛AC妹子:如果这都不算爱

今天 10:41

转发 | 评论

最新推文

Tweets by farseerfc

目录

- Chrome Remote Desktop
- Archlinux
- Linux Chrome Windows/ OS X
- Bonus

