


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Detaylı Hasta Arama	1	0	1	0	42.180 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Detaylı Hasta Arama	TC0056 - Patients should be listed with Yatış Tarihi	8	7	1	0	42.180 s

DETAILED SECTION -- 4 --

(F)- Detaylı Hasta Arama

FAILED	DURATION - 42.180 s	Scenarios	Steps	
/ 11:19:53.368 Č	ÖÖ // 11:20:35.548 ÖÖ /	Total - 1 Pass - 0	Total - 8	8
@ServiceExamina	ationRegistration @DetailedPatientSearch	Fail - 1 Skip - 0	Fail - 1 Skip - 0	

(S)- TC0056 - Patients should be listed with Yatış Tarihi



#	Step / Hook Details	Status	Duration
1	Given The user logs in	PASSED	0.346 s
2	And The user goes Hasta İşlemleri, Ayaktan Hasta İşlemleri and then click Poliklinik Muayene Kayıt	PASSED	25.684 s
3	And The user clicks Detayli Hasta arama Button	PASSED	0.173 s
4	And Detaylı Tarih Seçimi tab is clicked.	PASSED	1.035 s
5	And Last Three Months tab is clicked.	PASSED	0.045 s
6	And Select tab is clicked.	PASSED	0.029 s
7	And Query tab is clicked.	PASSED	0.032 s
8	And Verify that patients registered in the Last Three Months can be listed	FAILED	0.000 s
	java.lang.Exception: Generic Exception for io.cucumber.core.exception.CucumberException: Step [Verify that patients registered in the Last Three Months can be listed] is defined with 1 parameters at 'stepdefinitions.DetayliHastaArama_StepDefinitions. verifyThatPatientsRegisteredInTheLastMonthsCanBeListed(int)'. However, the gherkin step has 0 arguments. Step text: Verify that patients registered in the Last Three Months can be listed at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:95)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)		
\neg	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.347 s
	Screenshots		

#	Step / Hook Details	Status	Duration
	Note		