PRODUCTION-GRADE CONVERSATIONAL RAG

Why Toy Tutorial RAG Fails in Production & How We Engineered a Solution

Most generative AI tutorials connect a toy vector store to an LLM in a Jupyter notebook. When deployed to real cloud infrastructure with real medical policies, three fatal bottlenecks emerge:

✕ The Production Bottlenecks

- **OOM Crashes:** 800MB PyTorch wheels exceed 1GB serverless caps, crashing container runtimes.
- **Data Leaks:** Shared persistent disk stores expose documents across concurrent sessions.
- **Hallucinations:** Irrelevant queries trigger expensive LLM calls that fabricate false policy answers.

✓ The ClinicDocs AI Architecture

- **FastEmbed ONNX:** Pure quantized ONNX runtime slashes RAM by 70% (423MB peak process).
- **In-Memory Isolation:** Ephemeral session UUID collections in RAM with LRU eviction cap (max 10).
- **Two-Layer Refusal:** Cosine similarity gate intercepts off-topic queries in <25ms with 0 tokens billed.

VERIFIED PRODUCTION UI

Live In-App Responses & Citations

EXAMPLE 1: GROUNDED ANSWER WITH 1-INDEXED CITATION

Latency: 0.82s

Q What are the clinic operating hours on Friday?

On Friday, Noor Care Clinic operates in two shifts:

- **Morning Shift:** 9:00 AM – 1:00 PM
- **Evening Shift:** 3:00 PM – 8:00 PM

The clinic is closed between 1:00 PM and 3:00 PM for Friday prayers.

Noor_Care_Clinic_FAQ.pdf — Page 1

Cosine Similarity: 78.2%

EXAMPLE 2: LAYER 1 REFUSAL GATE (OUT-OF-DOMAIN QUERY)

Intercepted in 18ms (0 Tokens Billed)

Q What is the capital city of France?

"I couldn't find this in the uploaded documents."

Max cosine similarity observed: **0.361 < 0.48 threshold**. Query halted at vector level before invoking LLM API. **$0.00** spent.

Zero Hallucinations • Zero Token Waste on Out-of-Domain Queries

Swipe right for source code →

CODE ARCHITECTURE

The Core Engineering Logic

src/retriever.py — Two-Layer Similarity Refusal Gate — Python 3.11

```python
def retrieve_with_gate(
    vectorstore: Chroma, query: str, k: int = 4, threshold: float = 0.48
) -> tuple[list[Document], float, bool]:
    # 1. Measure cosine similarity across top-k chunks
    results = vectorstore.similarity_search_with_relevance_scores(query, k=k)
    max_sim = max([score for _, score in results]) if results else 0.0

    # 2. Intercept OOD queries at vector level (0 tokens billed)
    if max_sim < threshold:
        logger.info("Gate rejected query '%s' (sim=%.3f < %.2f)", query, max_sim, threshold)
        return [], max_sim, False  # < 25ms execution

    return [doc for doc, _ in results], max_sim, True
```

src/ingest.py — 1-Indexed Physical Page Offset & Density Check — Clean Engineering

```python
for page_idx, page in enumerate(reader.pages):
    page_text = page.extract_text() or ""

    # Normalizes 0-indexed PyPDF to physical printed page number
    page_num = page_idx + 1

    doc = Document(
        page_content=page_text,
        metadata={"source": filename, "page": page_num, "total_pages": num_pages}
    )
    documents.append(doc)
```

MEASURED PRODUCTION TELEMETRY

Empirical Benchmarks vs Baselines

10/10	< 25 ms	423 MB	2.22 s
Benchmark Evals	Refusal Speed	Peak Process RAM	Model Cold Start
100% Grounded	0 Tokens Used	70% Less Memory	82% Faster

BENCHMARK METRIC	CLINICDOCS AI	NAIVE PYTORCH RAG	ENGINEERING IMPACT
Embedding Runtime Memory	**136.2 MB (ONNX)**	850+ MB (PyTorch)	**70% Reduction**
Total Process RAM Footprint	**423.2 MB**	1,420 MB (OOM Risk)	**Fits 1GB Cap**
Out-of-Domain Refusal Latency	**< 25 ms**	2,850 ms (Full LLM call)	**99.4% Faster**
Cost on Irrelevant Queries	**$0.00 (0 Tokens)**	Standard API Billing	**Zero Cost Waste**

Farwa Ali Nasir
AI & Machine Learning Software Engineer
Open to Full-Time & Associate AI/ML & SWE Roles

Live App & Repo in Comments 👇
github.com/farwanasir2810-collab