

НРАР	151	UNOS			
Recovery OPO	MIOP-Gift of Life Michigan	Allocation Via	UPENN □	nPOD ⊠	
Age (years)	31	DCD	YES □ N	o ⊠	
Race	Black or African American	DBD		0 🗆	
Sex	M ⋈ F□	Admission to		rs 19 Mins.	
JCX		Cross Clamp	302 11001	3 <u>1</u> IVIIII3.	
ABO (Rh)	A1 Positive	Cross Clamp Time	05/04/2023	13:35 EDT	
BMI (Kg/m²)	17.3	Cold Ischemia	21 Hours	13 Mins.	
Weight (kg)	58.6000	Time*			
Height (cm)	184.00				
Cause of Death	CEREBROVASCULAR/STROKE	Preservation	UW 🗆 H	ITK⊠	
		Solution		_	
Mechanism of	INTRACRANIAL	Organs Recovered	Heart □	Kidney 🖂	
Injury	HEMORRHAGE / STROKE		Lung □	Pancreas 🗵	
			Liver 🗵	Intestine $\square$	
Cardiac	Yes □	Intraoperative			
Arrest/Downtime	No ⊠	time lapse from	00 Hours	43 Mins.	
		liver to pancreas			
		removal from the			
		peritoneal cavity:			
CPR / Time	Yes □	Organs Discarded	Heart □	Kidney □	
	No ⊠		Lung 🗆	Pancreas	
			Liver 🗆	Intestine	
				=	
Total Est.	No Downtime	Blood Culture	No growth 5	days	
Downtime				•	
Date /Time of	04/21/2023 23:16 EDT	PHS High Risk	YES □ N	0 🗵	
Admission			Pilatoral posibile	or anacities in the	
		Acute Lung Injury	Bilateral perihilar opacities in the lungs, but no merging opacity at the lower left lung, and visible air		
			bronchograms.		

<sup>\*</sup>Cold Ischemia time is calculated from time of cross clamp to start of enzyme perfusion for islet isolation.



### **Medical History:**

		Duration	Medications	Compliance		
Type of Diabetes	T1D	3.5 years insulin-	Insulin injectable	yes		
		dep diabetes.	•	,		
History of cancer						
CAD						
Hypertension						
Hyperlipidemia						
Autoimmune disease						
Family History	CAD ⊠	Diabetes 🛛	Auto immune disease	Others:		
	maternal	maternal				
	grandmother	grandmother,				
		aunt, biological				
6	mother/father					
Surgical History:	Muscle strengthening/repair surgery to eyes followed by corrective lenses, nose and face.					
	Pt has pins/rods in left ankle/foot due to being hit by a bus					
Comments:	Medical Hx: DM1, dysrhythmias, fetal alcohol syndrome, arthritis, brain atrophy, ADHD,					
	fracture of distal tibia.					
	Social Hx: Drinking 1-2 drinks 3-4 times a year (unknown type or duration).					
	Former smok	er (cigars) quit 202	20, marijuana use unknown duration			

## **Hemodynamic Profile**

Average BP During Hospitalization (mmHg)	124/81	
Average Low BP During Hospitalization	93/65	Duration: 60 Min.
Average BP in OR (mmHg)	118/74	
Average Low BP in OR (mmHg)	86/64	Duration: 5 Min.
Average HR in OR (bpm)	72	
ABG-pH range	7.21 – 7.52	

#### **INTERVENTION**

### **Blood Products/Meds Transfused Before Organ Recovery**

Product	Amount (ml)	Units	Total (ml)	
Fresh Frozen Plasma	223-237	2 460		
PRBCs	350	4 1400		
Platelets				
Norepinephrine (Levophed)		0.01 mcg/kg/min started 132:50 hrs. before organ recovery for the duration of 80:15 hrs.		
Vasopressin		Ongoing 2.4 units/hr. started 133:42 before organ recovery		
Neo-Synephrine		100 mcg/min starte recovery for the du	d 139:05hrs. before organ ration of 06:03hrs.	
Epinephrine				
Phenylephrine				
Dopamine				



#### **Blood Products/Meds Transfused Intraoperative**

Product	Amount (ml)	Units	Total (ml)	
Fresh Frozen Plasma				
PRBCs				
Platelets				
Norepinephrine (Levophed)		5 mcg/min started30 min. before cross clamp.		
Vasopressin		2.4 units/hr started 2 h	nrs. before cross clamp.	
Neo-Synephrine (phenylephrine)				
Epinephrine				
Dopamine				
Heparin		30,000		

### Initial Autoantibody Screening (nPOD): ELISA

GAD-65	IA-2
ND	ND

### **Confirmatory results: Radioimmuno Assay (RIA)**

	GAD-65 (unit/ml)	IA-2 (unit/ml)	Insulin AAB (unit/ml)	ZnT8 (unit/ml)
Results	0	0	0.013	0.001
<b>Cut-off values</b>	20	5	0.010	0.020

<sup>\*</sup>Sample obtained at time of organ recovery.

	C-peptide (ng/ml)	Proinsulin
Results	<0.02	NA

<sup>\*</sup>Sample obtained at time of organ recovery.

### HLA (OPO)\*

Class 1	Α	3	23	Class II	DR	13	15
	В	53	58		DR51	5*01	N-Negative
	С	04	10		DR52	3*03	N-Negative
	Bw4	Positive			DR53	N-Negative	N-Negative
	Bw6	Negative			DQB1	6	No Second Ag detected
					DQA1	01	No Second Ag detected
					DPB1	02:01	11:01
					DPA1	01	02
Comment:	_						





## Confirmatory HLA (UPENN)\*

Class 1	Α	03:01	23:01	Class II	DRB1	13:02	15:03
	В	53:01	58:01		DRB3	03:01	
	С	03:02	04:01		DRB4		
					DRB5		01:01
					DQB1	06:02	06:09
					DQA1	01:02	
					DPB1	02:01	11:01
					DPA1	01:03	02:01

<sup>\*</sup>HLA typing performed using NGS

### **Infectious Disease Serology**

		Hemo/Plasma	a Dilution Status
Test	Result	Qualified	Non-Qualified
EBV IgG	POSITIVE	1	-
EBV IgM	POSITIVE	1	-
CMV (IgG)	POSITIVE	1	-
HBcAb	Non-Reactive	1	-
HBsAg	Non-Reactive	1	-
HCV Ab	Non-Reactive	✓	-
HIV I/II	Not Done	1	-
HIV Ag/Ab Combo	Negative		
Syphilis	Non-Reactive	1	-
Procleix Ultrio	Non-Reactive	1	-
(HBV/HCV/HIV-1/HIV-2)			
Ultrio HBV (HBV NAT)	Negative	✓	-
Ultrio HCV (HCV NAT)	Negative	1	-
Ultrio HIV (HIV NAT)	Negative	1	-
Toxoplasma Ab	Negative	1	-
SARS-CoV-2	Not detected	<b>√</b>	-



#### **Laboratory Panel**

	Initial	Peak	Terminal
Na (mEq/L) (135-145)	129	161	129
Creatinine (<1.5)	2.05	2.05	0.48
Glucose (mg/dL) (60-150)	584	584	114
HbA1C%	14		
Total bilirubin (0-1.0)	0.2	0.8	0.6
SGOT (AST) (0-40)	13	41	34
SGPT (ALT) (5-35)	18	25	23
Alkaline phosphatase (45-110)	222	446	446
Serum Amylase (23-851)	18	18	11
Serum Lipase (0-80)	10	10	3
WBC (THO/uL) (4.5-11.0)	19.9	19.9	7.1
Hgb (g/dL) (12-16)	13.7	13.7	11.4
Platelets (THO/uL) (150-350)	579	579	231
INR (<2.0)	1.8	2.4	1.4

#### **Urinalysis**

	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>	4 <sup>th</sup> - 7 <sup>th</sup>
Glucose	Positive (>500)	Negative	Negative	Negative

#### **Medications During Hospitalization**

Steroids**	NA.			
Steroids	NA			
Diuretics	NA			
T3 Protocol	NA			
T4 Protocol*	NA			
Insulin**	1-40 unit/hr started 300 :35hrs. before organ recovery,			
	Insulin Lantus12 units started 148 hrs. before organ recovery for the duration of 24 hrs			
Antihypertensive	NA			
Vasodilators	NA			
DDAVP**	2 mcg BID started 136:05 hrs. before organ recovery for the duration of 4:04 hrs.			
Total parenteral nutrition				
Other	Vecuronium 10 mg, Calcium Gluconate 3 gm, KCL 20-80 mEq, MgSO4 2gm, Vasopressin 5 units, Heparin 5000 units, protonix 40mg, morphine 5mg, aspirin 81mg, ceftriaxone 1gm, acetaminophen 650mg, Zosyn 3.375 gm, vancomycin1- 1.2gm, vitamin K 10mg, magnesium 4 gm, Tobramycin 1 unit, dobutamine 2.5mcg/kg/min	Specify		

<sup>\*</sup>T4 protocol: Levothyroxine, (20 mcgs), Solumedrol (2 gms,) Dextrose 50%, (1 amp), Regular Insulin (20u), Vasopressin (1 unit)

Mi Z, Novitzky D, Collins JF, Cooper D KC. The optimal hormonal replacement modality selection for multiple organ procurement from brain-dead organ donors. Clinical Epidemiology 2015:7 17-27.

<sup>\*\*</sup> Excluding T4 Protocol