



НРАР	020	UNOS			
		0.100			
Recovery OPO	Missouri, KS	Allocation Via	UPENN □ nPOD ⊠		
Age (years)	14	DCD	YES 🗆 N	0 ⊠	
Race	Caucasian	DBD	YES 🗵 N	0 🗆	
Sex	M⊠ F□	Admission to Cross Clamp	163 Hours	Mins.	
ABO (Rh)	A (-)	Cross Clamp Time		@ 06:31 CST @ 07:31 EST	
BMI (Kg/m²)	13.32	Cold Ischemia Time*	13 Hours	Mins.	
Cause of Death	Anoxia	Preservation Solution	UW 🗵 H	тк□	
Mechanism of Injury	Cardiovascular	Organs Recovered	Heart □ Lung ⊠ Liver ⊠	Kidney ⊠ Pancreas ⊠ Intestine □	
Cardiac Arrest/Downtime	Yes ⊠ No □	Intraoperative time lapse from liver to pancreas removal from the peritoneal cavity:	Hours Mins. Not available		
CPR / Time	Yes ⊠ 47 minutes No □	Organs Discarded	Heart Lung Liver	Kidney Pancreas Intestine	
Total Est. Downtime	Unknown	Blood Culture	No Growth		
Date /Time of Admission	12/27/2017 @ 11:26 CST 12/27/2017 @ 12:26 EST	PHS High Risk	YES □ NO ⊠		
		Acute Lung Injury	No ARDS		

^{*}Cold Ischemia time is calculated from time of cross clamp to start of enzyme perfusion for islet isolation.



Medical History:

		Duration	Medications	Compliance	
Type of Diabetes	T1DM	5 days	Insulin		
History of cancer	1				
CAD	1				
Hypertension	-				
Hyperlipidemia	-				
Autoimmune disease	-				
Family History	CAD □	Diabetes	Auto immune disease	Others:	
Surgical History:	None				
Comments:	Unsuspected recent diagnosis of T1DM at the time of admission				

Hemodynamic Profile

Average BP During Hospitalization (mmHg)	125/90	
Average Low BP During Hospitalization	90/65	Duration: 60 mins
Average BP in OR (mmHg)	100/55	
Average Low BP in OR (mmHg)	85/45	Duration: 5 minutes
Average HR in OR (bpm)	95	
ABG-pH range	6.95 – 7.44	

INTERVENTION

Blood Products/Meds Transfused Before Organ Recovery

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma			
PRBCs	350	1	350 (one day prior to OR)
Platelets			
Norepinephrine (Levophed)	0.1/4 (mc/kg/min/cc)		
	started 2 days before OR		
	and cont. ~ 24 hrs		
Vasopressin			
Neo-Synephrine			1
Epinephrine			1
Phenylephrine			
Dopamine	Started @ 17.5/6.9		
	(mcg/kg/min/cc) 2 days		
	before OR and titrated till		
	1-day before recovery		





Blood Products/Meds Transfused Intraoperative

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma			
PRBCs			
Platelets			
Norepinephrine (Levophed)			
Vasopressin			
Neo-Synephrine (phenylephrine)		4000mcg	Single dose
Epinephrine			
Dopamine			
Heparin		15,000	
Insulin		2.38 u/hr @ the time	
		of admission, titrated	
		all through OR	

Initial Autoantibody Screening (nPOD): ELISA

GAD-65	IA-2
Positive	?

Confirmatory results: Radioimmuno Assay (RIA)*

	GAD-65 (unit/ml)	IA-2 (unit/ml)	Insulin AAB (unit/ml)	ZnT8 (unit/ml)
Results*	29	207	0.013	0.073
Cut-off values	20	5	0.01	0.02

^{*}Sample obtained at time of organ recovery * Aab assays confirmed by UK Lab.

C-peptide (ng/ml)	Proinsulin
0.37	ND

^{*}Sample obtained at time of organ recovery

HLA (OPO)*

	•						
Class 1	Α	01	02	Class II	DRB1	03:01	13:02
	В	45	53		DRB3	02:02	03:01
	С	04	06		DRB4		
	Bw4	ND			DRB5		
	Bw6	N	D		DQB1	02:01	06:04
					DQA1	01:02	05:01
					DPB1	03:01	04:01



		DPA1	01:03	
Comment:				

^{*}Methodology:RT-PCR

Confirmatory HLA (UPENN)*

Class 1	Α	01:01	02:01	Class II	DRB1	03.:01	13:02
	В	45:01	53:01		DRB3	02:02	03:01
	С	06:02	04:01		DRB4		
					DRB5		
					DQB1	02:01	06:04
					DQA1	01:02	05:01
					DPB1	04:01	104:01
					DPA1	01:03	

^{*}HLA typing performed using NGS

Infectious Disease Serology

		Hemo/Plasma Dilution Status		
Test	Result	Qualified	Non-Qualified	
EBV IgG	?			
EBV IgM	?			
CMV	Positive	Yes		
HBcAb	Non-Reactive	Yes		
HBsAg	Non-Reactive	Yes		
HCV Ab	Non-Reactive	Yes		
HIV I/II	Non-Reactive	Yes		
Syphilis	Non-Reactive	Yes		
Procleix Ultrio	ND	Yes		
Ultrio HBV	Non-Reactive			
Ultrio HCV	Non-Reactive	Yes		
Ultrio HIV	Non-Reactive	Yes		
Toxoplasma Ab	?	Yes		



Laboratory Panel

	Initial	Peak	Terminal
Na (mEq/L) (135-145)	148	163	151
Creatinine (<1.5)	1.6	4.2	3.5
Glucose (mg/dL) (60-150)	480	480	160
HbA1C%	ND		
Total bilirubin (0-1.0)	0.2	0.3	0.1
SGOT (AST) (0-40)	225	921	74
SGPT (ALT) (5-35)	148	411	130
Alkaline phosphatase (45-110)	287	287	97
Serum Amylase (23-851)	27	29	17
Serum Lipase (0-80)	21	22	17
WBC (THO/uL) (4.5-11.0)	42.6	42.6	7.8
Hgb (g/dL) (12-16)	12.6	12.6	7.8
Platelets (THO/uL) (150-350)	308	308	94
INR (<2.0)	1.3	1.8	1.3

Urinalysis

	1 st	2 nd	3 rd	4 th
Glucose	.500mg/dl		Negative	

Medications During Hospitalization

Steroids**			
Diuretics	Lasix		
T3 Protocol	None		
T4 Protocol*	T4 started 2-days before OR and continued in OR @ 3.57 mcg/hr		
	Single dose Solumedrol (500 mg) 2 days before OR.		
Insulin**	Drip started (titration) on admission and continued in OR		
Antihypertensive			
Vasodilators			
DDAVP**			
Total parenteral nutrition	None		
Other	Specify		

^{*}T4 protocol: Levothyroxine, (20 mcgs), Solumedrol (2 gms,) Dextrose 50%, (1 amp), Regular Insulin (20u), Vasopressin (1 unit)

Mi Z, Novitzky D, Collins JF, Cooper D KC. The optimal hormonal replacement modality selection for multiple organ procurement from brain-dead organ donors. Clinical Epidemiology 2015:7 17-27.

^{**} Excluding T4 Protocol