

HPAP-205 Donor Summary



HPAP	205	UNOS	
Recovery OPO	GLDP Gift of Life Donor Program	Allocation Via	UPENN ☒ nPOD ☐
Age (years)	45	DCD	YES ☐ NO ☒
Race	Caucasian	DBD	YES ☒ NO ☐
Sex	M ☒ F ☐	Admission to Cross Clamp	137 Hours 12 Mins.
ABO (Rh)	A1B (Positive)	Cross Clamp Time	02/24/2026 17:12
BMI (Kg/m²)	25.17	Cold Ischemia Time*	02 Hours 06 Mins
Weight (kg)	75.1		
Height (cm)	172.72		
Cause of Death	CVA/Stroke	Preservation Solution	UW ☒ HTK ☐
Mechanism of Injury	Intracranial Hemorrhage/Stroke	Organs Recovered	Heart ☐ Kidney ☒ Lung ☐ Pancreas ☒ Liver ☒ Intestine ☐
Cardiac Arrest/Downtime	Yes ☐ No ☒	Intraoperative time lapse from liver to pancreas removal from the peritoneal cavity:	Hours Mins. NA
CPR / Time	Yes ☐ No ☒	Organs Discarded	Heart ☐ Kidney ☐ Lung ☐ Pancreas ☐ Liver ☐ Intestine ☐
Total Est. Downtime	No Downtime	Blood Culture	No Growth
Date /Time of Admission	2/19/2026 00:00	PHS High Risk	YES ☐ NO ☒
		Acute Lung Injury	Bilateral pulmonary infiltrates described as pulmonary edema versus multifocal pneumonia. concerning for possible ALI.

*Cold Ischemia time is calculated from time of cross clamp to start of enzyme perfusion for islet isolation.



HPAP-205 Donor Summary

Medical History:

		Duration	Medications	Compliance
Type of Diabetes	None (Control case)	----	----	----
History of cancer	----	----	----	----
CAD	----	----	----	----
Hypertension	yes	2 years	Lisinopril 10 mg	Yes
Hyperlipidemia	Yes	3 months	atorvastatin	Yes
Autoimmune disease	----	----	----	----
Family History	CAD ☐ Father & grandfather deceased from heart attacks	Diabetes ☐	Auto immune disease ☐	Others:
Surgical History:	Wisdom teeth removal 4 years ago			
Comments:	Medical Hx: HTN, HLD, Gerd, Anal warts. Allergies to Shellfish, Severe headaches over the past week Medication Hx: Nexium Unknown dose for 6 months Social Hx: Alcohol: Beer occasionally (every other week), 2–3 beers per occasion, since teenage years.			

Hemodynamic Profile

Average BP During Hospitalization (mmHg)	127/83	
Average Low BP During Hospitalization	108/80	Duration: 5 min
Average BP in OR (mmHg)	NA	
Average Low BP in OR (mmHg)	NA	Duration: NA
Average HR in OR (bpm)	NA	
ABG-pH range	7.02 – 7.46	

INTERVENTION

Blood Products/Meds Transfused Before Organ Recovery

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	----	----	----
PRBCs	----	----	----
Platelets	----	----	----
Norepinephrine (Levophed)	----	4 mcg/min started 124:55 hrs. before organ recovery	
Vasopressin	----	0.02 units/min started 125:12 hrs. before organ recovery	
Neo-Syneprine	----	----	----
Epinephrine	----	----	----
Phenylephrine	----	200 mcg/min started 118:00 hrs before organ recovery	
Dopamine	----	----	----



HPAP-205 Donor Summary

Blood Products/Meds Transfused Intraoperative

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	NA	NA	NA
PRBCs	NA	NA	NA
Platelets	NA	NA	NA
Norepinephrine (Levophed)	NA	NA	NA
Vasopressin	NA	NA	NA
Neo-Syneprine (phenylephrine)	NA	NA	NA
Epinephrine	NA	NA	NA
Dopamine	NA	NA	NA
Heparin	-----	30,000	-----

Initial Autoantibody Screening (nPOD): ELISA

Not performed for HPAP-T2D program

GAD-65	IA-2
ND	ND

Confirmatory results: Radioimmuno Assay (RIA)

	GAD-65 (unit/ml)	IA-2 (unit/ml)	Insulin AAB (unit/ml)	ZnT8 (unit/ml)
Results	0	0	-0.001	-0.004
Cut-off values	20	5	0.01	0.02

*Sample obtained at time of organ recovery.

	C-peptide (ng/ml)	Proinsulin
Results	2.37	ND

*Sample obtained at time of organ recovery.

HLA (OPO)*

Class 1	A	1	3	Class II	DR	4	11
	B	27	60		DR51	N-Negative	N-Negative
	C	02	10		DR52	52	N-Negative
	Bw4	Positive			DR53	53	N-Negative
	Bw6	Positive			DQB1	7	8
					DQA1	03	05
					DPB1	02:01	20:01
					DPA1	01	01
Comment:							

HPAP-205 Donor Summary



Confirmatory HLA (UPENN)*

Not performed for HPAP-T2D program

Class 1	A			Class II	DRB1		
	B				DRB3		
	C				DRB4		
					DRB5		
					DQB1		
					DQA1		
					DPB1		
					DPA1		

*HLA typing performed using NGS

Infectious Disease Serology

Test	Result	Hemo/Plasma Dilution Status	
		Qualified	Non-Qualified
EBV IgG	Positive	✓	-
EBV IgM	Negative	✓	-
CMV	Negative	✓	-
HBcAb	Non-Reactive	✓	-
HBsAg	Non-Reactive	✓	-
HCV Ab	Non-Reactive	✓	-
HIV I/II	NA	✓	-
HIV Ag/Ab Combo -Automated	Non-Reactive	✓	-
Syphilis	Non-Reactive	✓	-
Procleix Ultrio	NA	✓	-
Ultrio HBV	Non-Reactive	✓	-
Ultrio HCV	Non-Reactive	✓	-
Ultrio HIV (Ultrio Elite HIV -1/2)	Non-Reactive	✓	-
Toxoplasma Ab	Negative	✓	-
SARS-CoV-2	Negative	✓	-



HPAP-205 Donor Summary

Laboratory Panel

	Initial	Peak	Terminal
Na (mEq/L) (135-145)	144	151	151
Creatinine (<1.5)	1.08	1.13	0.8
Glucose (mg/dL) (60-150)	291	291	149
HbA1C%	5.5	-----	-----
Total bilirubin (0-1.0)	0.6	5.6	0.8
SGOT (AST) (0-40)	50	50	13
SGPT (ALT) (5-35)	67	67	7
Alkaline phosphatase (45-110)	53	76	76
Serum Amylase (23-851)	31	210	68
Serum Lipase (0-80)	13	30	25
WBC (THO/uL) (4.5-11.0)	11.3	23.2	14.4
Hgb (g/dL) (12-16)	16.9	16.9	10.8
Platelets (THO/uL) (150-350)	319	319	158
INR (<2.0)	1	1.4	1.1

Urinalysis

	1 st	2 nd	3 rd & 4 th	5 th & 6 th	7 th
Glucose	Positive >1000	Positive :1000	Negative	Positive >=500	Negative

Medications During Hospitalization

Steroids**	NA		
Diuretics	NA		
T3 Protocol	NA		
T4 Protocol*	NA		
Insulin**	Insulin Regular 1.8 ml/hr		
Antihypertensive	NA		
Vasodilators	NA		
DDAVP**	NA		
Total parenteral nutrition	NA		
Other	Mag sulfate 500 mg/hr, Cefazolin 1gm, Potassium bicarb40 mEq, Magnesium Sulfate 2 gm, Acetaminophen 500 mg	Specify	

*T4 protocol: Levothyroxine, (20 mcgs), Solumedrol (2 gms,) Dextrose 50%, (1 amp), Regular Insulin (20u), Vasopressin (1 unit)

Mi Z, Novitzky D, Collins JF, Cooper D KC. The optimal hormonal replacement modality selection for multiple organ procurement from brain-dead organ donors. Clinical Epidemiology 2015;7 17-27.

** Excluding T4 Protocol