

HPAP-211 Donor Summary



HPAP	211	UNOS	
Recovery OPO	GLDP - Gift of Life Donor Program	Allocation Via	UPENN ☒ nPOD ☐
Age (years)	58	DCD	YES ☐ NO ☒
Race	Caucasian	DBD	YES ☒ NO ☐
Sex	M ☒ F ☐	Admission to Cross Clamp	45 Hours 06 Mins.
ABO (Rh)	A	Cross Clamp Time	05/07/2026 14:21
BMI (Kg/m ²)	32.62	Cold Ischemia Time*	03 Hours 33 Mins.
Weight (kg)	97.3		
Height (cm)	172.72		
Cause of Death	CVA/Stroke	Preservation Solution	UW ☒ HTK ☐ UW/Belzer Cold Storage/Viaspan /SPS-1
Mechanism of Injury	Intracranial Hemorrhage/Stroke	Organs Recovered	Heart ☒ Kidney ☒ Lung ☒ Pancreas ☒ Liver ☒ Intestine ☐
Cardiac Arrest/Downtime	Yes ☐ No ☒	Intraoperative time lapse from liver to pancreas removal from the peritoneal cavity:	00 Hours 22 Mins.
CPR / Time	Yes ☐ No ☒	Organs Discarded	Heart ☐ Kidney ☐ Lung ☐ Pancreas ☐ Liver ☐ Intestine ☐
Total Est. Downtime	No CDT	Blood Culture	No Growth
Date /Time of Admission	05/05/2026 17:15	PHS High Risk	YES ☐ NO ☒
		Acute Lung Injury	bibasilar atelectatic/consolidative opacities with small right pleural effusion; no documented ALI.

*Cold Ischemia time is calculated from time of cross clamp to start of enzyme perfusion for islet isolation.



HPAP-211 Donor Summary

Medical History:

CAD		Duration	Medications	Compliance
Type of Diabetes	T2D (was told he had prediabetes)	unknown	Not treated	-----
History of cancer	-----	-----	-----	-----
CAD	Yes	16 years	N/A	N/A
Hypertension	Yes	16 years	N/A	No
Hyperlipidemia	Yes	10 years	Atorvastatin	No
Autoimmune disease	-----	-----	-----	-----
Family History	CAD ☒ Mother; father (MI in his 30s); brother (MI, age 53).	Diabetes ☐	Auto immune disease ☐	Others:
Surgical History:	tonsillectomy/adenoidectomy, Cardiac stent placement (2010)			
Comments:	HTN, Dyslipidemia (non-compliant) Chronic back pain, MI, prediabetes, allergies to pollen Medication Hx: Atorvastatin 10 years, Tramadol 50mg 5 years, Lyrica 50 mg 5 years Social Hx: Smoked 2 PPD cigarettes for 44 years; marijuana use for 45 years; intranasal cocaine use for 30 years; methamphetamine use for >20 years; Molly use for 40 years (last use 6 years ago); acid use for 10 years (last use 36 years ago). Alcohol Hx: Previously drank ~½ case/day, then 1–2 beers/day; beer and liquor daily for ~15 years in youth, then rarely for >40 years			

Hemodynamic Profile

Average BP During Hospitalization (mmHg)	146/82	
Average Low BP During Hospitalization	131/70	Duration: 2-120 min.
Average BP in OR (mmHg)	115/68	
Average Low BP in OR (mmHg)	103/58	Duration: 30 min.
Average HR in OR (bpm)	105	
ABG-pH range	7.208 – 7.447	

INTERVENTION

Blood Products/Meds Transfused Before Organ Recovery

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	-----	-----	-----
PRBCs	-----	-----	-----
Platelets	-----	-----	-----
Norepinephrine (Levophed)	-----	Started 30:53 hrs. before organ recovery for the duration of 10:18 hrs.	
Vasopressin	-----	-----	-----
Neo-Syneprine	-----	-----	-----
Epinephrine	-----	-----	-----
Phenylephrine	-----	-----	-----
Dopamine	-----	-----	-----

HPAP-211 Donor Summary



Blood Products/Meds Transfused Intraoperative

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	-----	-----	-----
PRBCs	-----	-----	-----
Platelets	-----	-----	-----
Norepinephrine (Levophed)	-----	-----	-----
Vasopressin	-----	-----	-----
Neo-Syneprine (phenylephrine)	-----	-----	-----
Epinephrine	-----	-----	-----
Dopamine	-----	-----	-----
Heparin	-----	30,000	-----

Initial Autoantibody Screening (nPOD): ELISA

Not performed for HPAP-T2D program

GAD-65	IA-2
ND	ND

Confirmatory results: Radioimmuno Assay (RIA)

	GAD-65 (unit/ml)	IA-2 (unit/ml)	Insulin AAB (unit/ml)	ZnT8 (unit/ml)
Results	0	0	0.002	-0.002
Cut-off values	20	5	0.01	0.02

*Sample obtained at time of organ recovery.

	C-peptide (ng/ml)	Proinsulin
Results	4.3	N/A

*Sample obtained at time of organ recovery.

HLA (OPO)*

Class 1	A	1	2	Class II	DR	17	13
	B	18	37		DR51	N-Negative	N-Negative
	C	06	12		DR52	52	52
	Bw4	Positive			DR53	N-Negative	N-Negative
	Bw6	Positive			DQB1(DQ)	2	6
					DQA1	01	05
					DPB1	02:01	04:01
			DPA1	01	01		
Comment:							

HPAP-211 Donor Summary



Confirmatory HLA (UPENN)*

Not performed for HPAP-T2D program

Class 1	A			Class II	DRB1		
	B				DRB3		
	C				DRB4		
					DRB5		
					DQB1		
					DQA1		
					DPB1		
					DPA1		

*HLA typing performed using NGS

Infectious Disease Serology

Test	Result	Hemo/Plasma Dilution Status	
		Qualified	Non-Qualified
EBV IgG	Positive	✓	-
EBV IgM	Negative	✓	-
CMV	Negative	✓	-
HBcAb	Non-Reactive	✓	-
HBsAg	Non-Reactive	✓	-
HCV Ab	Non-Reactive	✓	-
HIV I/II (HIV Ag/Ab Combo)	Non-Reactive	✓	-
Syphilis	Non-Reactive	✓	-
Procleix Ultrio	N/A	-	-
Ultrio HBV	Non-Reactive	✓	-
Ultrio HCV	Non-Reactive	✓	-
Ultrio HIV	Non-Reactive	✓	-
Toxoplasma Ab	Negative	✓	-
SARS-CoV-2	Negative	✓	-

HPAP-211 Donor Summary



Laboratory Panel

	Initial	Peak	Terminal
Na (mEq/L) (135-145)	137	147	147
Creatinine (<1.5)	1	1.42	1.41
Glucose (mg/dL) (60-150)	188	192	142
HbA1C%	7.2	-----	-----
Total bilirubin (0-1.0)	0.3	1	1
SGOT (AST) (0-40)	24	37	26
SGPT (ALT) (5-35)	32	32	20
Alkaline phosphatase (45-110)	103	103	79
Serum Amylase (23-851)	125 (5/07/26)	127	127
Serum Lipase (0-80)	12 (5/07/26)	12	11
WBC (THO/uL) (4.5-11.0)	19.3	24.8	18
Hgb (g/dL) (12-16)	14.9	14.9	13.1
Platelets (THO/uL) (150-350)	288	288	223
INR (<2.0)	1	1.1	1.1

Urinalysis

	1 st	2 nd	3 rd	4 th
Glucose	Positive: 50	N/A	N/A	N/A

Medications During Hospitalization

Steroids**	-----
Diuretics	100 gm Mannitol 25%
T3 Protocol	-----
T4 Protocol*	-----
Insulin**	-----
Antihypertensive	-----
Vasodilators	-----
DDAVP**	2 mcg
Total parenteral nutrition	-----
Other	Propofol 20 mcg/kg/min, Nicardipine Specify

*T4 protocol: Levothyroxine, (20 mcgs), Solumedrol (2 gms,) Dextrose 50%, (1 amp), Regular Insulin (20u), Vasopressin (1 unit)

Mi Z, Novitzky D, Collins JF, Cooper D KC. The optimal hormonal replacement modality selection for multiple organ procurement from brain-dead organ donors. Clinical Epidemiology 2015;7 17-27.

** Excluding T4 Protocol