

HPAP-212 Donor Summary



HPAP	212	UNOS	
Recovery OPO	GLDP- Gift of Life Donor Program	Allocation Via	UPENN ☒ nPOD ☐
Age (years)	56	DCD	YES ☐ NO ☒
Race	Hispanic	DBD	YES ☒ NO ☐
Sex	M ☐ F ☒	Admission to Cross Clamp	224 Hours 57 Mins.
ABO (Rh)	O	Cross Clamp Time	05/19/2026 18:57 EST
BMI (Kg/m ²)	26.85	Cold Ischemia Time*	15 Hours 03 Mins.
Weight (kg)	73.2		
Height (cm)	165.1		
Cause of Death	CVA/Stroke	Preservation Solution	UW ☒ HTK ☐
Mechanism of Injury	intracranial Hemorrhage/Stroke	Organs Recovered	Heart ☒ Kidney ☒ Lung ☒ Pancreas ☒ Liver ☒ Intestine ☐
Cardiac Arrest/Downtime	Yes ☐ No ☒	Intraoperative time lapse from liver to pancreas removal from the peritoneal cavity:	00 Hours 06 Mins.
CPR / Time	Yes ☐ No ☐ N/A	Organs Discarded	Heart ☐ Kidney ☐ Lung ☐ Pancreas ☐ Liver ☐ Intestine ☐
Total Est. Downtime	N/A	Blood Culture	No Growth
Date /Time of Admission	05/10/2026 10:00 EST	PHS High Risk	YES ☐ NO ☒
		Acute Lung Injury	No. Clear lungs. No pleural effusion or pneumothorax.

*Cold Ischemia time is calculated from time of cross clamp to start of enzyme perfusion for islet isolation.

HPAP-212 Donor Summary



Medical History:

		Duration	Medications	Compliance
Type of Diabetes	T2DM	4-5 years	Unsure oral medication	yes
History of cancer	-----	-----	-----	-----
CAD	-----	-----	-----	-----
Hypertension	yes	3 years	Unsure	yes
Hyperlipidemia	-----	-----	-----	-----
Autoimmune disease	-----	-----	-----	-----
Family History	CAD ☐	Diabetes ☒ mother, father, brother, daughter	Auto immune disease ☐	Others:
Surgical History:	Breast augmentation, liposuction			
Comments:	Medical Hx: HTN, HLD, DM- HA1C >14, GERD, Benign neoplasm of transverse colon, Vitamin D deficiency, sexually transmitted infection Medication Hx: Social Hx: Alcohol use: Mojitos, 1–2 drinks once monthly since early adulthood.			

Hemodynamic Profile

Average BP During Hospitalization (mmHg)	152/75	
Average Low BP During Hospitalization	108/55	Duration: 5–60 min.
Average BP in OR (mmHg)	101/77	
Average Low BP in OR (mmHg)	82/79	Duration: N/A
Average HR in OR (bpm)	58	
ABG-pH range	7.18 – 7.53	

INTERVENTION

Blood Products/Meds Transfused Before Organ Recovery

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	-----	-----	-----
PRBCs	-----	-----	-----
Platelets	-----	-----	-----
Norepinephrine (Levophed)	-----	10-15 mcg/hr started 120:42 hrs. before organ recovery for the duration of 26:30 hrs.	
Vasopressin	-----	0.03 units/min started 101:27 hrs. before organ recovery for the duration of 31:42 hrs.	
Neo-Synephrine	-----	-----	-----
Epinephrine	-----	-----	-----
Phenylephrine	-----	-----	-----
Dopamine	-----	-----	-----

HPAP-212 Donor Summary



Blood Products/Meds Transfused Intraoperative

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	-----	-----	-----
PRBCs	-----	-----	-----
Platelets	-----	-----	-----
Norepinephrine (Levophed)	-----	-----	-----
Vasopressin	-----	-----	-----
Neo-Synephrine (phenylephrine)	-----	-----	-----
Epinephrine	-----	10	-----
Dopamine	-----	-----	-----
Heparin	-----	30,000	-----

Initial Autoantibody Screening (nPOD): ELISA

Not performed for HPAP-T2D program

GAD-65	IA-2
ND	ND

Confirmatory results: Radioimmuno Assay (RIA)

	GAD-65 (unit/ml)	IA-2 (unit/ml)	Insulin AAB (unit/ml)	ZnT8 (unit/ml)
Results	66	0	0.004	0.001
Cut-off values	20	5	0.01	0.02

*Sample obtained at time of organ recovery.

	C-peptide (ng/ml)	Proinsulin
Results	0.26	N/A

*Sample obtained at time of organ recovery.

HLA (OPO)*

Class 1	A	1	34	Class II	DR	4	13
	B	71	35		DR51	N-Negative	N-Negative
	C	10	7		DR52	52	N-Negative
	Bw4	Negative			DR53	53	N-Negative
	Bw6	Positive			DQB1 (DQ)	7	8
			DQA1		03	05	
			DPB1		01:01	02:01	
			DPA1		02	03	
Comment:							

HPAP-212 Donor Summary



Confirmatory HLA (UPENN)*

Not performed for HPAP-T2D program

Class 1	A			Class II	DRB1		
	B				DRB3		
	C				DRB4		
					DRB5		
					DQB1		
					DQA1		
					DPB1		
					DPA1		

*HLA typing performed using NGS

Infectious Disease Serology

Test	Result	Hemo/Plasma Dilution Status	
		Qualified	Non-Qualified
EBV IgG	Positive	✓	-
EBV IgM	Positive	✓	-
CMV	Positive	✓	-
HBcAb	Non-Reactive	✓	-
HBsAg	Non-Reactive	✓	-
HCV Ab	Non-Reactive	✓	-
HIV I/II (HIV Ag/Ab Combo)	Non-Reactive	✓	-
Syphilis	Non-Reactive	✓	-
Procleix Ultrio	N/A	-	-
Ultrio HBV	Non-Reactive	✓	-
Ultrio HCV	Non-Reactive	✓	-
Ultrio HIV	Non-Reactive	✓	-
Toxoplasma Ab	Positive	✓	-
SARS-CoV-2	Negative	✓	-



HPAP-212 Donor Summary

Laboratory Panel

	Initial	Peak	Terminal
Na (mEq/L) (135-145)	134	173	145
Creatinine (<1.5)	0.52	0.72	0.53
Glucose (mg/dL) (60-150)	472	472	226
HbA1C%	14	-----	-----
Total bilirubin (0-1.0)	0.6 (5/15/26)	0.8	0.7
SGOT (AST) (0-40)	23 (5/15/26)	23	19
SGPT (ALT) (5-35)	20 (5/15/26)	24	17
Alkaline phosphatase (45-110)	81	156	150
Serum Amylase (23-851)	42 (5/17/26)	42	11
Serum Lipase (0-80)	21 (5/17/26)	22	3
WBC (THO/uL) (4.5-11.0)	14	21	13
Hgb (g/dL) (12-16)	8.7	14.5	8.5
Platelets (THO/uL) (150-350)	190	279	185
INR (<2.0)	1.4 (5/17/26)	1.7	1.7

Urinalysis

	1 st	2 nd	3 rd	4 th
Glucose	Positive >=1000	Positive : 500	Positive >=500	Positive >500

Medications During Hospitalization

Steroids**	-----
Diuretics	Mannitol 50 gm 00:43 min. before organ recovery
T3 Protocol	N/A
T4 Protocol*	-----
Insulin**	Insulin regular started 233:06 hrs before organ recovery
Antihypertensive	Nicardipine 15 mg/hr started 195:53 hrs. before organ recovery for the duration of 5:27 hrs.
Vasodilators	N/A
DDAVP**	N/A
Total parenteral nutrition	N/A
Other	Zosyn 4.5 gram (x14 doses), Rocuronium Specify

*T4 protocol: Levothyroxine, (20 mcgs), Solumedrol (2 gms,) Dextrose 50%, (1 amp), Regular Insulin (20u), Vasopressin (1 unit)

Mi Z, Novitzky D, Collins JF, Cooper D KC. The optimal hormonal replacement modality selection for multiple organ procurement from brain-dead organ donors. Clinical Epidemiology 2015;7 17-27.

** Excluding T4 Protocol