

HPAP-206 Donor Summary



HPAP	206	UNOS	
Recovery OPO	GLDP- Gift of Life Donor program	Allocation Via	UPENN ☒ nPOD ☐
Age (years)	61	DCD	YES ☐ NO ☒
Race	Caucasian	DBD	YES ☒ NO ☐
Sex	M ☐ F ☒	Admission to Cross Clamp	136 Hours 12 Mins
ABO (Rh)	B Positive	Cross Clamp Time	03/05/2026 18:12 EST
BMI (Kg/m ²)	25.51	Cold Ischemia Time*	15 Hours 41 Mins.
Weight (kg)	64.3		
Height (cm)	158.75		
Cause of Death	Anoxia	Preservation Solution	UW ☒ HTK ☐ UW/Belzer (Viaspan/SPS-1)
Mechanism of Injury	Cardiovascular	Organs Recovered	Heart ☒ Kidney ☒ Lung ☒ Pancreas ☒ Liver ☒ Intestine ☐
Cardiac Arrest/Downtime	Yes ☒ No ☐	Intraoperative time lapse from liver to pancreas removal from the peritoneal cavity:	00 Hours 00 Mins.
CPR / Time	Yes ☒ No ☐ 25 min (No bystander CPR 8–10 min prior to EMS arrival)	Organs Discarded	Heart ☐ Kidney ☐ Lung ☐ Pancreas ☐ Liver ☐ Intestine ☐
Total Est. Downtime	33–35 min	Blood Culture	No Growth
Date /Time of Admission	02/28/2026 02:00 EST	PHS High Risk	YES ☐ NO ☒
		Acute Lung Injury	No acute lung injury; Linear atelectasis at the right lung base.

*Cold Ischemia time is calculated from time of cross clamp to start of enzyme perfusion for islet isolation.



HPAP-206 Donor Summary

Medical History:

		Duration	Medications	Compliance
Type of Diabetes	T2DM	5 years	Mounjaro 5mg ~4 months Oral Diabetes medication (Unknown dose) 5 years	yes
History of cancer	-----	-----	-----	-----
CAD	-----	-----	-----	-----
Hypertension	Yes	~ 30 years ago	Unknown	~ 30 years ago
Hyperlipidemia	-----	-----	-----	-----
Autoimmune disease	-----	-----	-----	-----
Family History	CAD ☐	Diabetes ☒ Mother & Father	Auto immune disease ☐	Others:
Surgical History:	C-section (1994), hysterectomy (2007), Cardiac stent (2017-2019), Left arm due to Carpal tunnel (15 years ago)			
Comments:	Medial Hx: heart problems (stent placed), Asthma, Depression, seasonal allergies Medication Hx: Flonase as needed, Dietary supplement (adult life) Social Hx: Tobacco: 1 PPD during adult life Alcohol: ~1 wine or wine cooler every 5 years during adult Drug Hx: Prior cocaine/meth (intranasal), last use 1990; marijuana, current			

Hemodynamic Profile

Average BP During Hospitalization (mmHg)	158/68	
Average Low BP During Hospitalization	122/53	Duration: 5-10 min
Average BP in OR (mmHg)	190/70	
Average Low BP in OR (mmHg)	89/59	Duration: 5 min.
Average HR in OR (bpm)	100	
ABG-pH range	7.22 -7.54	

INTERVENTION

Blood Products/Meds Transfused Before Organ Recovery

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	-----	-----	-----
PRBCs	-----	-----	-----
Platelets	-----	-----	-----
Norepinephrine (Levophed)	NA	NA	NA
Vasopressin	NA	NA	NA
Neo-Synephrine	NA	NA	NA
Epinephrine	NA	NA	NA
Phenylephrine	-----	150 mcg/kg/min started 101.12 hrs. before organ recovery	
Dopamine	NA	NA	NA

HPAP-206 Donor Summary



Blood Products/Meds Transfused Intraoperative

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	-----	-----	-----
PRBCs	-----	-----	-----
Platelets	-----	-----	-----
Norepinephrine (Levophed)	-----	-----	-----
Vasopressin	-----	-----	-----
Neo-Syneprine (phenylephrine)	-----	-----	-----
Epinephrine	-----	-----	-----
Dopamine	-----	-----	-----
Heparin	-----	30,000	-----

Initial Autoantibody Screening (nPOD): ELISA

Not performed for HPAP-T2D program

GAD-65	IA-2
ND	ND

Confirmatory results: Radioimmuno Assay (RIA)

	GAD-65 (unit/ml)	IA-2 (unit/ml)	Insulin AAB (unit/ml)	ZnT8 (unit/ml)
Results	1	0	-0.003	0.001
Cut-off values	20	5	0.01	0.02

*Sample obtained at time of organ recovery.

	C-peptide (ng/ml)	Proinsulin
Results	5.56	NA

*Sample obtained at time of organ recovery.

HLA (OPO)*

Class 1	A	31	68	Class II	DR	4	4
	B	18	60		DR51	N-Negative	N-Negative
	C	10	07		DR52	N-Negative	N-Negative
	Bw4	Negative			DR53	53	53
	Bw6	Positive			DQB1(DQ)	7	8
			DQA1		03	03	
			DPB1		04:01	04:01	
			DPA1		01	01	
			Comment: DPB Ambiguity				

HPAP-206 Donor Summary



Confirmatory HLA (UPENN)*

Not performed for HPAP-T2D program

Class 1	A			Class II	DRB1		
	B				DRB3		
	C				DRB4		
					DRB5		
					DQB1		
					DQA1		
					DPB1		
					DPA1		

*HLA typing performed using NGS

Infectious Disease Serology

Test	Result	Hemo/Plasma Dilution Status	
		Qualified	Non-Qualified
EBV IgG	Positive	✓	-
EBV IgM	Negative	✓	-
CMV	Positive	✓	-
HBcAb	Non-Reactive	✓	-
HBsAg	Non-Reactive	✓	-
HCV Ab	Non-Reactive	✓	-
HIV I/II (HIV Ag/Ab Combo)	Non-Reactive	✓	-
Syphilis	Non-Reactive	✓	-
Procleix Ultrio	ND	-	-
Ultrio HBV	Non-Reactive	✓	-
Ultrio HCV	Non-Reactive	✓	-
Ultrio HIV	Non-Reactive	✓	-
Toxoplasma Ab	Negative	✓	-
SARS-CoV-2	Negative	✓	-



HPAP-206 Donor Summary

Laboratory Panel

	Initial	Peak	Terminal
Na (mEq/L) (135-145)	141	165	158
Creatinine (<1.5)	1.6	1.8	1.8
Glucose (mg/dL) (60-150)	275	294	197
HbA1C%	5.1	-----	-----
Total bilirubin (0-1.0)	0.4	0.8	0.7
SGOT (AST) (0-40)	43	102	21
SGPT (ALT) (5-35)	25	26	7
Alkaline phosphatase (45-110)	149	149	111
Serum Amylase (23-851)	142 (03/03/2026)	142	63
Serum Lipase (0-80)	31 (03/03/2026)	31	12
WBC (THO/uL) (4.5-11.0)	50.5	50.5	38
Hgb (g/dL) (12-16)	13	13.9	10.6
Platelets (THO/uL) (150-350)	365	451	344
INR (<2.0)	1.2	1.2	1.1

Urinalysis

	1 st	2 nd	3 rd	4 th
Glucose	Positive :250	Negative	Negative	NA

Medications During Hospitalization

Steroids**	Solu-Medrol		
Diuretics	Mannitol 50 gm		
T3 Protocol	-----		
T4 Protocol*	-----		
Insulin**	NA		
Antihypertensive	NA		
Vasodilators	NA		
DDAVP**	NA		
Total parenteral nutrition	NA		
Other	Vancomycin 1.25 gm, Zosyn, Benadryl, Propofol 60mcg/kg/min, Ceftriaxone 1gm, Fentanyl 25mcg/hr., Nitro 200mcg/min, Doxycycline 100 mg, Versed 2mg/hr., Nicardipine 12.5mg/hr.	Specify	

*T4 protocol: Levothyroxine, (20 mcgs), Solumedrol (2 gms,) Dextrose 50%, (1 amp), Regular Insulin (20u), Vasopressin (1 unit)

Mi Z, Novitzky D, Collins JF, Cooper D KC. The optimal hormonal replacement modality selection for multiple organ procurement from brain-dead organ donors. Clinical Epidemiology 2015;7 17-27.

** Excluding T4 Protocol