HPAP-111 Donor Summary

HPAP	**-111**	*UNOS*	
Recovery OPO	Gift of Life Donor Program	**Allocation Via**	UPENN ☒ nPOD ☐
Age (years)	63	**DCD**	YES ☐ NO ☒
Race	Caucasian	**DBD**	YES ☒ NO ☐
Sex	M ☒ F☐	**Admission to Cross Clamp**	200 Hours 14 Mins.
ABO (Rh)	O Positive	**Cross Clamp Time**	01/06/2022 08:14 EST
BMI (Kg/m²) **Weight (kg)** **Height (cm)**	24.25 74.5 175.26	**Cold Ischemia Time***	7 Hours 42 Mins.
Cause of Death	CVA/Stroke	**Preservation Solution**	UW ☒ HTK☐ UW Belzer Cold Storage/Viaspan/SPS-1
Mechanism of Injury	Intracranial Hemorrhage/Stroke	**Organs Recovered**	Heart ☐ Kidney ☒ Lung ☒ Pancreas ☒ Liver ☒ Intestine ☒
Cardiac Arrest/Downtime	Yes ☒ No ☐	**Intraoperative time lapse from liver to pancreas removal from the peritoneal cavity:**	00 Hours 15 Mins.
CPR / Time	Yes ☒ No ☐ < 5 minutes unit- Coded x1, CPR with 1 round epi	**Organs Discarded**	Heart ☐ Kidney ☒ Lung ☐ Pancreas ☐ Liver ☐ Intestine ☒
Total Est. Downtime	< 5 minutes	**Blood Culture**	NA
Date /Time of Admission	12/29/2021 00:00 EST	**PHS High Risk**	YES ☐ NO ☒
		Acute Lung Injury	No, The lungs are clear without infiltrate, effusion or pneumothorax

***Cold Ischemia time is calculated from time of cross clamp to start of enzyme perfusion for islet isolation.**

HPAP-111 Donor Summary

Medical History:

		Duration	Medications	Compliance
Type of Diabetes	T2D	NA	NA	NA
History of cancer	-----	-----	-----	-----
CAD	yes	NA	NA	NA
Hypertension	yes	NA	NA	NA
Hyperlipidemia	yes	NA	NA	NA
Autoimmune disease	-----	-----	-----	-----
Family History	CAD ☐	Diabetes ☐	Auto immune disease ☐	Others:
Surgical History:	cardiac stent\peripheral stents, tibia\fibula repair, femur repair			
Comments:	Medical Hx: Congestive Heart Failure, Peripheral artery Disease, Chronic Renal Failure, seizures Social Hx: Smoking cigarettes 1 ppd\40 years (quit 2017), current cigar smoker 2 cigars per week, drank beer socially 2-3 beers on special occasions, quit 10 years ago			

Hemodynamic Profile

Average BP During Hospitalization (mmHg)	120/57	
Average Low BP During Hospitalization	88/50	**Duration: 30-60 min**
Average BP in OR (mmHg)	115/64	
Average Low BP in OR (mmHg)	90/45	**Duration: 3 min**
Average HR in OR (bpm)	68	
ABG-pH range	7.14 – 7.36	

INTERVENTION

Blood Products/Meds Transfused Before Organ Recovery

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	-----	-----	-----
PRBCs	-----	-----	-----
Platelets	250	250 ml given 41:20 hrs. before organ recovery	
Norepinephrine (Levophed)	-----	-----	-----
Vasopressin	-----	-----	-----
Neo-Synephrine	-----	-----	-----
Epinephrine	-----	-----	-----
Phenylephrine	-----	5mcg/kg/min started 2 days before organ recovery for the duration of 2:04 hrs.	
Dopamine	-----	-----	-----

HPAP-111 Donor Summary

Blood Products/Meds Transfused Intraoperative

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	-----	-----	-----
PRBCs	-----	-----	-----
Platelets	-----	-----	-----
Norepinephrine (Levophed)	-----	5 mcg/min	----
Vasopressin	-----	-----	----
Neo-Synephrine (phenylephrine)	-----	4 mcg/min	----
Epinephrine	-----	-----	-----
Dopamine	-----	-----	-----
Heparin	-----	30,000	-----

Initial Autoantibody Screening (nPOD): ELISA

GAD-65	IA-2
Negative	Negative

Confirmatory results: Radioimmuno Assay (RIA)

	GAD-65 (unit/ml)	IA-2 (unit/ml)	Insulin AAB (unit/ml)	ZnT8 (unit/ml)
Results	0	0	-0.002	-0.001
Cut-off values	20	5	0.01	0.02

*Sample obtained at time of organ recovery.

	C-peptide (ng/ml)	Proinsulin
Results	5.02	NA

*Sample obtained at time of organ recovery.

HLA (OPO)*

Class 1	A	03	03	Class II	DR	04	04
	B	07	44		DR51	N-Negative	N-Negative
	C	05	07		DR52	N-Negative	N-Negative
	Bw4	Positive			DR53	53	53
	Bw6	Positive			DQB1	03(7)	03(7)
					DQA1	03	03
					DPB1	04:01	04:01
Comment:							

HPAP-111 Donor Summary

Confirmatory HLA (UPENN)*

Not performed for HPAP-T2D program

Class 1	A			Class II	DRB1		
	B				DRB3		
	C				DRB4		
					DRB5		
					DQB1		
					DQA1		
					DPB1		
					DPA1		

*HLA typing performed using NGS

Infectious Disease Serology

		Hemo/Plasma Dilution Status	
Test	Result	Qualified	Non-Qualified
EBV IgG	Positive	✓	-
EBV IgM	Negative	✓	-
CMV	Negative	✓	-
HBcAb	Non - Reactive	✓	-
HBsAg	Non - Reactive	✓	-
HCV Ab	Non - Reactive	✓	-
HIV I/II	Non - Reactive	✓	-
Syphilis	Non - Reactive	✓	-
Procleix Ultrio	ND	-	-
Ultrio HBV	Non - Reactive	✓	-
Ultrio HCV	Non - Reactive	✓	-
Ultrio HIV	Non - Reactive	✓	-
Toxoplasma Ab	Negative	✓	-
SARS-CoV-2	Negative	✓	-

HPAP-111 Donor Summary

Laboratory Panel

	Initial	Peak	Terminal
Na (mEq/L) (135-145)	133	150	150
Creatinine (<1.5)	1.3	1.3	1.11
Glucose (mg/dL) (60-150)	184	236	155
HbA1C%	**6.8**	-----	-----
Total bilirubin (0-1.0)	0.5	0.5	0.2
SGOT (AST) (0-40)	54	116	53
SGPT (ALT) (5-35)	45	89	36
Alkaline phosphatase (45-110)	86	101	62
Serum Amylase (23-851)	43	74	74
Serum Lipase (0-80)	38	59	59
WBC (THO/uL) (4.5-11.0)	7.7	19.9	17.1
Hgb (g/dL) (12-16)	14.2	14.7	8.4
Platelets (THO/uL) (150-350)	249	399	344
INR (<2.0)	1.05	1.4	1.4

Urinalysis

	1st	2nd	3rd	4th
Glucose	**Positive** +3	**Positive** +1	NA	NA

Medications During Hospitalization

Steroids**	-----		
Diuretics	Mannitol 25%(50 ml) given 40:58 hrs before organ recovery		
T3 Protocol	-----		
T4 Protocol*	40 mcg/hr		
Insulin**	1-5 units subcutaneous, Q6H SCH, Insulin regular10 units IV once		
Antihypertensive	Metoprolol 5mg, given 29:16 hrs before organ recovery, Nicardipine		
Vasodilators	Hydralazine 10 mg, given 98:19 hrs before organ recovery		
DDAVP**	-----		
Total parenteral nutrition	-----		
Other	Nicardipine 2.5-15 ng/hr, Phenylpherin0.1- 9 mcg/kg/min, AcetominophenQ6H PRN, Chlorohexidine 7.5 mg, Pantoprazole 40 mg, dextrose, Glucagon, Magnesium sulfate, Cefazolin, Versed 2mg,	Specify	

*T4 protocol: Levothyroxine, (20 mcgs), Solumedrol (2 gms,) Dextrose 50%, (1 amp), Regular Insulin (20u), Vasopressin (1 unit)

Mi Z, Novitzky D, Collins JF, Cooper D KC. The optimal hormonal replacement modality selection for multiple organ procurement from brain-dead organ donors. Clinical Epidemiology 2015:7 17-27.

** Excluding T4 Protocol