

HPAP-213 Donor Summary



HPAP	213	UNOS	
Recovery OPO	GLDP – Gift of Life Donor Program	Allocation Via	UPENN ☒ nPOD ☐
Age (years)	61	DCD	YES ☐ NO ☒
Race	Caucasian	DBD	YES ☒ NO ☐
Sex	M ☒ F ☐	Admission to Cross Clamp	158 Hours 03 Mins.
ABO (Rh)	0	Cross Clamp Time	6/13/2026, 23:49 (EDT)
BMI (Kg/m ²)	30.69	Cold Ischemia Time*	10 Hours 46 Mins.
Weight (kg)	99.8		
Height (cm)	180.34		
Cause of Death	Anoxia	Preservation Solution	UW ☒ HTK ☐ UW/Belzer Cold Storage/Viaspan/SPS-1
Mechanism of Injury	Cardiovascular	Organs Recovered	Heart ☒ Kidney ☒ Lung ☒ Pancreas ☒ Liver ☒ Intestine ☐
Cardiac Arrest/Downtime	Yes ☒ No ☐	Intraoperative time lapse from liver to pancreas removal from the peritoneal cavity:	00 Hours 19 Mins.
CPR / Time	Yes ☒ No ☐ 20 minutes	Organs Discarded	Heart ☐ Kidney ☐ Lung ☐ Pancreas ☐ Liver ☐ Intestine ☐
Total Est. Downtime	20 mins	Blood Culture	No Growth
Date /Time of Admission	06/07/2026 09:46 EDT	PHS High Risk	YES ☐ NO ☒
		Acute Lung Injury	Right hemothorax with associated right lung compression/atelectasis and possible post-obstructive pneumonia. No clear acute lung injury.

*Cold Ischemia time is calculated from time of cross clamp to start of enzyme perfusion for islet isolation.



HPAP-213 Donor Summary

Medical History:

		Duration	Medications	Compliance
Type of Diabetes	None	-----	-----	-----
History of cancer	-----	-----	-----	-----
CAD	-----	-----	-----	-----
Hypertension	-----	-----	-----	-----
Hyperlipidemia	Yes	~ 5 years	Atorvastatin 2–3 years	yes
Autoimmune disease	-----	-----	-----	-----
Family History	CAD ☒ Father, maternal grandfather/uncle and paternal uncles.	Diabetes ☐	Auto immune disease ☐	Others:
Surgical History:	Knee surgery			
Comments:	Medical HX: HLD, chronic cough secondary to post-nasal drip, osteoarthritis of lumbar spine Social HX: Alcohol use: Beer and wine, 4 drinks once weekly for 46 years.			

Hemodynamic Profile

Average BP During Hospitalization (mmHg)	129/74	
Average Low BP During Hospitalization	78/59	Duration: 15 – 60 min.
Average BP in OR (mmHg)	156/90	
Average Low BP in OR (mmHg)	78/51	Duration: 5 min.
Average HR in OR (bpm)	96	
ABG-pH range	7.186 - 7.47	

INTERVENTION

Blood Products/Meds Transfused Before Organ Recovery

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	-----	-----	-----
PRBCs	-----	-----	-----
Platelets	-----	-----	-----
Norepinephrine (Levophed)		Continuous (mcg/min), started 67:02hrs. pre-recovery.	
Vasopressin	-----	Continuous (units/min), started 65:36 hrs. pre-recovery.	
Neo-Syneprine	-----	-----	-----
Epinephrine	-----	Continuous 6 mcg/min; started 154:15 hr before organ recovery; infused for 45:56 hr.	
Phenylephrine	-----	-----	-----
Dopamine	-----	-----	-----



HPAP-213 Donor Summary

Blood Products/Meds Transfused Intraoperative

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	-----	-----	-----
PRBCs	-----	-----	-----
Platelets	-----	-----	-----
Norepinephrine (Levophed)	-----	-----	-----
Vasopressin	-----	-----	-----
Neo-Syneprine (phenylephrine)	-----	20 mcg/hr	-----
Epinephrine	-----	-----	-----
Dopamine	-----	-----	-----
Heparin	-----	30,000	-----

Initial Autoantibody Screening (nPOD): ELISA

Not performed for HPAP-T2D program

GAD-65	IA-2
ND	ND

Confirmatory results: Radioimmuno Assay (RIA)

	GAD-65 (unit/ml)	IA-2 (unit/ml)	Insulin AAB (unit/ml)	ZnT8 (unit/ml)
Results	0	0	-0.003	-0.002
Cut-off values	20	5	0.01	0.02

*Sample obtained at time of organ recovery.

	C-peptide (ng/ml)	Proinsulin
Results	5.27	N/A

*Sample obtained at time of organ recovery.

HLA (OPO)*

Class 1	A	23	24	Class II	DR	17	15
	B	44	57		DR51	51	N- Negative
	C	04	06		DR52	52	N- Negative
	Bw4	Positive			DR53	N- Negative	N- Negative
	Bw6	Negative			DQB1	2	6
			DQA1		01	05	
			DPB1		04:01	04:01	
		DPA1	01	01			
Comment:							

HPAP-213 Donor Summary



Confirmatory HLA (UPENN)*

Not performed for HPAP-T2D program

Class 1	A			Class II	DRB1		
	B				DRB3		
	C				DRB4		
					DRB5		
					DQB1		
					DQA1		
					DPB1		
					DPA1		

*HLA typing performed using NGS

Infectious Disease Serology

Test	Result	Hemo/Plasma Dilution Status	
		Qualified	Non-Qualified
EBV IgG	Positive	✓	-
EBV IgM	Negative	✓	-
CMV	Negative	✓	-
HBcAb	Non-Reactive	✓	-
HBsAg	Non-Reactive	✓	-
HCV Ab	Non-Reactive	✓	-
HIV I/II (HIV Ag/Ab Combo)	Non-Reactive	✓	-
Syphilis	Non-Reactive	✓	-
Procleix Ultrio	N/A	-	-
Ultrio HBV	Non-Reactive	✓	-
Ultrio HCV	Non-Reactive	✓	-
Ultrio HIV (HIV-1/2)	Non-Reactive	✓	-
Toxoplasma Ab	Negative	✓	-
SARS-CoV-2	Negative	✓	-

HPAP-213 Donor Summary



Laboratory Panel

	Initial	Peak	Terminal
Na (mEq/L) (135-145)	142	150	150
Creatinine (<1.5)	1.27	1.36	0.66
Glucose (mg/dL) (60-150)	209	358	191
HbA1C%	5.6	-----	-----
Total bilirubin (0-1.0)	0.7	1.7	0.6
SGOT (AST) (0-40)	85	103	21
SGPT (ALT) (5-35)	83	83	23
Alkaline phosphatase (45-110)	60	66	57
Serum Amylase (23-851)	55 (6/11/26)	55	27
Serum Lipase (0-80)	20 (6/11/26)	24	16
WBC (THO/uL) (4.5-11.0)	27.8	27.9	11.3
Hgb (g/dL) (12-16)	15.3	15.3	8
Platelets (THO/uL) (150-350)	168	185	87
INR (<2.0)	1.4	1.4	1.3

Urinalysis

	1 st	2 nd	3 rd	4 th
Glucose	Positive: 100	Negative	Positive: 50	Negative

Medications During Hospitalization

Steroids**	-----		
Diuretics	-----		
T3 Protocol	N/A		
T4 Protocol*	40 mcg/hr		
Insulin**	-----		
Antihypertensive	Hydralazine 5 mg		
Vasodilators	Hydralazine 5 mg		
DDAVP**	-----		
Total parenteral nutrition	-----		
Other	Zosyn 4.5 gm, Ceftriaxone 1gm, Duoneb 3 ml, Albuterol 2.5 mg, Potassium Phosphate 15 mmol, Potassium Chloride 40 mEq, Sodium Phosphate 15 mmol, Calcium Gluconate 1 gm, Magnesium Sulfate 2 gm, Hydralazine 5 mg, Heparin Sodium, Propofol 40 mcg/kg/min, Midazolam 2 mg/hr, Fentanyl 50 mcg/hr	Specify	

*T4 protocol: Levothyroxine, (20 mcgs), Solumedrol (2 gms,) Dextrose 50%, (1 amp), Regular Insulin (20u), Vasopressin (1 unit)

Mi Z, Novitzky D, Collins JF, Cooper D KC. The optimal hormonal replacement modality selection for multiple organ procurement from brain-dead organ donors. Clinical Epidemiology 2015;7 17-27.

** Excluding T4 Protocol