HPAP _218_ Donor Summary

HPAP	*218*	*UNOS*	
Recovery OPO	GLDP - Gift of Life Donor Program	**Allocation Via**	UPENN ☒ nPOD ☐
Age (years)	56	**DCD**	YES ☐ NO ☒
Race	African American	**DBD**	YES ☒ NO ☐
Sex	M ☒ F☐	**Admission to Cross Clamp**	207 Hours 11 Mins.
ABO (Rh)	O	**Cross Clamp Time**	08/19/2026 10:49 EDT
BMI (Kg/m²) **Weight (kg)** **Height (cm)**	21.86 63.3 170.18	**Cold Ischemia Time***	2 Hours 47 Mins.
Cause of Death	Head Trauma	**Preservation Solution**	UW ☒ HTK☐ UW/Belzer Cold Storage/Viaspan/SPS-1
Mechanism of Injury	Blunt Injury	**Organs Recovered**	Heart ☒ Kidney ☒ Lung ☒ Pancreas ☒ Liver ☒ Intestine ☐
Cardiac Arrest/Downtime	Yes ☐ No ☒	**Intraoperative time lapse from liver to pancreas removal from the peritoneal cavity:**	00 Hours 00 Mins.
CPR / Time	Yes ☐ No ☒	**Organs Discarded**	Heart ☐ Kidney ☐ Lung ☐ Pancreas ☐ Liver ☐ Intestine ☐
Total Est. Downtime	Not reported	**Blood Culture**	Not Performed
Date /Time of Admission	08/10/2026 19:38	**PHS High Risk**	YES ☐ NO ☒
		Acute Lung Injury	No-findings suggest aspiration with pneumonia/atelectasis.

***Cold Ischemia time is calculated from time of cross clamp to start of enzyme perfusion for islet isolation.**

HPAP _218_ Donor Summary

Medical History:

		Duration	Medications	Compliance
Type of Diabetes	None	-----	-----	-----
History of cancer	-----	-----	-----	-----
CAD	-----	-----	-----	-----
Hypertension	-----	-----	-----	-----
Hyperlipidemia	NA	NA	NA	NA
Autoimmune disease	NA	NA	NA	NA
Family History	CAD ☐	Diabetes ☐	Auto immune disease ☐	Others:
Surgical History:	Left palm surgery ~10 years ago with residual scar;			
Comments:	Social Hx**:** Former smoker (2 cigarettes/day ×10 years, quit 2021); marijuana use off/on ×25 years, last use 4 days ago; History of K2 use; social alcohol use (~1 glass liquor); prior homelessness and incarceration.			

Hemodynamic Profile

Average BP During Hospitalization (mmHg)	144/96	
Average Low BP During Hospitalization	72/53	**Duration: 5 – 20 min.**
Average BP in OR (mmHg)	142/72	
Average Low BP in OR (mmHg)	88/36	**Duration: 1 min.**
Average HR in OR (bpm)	93	
ABG-pH range	7.13 – 7.46	

INTERVENTION

Blood Products/Meds Transfused Before Organ Recovery

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	-----	-----	-----
PRBCs	-----	-----	-----
Platelets	-----	-----	-----
Norepinephrine (Levophed)	-----	Started ~115 hrs. before organ recovery; stop time not provided.	
Vasopressin	-----	Started ~111 hrs. before organ recovery; stop time not provided.	
Neo-Synephrine	-----	-----	-----
Epinephrine	-----	-----	-----
Phenylephrine	-----	-----	-----
Dopamine	-----	-----	-----

HPAP _218_ Donor Summary

Blood Products/Meds Transfused Intraoperative

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	-----	-----	-----
PRBCs	-----	-----	-----
Platelets	-----	-----	-----
Norepinephrine (Levophed)	-----	-----	-----
Vasopressin	-----	-----	-----
Neo-Synephrine (phenylephrine)	-----	-----	-----
Epinephrine	-----	-----	-----
Dopamine	-----	-----	-----
Heparin	-----	30,000	-----

Initial Autoantibody Screening (nPOD): ELISA

Not performed for HPAP-T2D program

GAD-65	IA-2
N/D	N/D

Confirmatory results: Radioimmuno Assay (RIA)

	GAD-65 (unit/ml)	IA-2 (unit/ml)	Insulin AAB (unit/ml)	ZnT8 (unit/ml)
Results	1	0	-0.006	-0.001
Cut-off values	20	5	0.01	0.02

*Sample obtained at time of organ recovery.

	C-peptide (ng/ml)	Proinsulin
Results	3.94	N/A

*Sample obtained at time of organ recovery.

HLA (OPO)*

Class 1	A	23	26	Class II	DR	18	11
	B	53	55		DR51	N-Negative	N-Negative
	C	01	04		DR52	52	52
	Bw4	Positive			DR53	N-Negative	N-Negative
	Bw6	Positive			DQB1	7	4
	[redacted]				DQA1	04	05
					DPB1	01:01	14:01
					DPA1	02	02
Comment:							

HPAP _218_ Donor Summary

Confirmatory HLA (UPENN)*

Not performed for HPAP-T2D program

Class 1	A			Class II	DRB1		
	B				DRB3		
	C				DRB4		
					DRB5		
					DQB1		
					DQA1		
					DPB1		
					DPA1		

*HLA typing performed using NGS

Infectious Disease Serology

		Hemo/Plasma Dilution Status	
Test	Result	Qualified	Non-Qualified
EBV IgG	Positive	✓	-
EBV IgM	Negative	✓	-
CMV	Negative	✓	-
HBcAb	Non-Reactive	✓	-
HBsAg	Non-Reactive	✓	-
HCV Ab	Non-Reactive	✓	-
HIV I/II (HIV Ag/Ab Combo)	Non-Reactive	✓	-
Syphilis	Non-Reactive	✓	-
Procleix Ultrio	N/A	-	-
Ultrio HBV	Non-Reactive	✓	-
Ultrio HCV	Non-Reactive	✓	-
Ultrio HIV	Non-Reactive	✓	-
WNVNAT	Non-Reactive	✓	-
Toxoplasma Ab	Negative	✓	-
SARS-CoV-2	Negative	✓	-

HPAP _218_ Donor Summary

Laboratory Panel

	Initial	Peak	Terminal
Na (mEq/L) (135-145)	139	160	147
Creatinine (<1.5)	1.04	1.17	0.97
Glucose (mg/dL) (60-150)	79	239	159
HbA1C%	5	-----	-----
Total bilirubin (0-1.0)	0.8 (8/14/2026)	1.3	0.6
SGOT (AST) (0-40)	68	68	17
SGPT (ALT) (5-35)	47	47	19
Alkaline phosphatase (45-110)	101	146	136
Serum Amylase (23-851)	11.9	40	20
Serum Lipase (0-80)	9 (8/17/2026)	1.3	0.7
WBC (THO/uL) (4.5-11.0)	11.7	23	23
Hgb (g/dL) (12-16)	14.2	14.2	9.7
Platelets (THO/uL) (150-350)	220	243	242
INR (<2.0)	1	1.6	1.6

Urinalysis

	1st	2nd	3rd	4th
Glucose	Negative	Positive: 150- Abnormal	Negative	N/A

Medications During Hospitalization

Steroids**	Methylprednisolone: 1-2 g		
Diuretics	Mannitol 50 gms, Lasix 100 mgs		
T3 Protocol	N/A		
T4 Protocol*	----		
Insulin**	N/A		
Antihypertensive	N/A		
Vasodilators	N/A		
DDAVP**	N/A		
Total parenteral nutrition	N/A		
Other	Sodium chloride 3%, cefepime, acetaminophen, adenosine, ceftazidime, Ancef (cefazolin), albuterol, heparin sodium	Specify	

*T4 protocol: Levothyroxine, (20 mcgs), Solumedrol (2 gms,) Dextrose 50%, (1 amp), Regular Insulin (20u), Vasopressin (1 unit)

Mi Z, Novitzky D, Collins JF, Cooper D KC. The optimal hormonal replacement modality selection for multiple organ procurement from brain-dead organ donors. Clinical Epidemiology 2015:7 17-27.

** Excluding T4 Protocol