

HPAP-209 Donor Summary



HPAP	209	UNOS	
Recovery OPO	GALL- LifeLink of Georgia	Allocation Via	UPENN ☐ nPOD ☒
Age (years)	38	DCD	YES ☐ NO ☒
Race	White	DBD	YES ☒ NO ☐
Sex	M ☒ F ☐	Admission to Cross Clamp	117 Hours 15 Mins.
ABO (Rh)	A (+)	Cross Clamp Time	04/12/2026 20:19 ET
BMI (Kg/m ²)	27.823	Cold Ischemia Time*	15 Hours 14 Mins.
Weight (kg)	101.5000		
Height (cm)	191.00		
Cause of Death	HEAD TRAUMA	Preservation Solution	UW ☒ HTK ☐
Mechanism of Injury	BLUNT INJURY	Organs Recovered	Heart ☐ Kidney ☒ Lung ☐ Pancreas ☒ Liver ☒ Intestine ☐
Cardiac Arrest/Downtime	Yes ☐ No ☒	Intraoperative time lapse from liver to pancreas removal from the peritoneal cavity:	☐ Hours ☐ Mins. N/A
CPR / Time	Yes ☐ No ☒	Organs Discarded	Heart ☐ Kidney ☐ Lung ☐ Pancreas ☐ Liver ☐ Intestine ☐
Total Est. Downtime	None	Blood Culture	No Growth
Date /Time of Admission	04/07/2026 23:04 ET	PHS High Risk	YES ☐ NO ☒
		Acute Lung Injury	Stable bibasilar interstitial opacities consistent with mild acute lung injury; no new consolidation, pleural effusion, or pneumothorax.

*Cold Ischemia time is calculated from time of cross clamp to start of enzyme perfusion for islet isolation.



HPAP-209 Donor Summary

Medical History:

		Duration	Medications	Compliance
Type of Diabetes	T1D	10 Years	Insulin	yes
History of cancer	-----	-----	-----	-----
CAD	-----	-----	-----	-----
Hypertension	-----	-----	-----	-----
Hyperlipidemia	-----	-----	-----	-----
Autoimmune disease	-----	-----	-----	-----
Family History	CAD ☐	Diabetes ☒ Mother	Auto immune disease ☐	Others:
Surgical History:	None			
Comments:	Medical Hx: Schizophrenia (not compliant with medications) Social Hx: oral Marijuana use weekly, Smoked cigarettes, 1/7 pack per day for 5 years and cigars for 10 years with continued use. Drank vodka weekly, unknown amounts for 15 plus years. In prison for 3 years from 2018-2020.			

Hemodynamic Profile

Average BP During Hospitalization (mmHg)	125/80	
Average Low BP During Hospitalization	66 / 49	Duration: 2 min.
Average BP in OR (mmHg)	N/A	
Average Low BP in OR (mmHg)	N/A	Duration: N/A
Average HR in OR (bpm)	N/A	
ABG-pH range	7.26 – 7.5	

INTERVENTION

Blood Products/Meds Transfused Before Organ Recovery

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	300	1	300
PRBCs	300	1	300
Platelets	-----	-----	-----
Norepinephrine (Levophed)	Continuous	0.24 MCG/KG/MIN for the duration of 46:39:00 0.06 MCG/KG/MIN for the duration of 10:21:00 started 70.04 hrs. before organ recovery	
Vasopressin	Continuous	0.6 – 2.4 UNITS/HR for the duration of 80:24 hrs. started 96:46 hrs. before organ recovery.	
Neo-Syneprine	Continuous	0.45 MCG/KG/MIN for her duration of 8:24 hrs. started 10:37hrs. before organ recovery	
Epinephrine	-----	-----	-----
Phenylephrine	-----	-----	-----
Dopamine	-----	-----	-----

HPAP-209 Donor Summary



Blood Products/Meds Transfused Intraoperative

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	N/A	N/A	N/A
PRBCs	N/A	N/A	N/A
Platelets	N/A	N/A	N/A
Norepinephrine (Levophed)	N/A	N/A	N/A
Vasopressin	N/A	N/A	N/A
Neo-Syneprine (phenylephrine)	N/A	N/A	N/A
Epinephrine	N/A	N/A	N/A
Dopamine	N/A	N/A	N/A
Heparin	-----	30,000	-----

Initial Autoantibody Screening (nPOD): ELISA

GAD-65	IA-2
Not performed	Not Performed

Confirmatory results: Radioimmuno Assay (RIA)

	GAD-65 (unit/ml)	IA-2 (unit/ml)	Insulin AAB (unit/ml)	ZnT8 (unit/ml)
Results	871	0	0.249	-0.002
Cut-off values	20	5	0.01	0.02

*Sample obtained at time of organ recovery.

	C-peptide (ng/ml)	Proinsulin
Results	<0.02	NA

*Sample obtained at time of organ recovery.

HLA (OPO)*

Class 1	A	1	2	Class II	DR	4	7
	B	7	57		DR51	N-Negative	N-Negative
	C	06	07		DR52	N-Negative	N-Negative
	Bw4	Positive			DR53	4*01	Null allele
	Bw6	Positive			DQB1	8	9
			DQA1		02	03	
			DPB1		04:01	13:01	
		DPA1	01	02			
Comment:							

HPAP-209 Donor Summary



Confirmatory HLA (UPENN)*

Class 1	A	01:01	02:01	Class II	DRB1	04:01	07:01
	B	07:02	57:01		DRB3	----	----
	C	06:02	07:02		DRB4	01:03	01:03:01:02N
					DRB5	----	----
					DQB1	03:02	03:03
					DQA1	02:01	03:01
					DPB1	04:01	13:01
					DPA1	01:03	02:01
						DPB1*350:01,133:01 allele combination was not ruled out.	

*HLA typing performed using NGS

Infectious Disease Serology

Test	Result	Hemo/Plasma Dilution Status	
		Qualified	Non-Qualified
EBV IgG	Positive	✓	-
EBV IgM	Negative	✓	-
CMV	Positive	✓	-
HBcAb	Non-Reactive	✓	-
HBsAg	Non-Reactive	✓	-
HCV Ab	Non-Reactive	✓	-
HIV I/II (HIV Ag/Ab Combo)	Non-Reactive	✓	-
Syphilis	Non-Reactive	✓	-
Procleix Ultrio	ND	-	-
Ultrio HBV	Non-Reactive	✓	-
Ultrio HCV	Non-Reactive	✓	-
Ultrio HIV	Non-Reactive	✓	-
Toxoplasma Ab	Negative	✓	-
SARS-CoV-2	Negative	✓	-

HPAP-209 Donor Summary



Laboratory Panel

	Initial	Peak	Terminal
Na (mEq/L) (135-145)	139	150	147
Creatinine (<1.5)	1.09	2.66	2.66
Glucose (mg/dL) (60-150)	349	349	163
HbA1C%	8.5	8.5	8.3 (4/10/26)
Total bilirubin (0-1.0)	0.4	1.1	0.9
SGOT (AST) (0-40)	557	557	32
SGPT (ALT) (5-35)	376	376	75
Alkaline phosphatase (45-110)	60	70	59
Serum Amylase (23-851)	NA	NA	92
Serum Lipase (0-80)	102	102	4
WBC (THO/uL) (4.5-11.0)	16.7	16.7	10.1
Hgb (g/dL) (12-16)	13.4	13.4	8.1
Platelets (THO/uL) (150-350)	290	290	1
INR (<2.0)	1.3	1.63	1.27

Urinalysis

	1 st	2 nd	3 rd – 5 th	6 th - 7 th
Glucose	Positive: 2+	Positive: trace	Positive: 2+	Negative

Medications During Hospitalization

Steroids**	Solumedrol 250 mg single dose		
Diuretics	Bumex, Lasix 5 mg/hr		
T3 Protocol	-----		
T4 Protocol*	-----		
Insulin**	6 units Q4H with one additional 6-unit single dose, followed by continuous insulin infusion at 2.5 units/hr		
Antihypertensive	-----		
Vasodilators	-----		
DDAVP**	-----		
Total parenteral nutrition	N		
Other	Levophed, Vasopressin, KCL20 mEq, Bumex 0.5 mg/hr., Angiotensin II, Na Phos, 15 mmol, Mag. Sulfate, Fluconazole, 400 mg, Albuterol 2.5 mg, Zyvox 600 mg, Vancomycin, Flagyl, Cefepime, Ancef, TXA 1000 mg	Specify	

*T4 protocol: Levothyroxine, (20 mcgs), Solumedrol (2 gms) Dextrose 50%, (1 amp), Regular Insulin (20u), Vasopressin (1 unit)

Mi Z, Novitzky D, Collins JF, Cooper D KC. The optimal hormonal replacement modality selection for multiple organ procurement from brain-dead organ donors. Clinical Epidemiology 2015;7 17-27.

** Excluding T4 Protocol