

HPAP-210 Donor Summary



HPAP	210	UNOS	
Recovery OPO	GLDP- Gift of Life Donor Program	Allocation Via	UPENN ☒ nPOD ☐
Age (years)	55	DCD	YES ☐ NO ☒
Race	African American	DBD	YES ☒ NO ☐
Sex	M ☐ F ☒	Admission to Cross Clamp	259 Hours 40 Mins.
ABO (Rh)	O	Cross Clamp Time	04/21/2026 06:40
BMI (Kg/m ²)	29.68	Cold Ischemia Time*	04 Hours 49 Mins.
Weight (kg)	73.6		
Height (cm)	157.48		
Cause of Death	CVA/Stroke	Preservation Solution	UW ☒ HTK ☐ UW/Belzer Cold Storage/Viaspan/ sps-1
Mechanism of Injury	Intracranial Hemorrhage / Stroke	Organs Recovered	Heart ☒ Kidney ☒ Lung ☒ Pancreas ☒ Liver ☒ Intestine ☐
Cardiac Arrest/Downtime	Yes ☐ No ☒	Intraoperative time lapse from liver to pancreas removal from the peritoneal cavity:	00 Hours 30 Mins.
CPR / Time	Yes ☐ No ☒	Organs Discarded	Heart ☐ Kidney ☐ Lung ☐ Pancreas ☐ Liver ☐ Intestine ☐
Total Est. Downtime	No cardiac down time	Blood Culture	No Growth
Date /Time of Admission	4/10/2026 11:00 ET	PHS High Risk	YES ☐ NO ☒
		Acute Lung Injury	No evidence of acute lung injury. Bibasilar consolidations likely due to aspiration/atelectatic changes.

*Cold Ischemia time is calculated from time of cross clamp to start of enzyme perfusion for islet isolation.



HPAP-210 Donor Summary

Medical History:

		Duration	Medications	Compliance
Type of Diabetes	None	----	----	----
History of cancer	----	----	----	----
CAD	----	----	----	----
Hypertension	Yes	Past 10 years	BP medication (unknown dose, few years)	No
Hyperlipidemia	Yes	NA	NA	NA
Autoimmune disease	----	----	----	----
Family History	CAD ☐	Diabetes ☒ Mother had DM	Auto immune disease ☐	Others:
Surgical History:	Hysterectomy (for fibroids that runs in family), Hemorrhoidectomy, back surgery			
Comments:	Medical Hx: Unknown murmur, Reactive airway disease, Kidney stones 20 years ago, passed without intervention, allergies to peppers and coconuts Social Hx: One glass wine once a week past 30-40 years			

Hemodynamic Profile

Average BP During Hospitalization (mmHg)	144/72	
Average Low BP During Hospitalization	115/72	Duration: 15 -20 min.
Average BP in OR (mmHg)	110/61	
Average Low BP in OR (mmHg)	56/34	Duration: 1 min.
Average HR in OR (bpm)	85	
ABG-pH range	7.22 - 7.518	

INTERVENTION

Blood Products/Meds Transfused Before Organ Recovery

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	----	----	----
PRBCs	----	----	----
Platelets	----	----	----
Norepinephrine (Levophed)	----	Started at 65:19 hrs. before organ recovery	
Vasopressin	----	Started 55:08 hrs. before organ recovery	
Neo-Synephrine	----	----	----
Epinephrine	----	----	----
Phenylephrine	----	Started 57:10 hrs before organ recovery for the duration of 1:16 hrs.	
Dopamine	----	----	----



HPAP-210 Donor Summary

Blood Products/Meds Transfused Intraoperative

Product	Amount (ml)	Units	Total (ml)
Fresh Frozen Plasma	-----	-----	-----
PRBCs	-----	-----	-----
Platelets	-----	-----	-----
Norepinephrine (Levophed)	-----	-----	-----
Vasopressin	-----	-----	-----
Neo-Synephrine (phenylephrine)	-----	-----	-----
Epinephrine	-----	-----	-----
Dopamine	-----	-----	-----
Heparin	-----	30,000	-----

Initial Autoantibody Screening (nPOD): ELISA

Not performed for HPAP-T2D program

GAD-65	IA-2
ND	ND

Confirmatory results: Radioimmuno Assay (RIA)

	GAD-65 (unit/ml)	IA-2 (unit/ml)	Insulin AAB (unit/ml)	ZnT8 (unit/ml)
Results	0	0	0.001	-0.001
Cut-off values	20	5	0.01	0.02

*Sample obtained at time of organ recovery.

	C-peptide (ng/ml)	Proinsulin
Results	4.94	NA

*Sample obtained at time of organ recovery.

HLA (OPO)*

Class 1	A	1	74	Class II	DR	13	13
	B	57	58		DR51	N-Negative	N-Negative
	C	10	07		DR52	52	52
	Bw4	Positive			DR53	N-Negative	N-Negative
	Bw6	Negative			DQB1(HLA DQ)	2	6
					DQA1	01	02
					DPB1	02:01	02:01
					DPA1	01	01
Comment:							

HPAP-210 Donor Summary



Confirmatory HLA (UPENN)*

Not performed for HPAP-T2D program

Class 1	A			Class II	DRB1		
	B				DRB3		
	C				DRB4		
					DRB5		
					DQB1		
					DQA1		
					DPB1		
					DPA1		

*HLA typing performed using NGS

Infectious Disease Serology

Test	Result	Hemo/Plasma Dilution Status	
		Qualified	Non-Qualified
EBV IgG	Positive	✓	-
EBV IgM	Negative	✓	-
CMV	Positive	✓	-
HBcAb	Non-Reactive	✓	-
HBsAg	Non-Reactive	✓	-
HCV Ab	Non-Reactive	✓	-
HIV I/II (HIV Ag/Ab Combo)	Non-Reactive	✓	-
Syphilis	Non-Reactive	✓	-
Procleix Ultrio	NA	-	-
Ultrio HBV	Non-Reactive	✓	-
Ultrio HCV	Non-Reactive	✓	-
Ultrio HIV	Non-Reactive	✓	-
Toxoplasma Ab	Negative	✓	-
SARS-CoV-2	Negative	✓	-

HPAP-210 Donor Summary



Laboratory Panel

	Initial	Peak	Terminal
Na (mEq/L) (135-145)	142	160	154
Creatinine (<1.5)	0.79	0.94	0.66
Glucose (mg/dL) (60-150)	183	263	159
HbA1C%	5.8	-----	-----
Total bilirubin (0-1.0)	0.6	1.8	0.9
SGOT (AST) (0-40)	34	110	40
SGPT (ALT) (5-35)	36	198	79
Alkaline phosphatase (45-110)	124	124	79
Serum Amylase (23-851)	61	245	245
Serum Lipase (0-80)	28	84	84
WBC (THO/uL) (4.5-11.0)	23.5	26	26
Hgb (g/dL) (12-16)	12.6	12.6	8.7
Platelets (THO/uL) (150-350)	274	279	270
INR (<2.0)	0.9	1.2	1.1

Urinalysis

	1 st	2 nd	3 rd	4 th
Glucose	Positive :200	Negative	Negative	Positive :50

Medications During Hospitalization

Steroids**	Methylprednisolone 2gm		
Diuretics	Manitol 25% 50 gm		
T3 Protocol	-----		
T4 Protocol*	-----		
Insulin**	Insulin regular 2 units		
Antihypertensive	N/A		
Vasodilators	N/A		
DDAVP**	N/A		
Total parenteral nutrition	N/A		
Other	Ancef 1 gm, Ceftazidime 1gm, Heparin sodium 5000 units, Albuterol, Cefazolin 2gm, Zosyn 3.375 gm, Phenobarbital 736 mg, Albumin 25% 50 gm, Fentanyl, propofol	Specify	

*T4 protocol: Levothyroxine, (20 mcgs), Solumedrol (2 gms,) Dextrose 50%, (1 amp), Regular Insulin (20u), Vasopressin (1 unit)

Mi Z, Novitzky D, Collins JF, Cooper D KC. The optimal hormonal replacement modality selection for multiple organ procurement from brain-dead organ donors. Clinical Epidemiology 2015;7 17-27.

** Excluding T4 Protocol